

2021

HKS

OIL CATALOG

エンジンに強い!!

Trust Us With Your Engine



www.hks-power.co.jp

LEXUS

TOYOTA

NISSAN

HONDA

MITSUBISHI

SUBARU

MAZDA

SUZUKI

DAIHATSU

SUPER OIL Premium



for GASOLINE ENGINE (API/SP standard)

-Treat your engine - The latest API SP oil with excellent cost performance

A new series of oils that conforming to the latest API service category "API SP"

Generally, increasing the oil film strength tends to be hard oil but we increased the viscosity index while increasing the oil film strength by improving the quality of the base oil and well-balanced blending for the viscosity index improver. As a result, at low-temperature, oil becomes soft, superior to fuel economy, and good response, and forming a strong oil film at high-temperature. The oil becomes more sports-oriented. It can be switched from 0W-25 to 0W-20 and from 7.5W-35 to 5W-30.



[What is the API SP standard?]

The latest oil categories set in 2020 by API (American Petroleum Institute). Heat resistance, cleaning, and fuel economy performances are improved compared to the SN standard due to new engine tests. API SP further defines suppressing the LSPI which tends to occurs in vehicles that have downsized direct-injection turbocharged engines and preventing chain wear.

10W40 API/SP

Reliable engine protection even under the high-temperature, high-engine load

- Compatible with a stock grade #W 40
- Allowable maximum temperature (High): 140°C
- 100% SYNTHETIC
- Conforming to API SP standard
- Protection against LSPI
- Volume: 20L / 4L / 1L



5W30 API/SP

Balance engine protection and fuel economy at a higher level

- Compatible with a stock grade #W 30
- Allowable maximum temperature (High): 130°C
- 100% SYNTHETIC
- Conforming to API SP/ILSAC GF-6A
- Protection against LSPI
- Volume: 20L / 4L / 1L



0W20 API/SP

Superior performance for both engine protection and fuel economy

- Compatible with a stock grade #W 20
- Allowable maximum temperature (High): 120°C
- 100% SYNTHETIC
- Conforming to API SP/ILSAC GF-6A
- Protection against LSPI
- Volume: 20L / 4L / 1L



for EUROPEAN CARS (API SN/ACEA A3B4 standard)

- The European car's engine performance can be maximized by the optimized velocity exclusively selected for each purpose of use.
- High performance and oil film maintenance in the range at high speed and temperature require severe viscosity characteristics.
- High driving performance and durability for street to sports driving.
- API SN Standard / ACEA A3B4 is obtained.

※Not available with vehicles equipped with the DPF.

EURO 5W40 API/SN ACEA A3B4

ACEA - European Standard, Ideal for European Vehicles

- Stock Grade *w40 applicable
- Max Oil Temp : 140°C
- API SN, ACEA A3/B4
- 100% SYNTHETIC
- Volume : 4L / 1L



[ACEA Standard]

European Automobile Manufacturers' Association (ACEA) represents major European car, van, truck and bus manufacturers. They defines specifications for engine oils, and the way of their evaluation is different from API standard and is more strict.



HKS OIL SERIES are all synthetic.

HKS engine oils are developed with an idea of that oil is a tuning part to maximize performance of engine. The unique viscosity categorization will effect at molecular level on boundary lubrication. Optimized oil viscosity selection solves hydrodynamic lubrication. Airtightness and friction are highly balanced. HKS as an engine building specialist offers synthetic special blend oil.

for GASOLINE ENGINE

7.5W55

Ideal for tuned and large displacement turbo engines and old model cars

- Stock Grade *w50 applicable
- Max Oil Temp: 150°C
- 100% SYNTHETIC
- Volume: 20L / 4L / 1L



7.5W45

High Performance for both normal and high load driving

- Stock Grade *w40 applicable
- Max Oil Temp: 140°C
- 100% SYNTHETIC
- Volume: 20L / 4L / 1L



7.5W35

Performance and economy balanced at a high level

- Stock Grade *w30 applicable
- Max Oil Temp: 130°C
- 100% SYNTHETIC
- Volume: 20L / 4L / 1L



0W25

Ideal for modern compact and eco cars

- Stock Grade *w20 applicable
- Max Oil Temp: 120°C
- 100% SYNTHETIC
- Volume: 20L / 4L / 1L



for DIESEL ENGINE

7.5W44 Diesel

Reliable protection for the engine under severe conditions

- Stock Grade *w40 applicable
- Max Oil Temp: 140°C
- 100% SYNTHETIC
- Volume: 20L / 4L



7.5W33 Diesel

Performance and economy balanced at a high level

- Stock Grade *w30 applicable
- Max Oil Temp: 130°C
- 100% SYNTHETIC
- Volume: 20L / 4L



5W30 Diesel

Ideal for clean diesel engines

- Stock Grade *w30 applicable
- Max Oil Temp: 130°C
- 100% SYNTHETIC
- Volume: 4L / 1L



SUPER OIL

**Trust Us with Your Engine!!
High performance oil by HKS,
the expert of the engine tuning.**

- The engine performance can be maximized by the optimized velocity exclusively selected for each purpose of use.
- High performance and oil film maintenance in the range at high speed and temperature require severe viscosity characteristics.
- This new oil provides high performance and affordability at high level in a well-balance. Viscosity – 5W-30 equivalent to SN grade.

※ Not available with vehicles equipped with the DPF.

5W30

- Stock Grade *w30 applicable
- Max Oil Temp: 130°C
- SYNTHETIC
- Volume: 4L



SUPER RACING OIL

HKS bestseller engine oil series "SUPER OIL" are refined with an additive made by the latest technology that fights against LSPI(Low Speed Pre-Ignition).

●Effective against LSPI(Low Speed Pre-Ignition)

HKS bestseller engine oil series "SUPER OIL" are redesigned by the latest technology; an additive was prescribed and added to the oil to protect the engine against the effects of LSPI (Low Speed Pre-Ignition) which tends to occur to a downsized turbocharged engine. Usually, LSPI occurs when low viscosity engine oil is used to a downsized turbocharged engine; however, even high viscosity engine oil is used, if the engine is a high compression and high boost tuned direct injection turbocharged engine, and it is run under severe combustion condition, LSPI may occur. New "HKS SUPER RACING" series are the unprecedented high viscosity engine oil that can protect the engine from LSPI.

●Base Oil is 100% Synthetic Oil

The base oil to maintain the oil basic performance is 100% Synthetic Oil. The best viscosity and ingredient is selected for each engine specification.

SUPER TURBO RACING (5W40)

Widely Applicable with Turbo Engine / Downsized Turbo Engine

- Stock Grade : *W40
- Volume : 200L / 4L / 1L
- Target : Small Displacement Direct Injection Turbocharged Engine, 2L Stock Turbo
- Engine : K14C 8NR-FTS L15-B L15-C SR20DET 4G63 4B11, etc.



SUPER TURBO RACING (15W50)

Ideal for Tuned Engine, Large Displacement, and Old Vehicle Models

- Stock Grade : *W50
- Volume : 200L / 20L / 4L / 1L
- Target : High Engine Output Turbo / Boost Increased to Turbine Upgraded Vehicle
- Engine : RB2#DET(T) #JZ-GTE VR##DETT VQ##DET SR20DET 4G63 4B11 EJ2#, etc.



SUPER BOXER RACING (10W40)

Ideal for Horizontally Opposed Engine like FA or EJ.

- Stock Grade : *W40
- Volume : 4L / 1L
- Target : Horizontally Opposed Engine with Bolt-on Turbo and/ or Boost Increased Vehicle
- Engine : FA20(S/C or BOT) EJ2# FB2#, etc.



SUPER ROTARY RACING (10W40)

Designed for High Rotation Rotary Engine

- Stock Grade : *W40
- Volume : 200L / 20L / 4L / 1L
- Target : Stock to Turbine Upgraded Vehicle
- Engine : 13B


※This oil does not contain the additive effective against LSPI.



SUPER NA RACING (0W40)

Ideal for High Response NA Engine & Vehicle with GT Supercharger

- Stock Grade : *W40
- Volume : 20L / 4L / 1L
- Target : Stock to NA Tuned, and Vehicle with Bolt-on S/C
- Engine : FA20(NA) K20 F2# P5-VPR PE-VPR VQ3#DE, etc.



PRO OIL (For Authorized Shop Only)

HKS' experience and expertise of high performance engine tuning enable develop this HKS Pro Oil series. HKS Pro Oil series are special that only available for limited shops. The newly developed "HIPER ESTER" is the base oil that enables remarkable lubrication performance and low friction. There are flagship engine oils from the performance parts manufacture "HKS".

HKS is thinking that the engine oil is the part of the engine. Premium Pro oil is for professionals who can blend two viscosities of oil to obtain a specific viscosity by understanding of oil viscosity characteristics.


Premium Pro (0W20 / 20W60)

Best of the Pro Oil Series "HIPER ESTER" Blended Oil.

- HKS developed new base oil "HIPER ESTER" for general use by utilizing the knowledge of developing the ester based racing oil of HRM087. "HIPER ESTER" has incredible lubrication performance and low resistance addition to the stable viscosity and oil film that are characteristics of non polymer type oil. Extreme-pressure performance of this Pro Oil series works well especially for tuned engines.
- Premium Pro oil has 2 grades; 0W-20 and 20W-60. "Engine oil setting" can be done by mixing these 2 types to obtain a specific viscosity to match the tuning level and/or use conditions. (See the Oil Mixture Viscosity Table below.) Oil viscosity can be adjusted as tuners want to reduce friction loss or to maintain sealing action with oil when clearance between parts must be wider, oil viscosity can be adjusted.




Mixture Viscosity Table



Racing Pro (-5W30 / 0W40 / 10W50)

Low friction oil with viscosity characteristic optimized at high temperature for Pro users.

- Low friction oil with viscosity characteristic optimized at high temperature for Pro users.
- Basic characteristic is based on "Pro OIL". Names of items were changed from previous TURBO, NA, and RE to viscosity.
- All viscosity grades can be used for the rotary engine (Low ash content).
- Ester of the new oil is upgraded to the new generation "HIPER ESTER". Super low friction "-5W 30" is the best for the latest normal aspirated engines.
- It has quicker response than "0W 30" class oils.



BRAKE FLUID

Brake's usage environment for tuned cars is much more severe than racing cars due to their weight and engine output. HKS Brake Fluid series were developed with careful analysis and tests of the actual data from races of various categories. HKS Brake Fluid series can assist reliable braking. Select the appropriate type for the purpose of usage.

Racing Pro

New brake fluid made for winning!

- High dry boiling point of 333°C and the performance equivalent to the highest DOT5.1 specification.
- R35 GT-R (HKS 1300hp spec.) could withstand the conditions under full-braking at 330km/h.
- Appropriate brake feeling is provided for a vehicle without Mastervac. (For a vehicle with Mastervac, this product works with no problem.)



Sport

Enjoy better performance in sports driving!

- DOT5.1 spec makes street and circuit driving more reliable.
- The boiling point is higher than the one for street driving, and the kinematic viscosity is also higher; therefore, the brake pedal feeling is more exact while circuit driving.
- This one is ideal for various uses. Versatile brake fluid for ultimate driving.



Touring

Upgrade your brake system!

- The dry boiling point is 272°C, and wet boiling point is 182°C. But, even in cold district, it exhibits superior viscosity characteristics. Also, the intensive kinetic viscosity analysis enables reliable braking operation feeling to be expected under various street driving conditions.



※ Use at all once, drain the fluid when a vehicle is stored for a long term
 ※ Replace the brake hose to a mesh hose.


※ For race use, HKS BRAKE FLUID Racing Pro is recommended.
 ※ Use the fluid all at once.

※ Use the fluid all at once.

GEAR OIL

GEAR OIL G series

No high-power engine can run fast without a reliable transmission drive system. HKS has been developing gear oils and differential oils that can fully demonstrate the performance of transmissions and LSDs, based on the know-how of participating in races in various categories. A range of 5 different types varying from #90 to #250 are available for various applications. You can always find the best grade for your car. Using 100% synthetic non polymer oil for the most efficient lubrication from economy to high power applications which require strong load capacity and low friction.



SS GEAR



FF GEAR



GTR GEAR



SS DIFF



DRAG GEAR


	Application of G series Gear Oil						
	1Lx6 / 20L	FF (4WD)		FR			
	GEAR OIL TYPE	TM	TM	TM	TM / High power	DIFF	DIFF
Equivalent to GL5	LSD	None	Present	—	—	None	Present
Ex SS Gear	G-900 (75W90)	○	○	○	○	▽	▽
Ex FF Gear	G-1000 (75W100)	○	○	○	○	○	○
Ex GT-R Gear	G-1200 (75W120)	○	▽	○	○	○	▽
Ex SS Diff.	G-1400 (75W140)	▽	▽	▽	▽	○	○
Ex Drag Gear	G-2500 (85W250)	▽	▽	▽	▽	▽	▽

○ Recommended ▽ Professional use based on Experience

DCTF (Sport/Touring)

DCTF / Dual Clutch Transmission Fluid

New DCTF inherits all the best from its predecessor DCTF-II and further improves various properties, such as high oil fluidity in low temperatures and strong oil film in high temperatures and also performance under high loads. New series introduce Sport type for track use and heavily modified vehicles and Touring type for stock and light tuned vehicles for maximum comfort.



Sport

Made specially for ultimate performance, sport type focuses on maintenance of oil film in high temperature and load resistance performance. Recommended for track use.



Touring

Aiming to perceive maximum comfort, touring type is a perfect match for stock and light tuned cars. Recommended for street use and high speed cruising.

DCT FLUID APPLICATION

Nissan	R35 Special Ford M2C936A
Mitsubishi	DiaQueen SSTF-1
VW/AUDI	VW TL 052 182 / VW TL 052 529
BMW	83 22 2 148 578
Mercedes-Benz	MB 236.21 / MB 236.25
PROSCHE	No.999.917.0800.00

GASOLINE and ADDITIVES

DRAG GAS Race gasoline developed utilizing expertise and technology for drag race activities.

- High octane (110 Octane) & high energy fuel to reach full engine potential.
- Unleaded high octane gasoline. Vehicles with catalytic converters can run on this gasoline.
- Initial boiling point is 37.5°C. Excellent starting performance No bad exhaust fume.
- Wide combustible range and setting range. Best torque can be reached at A/F12 to 12.5:1. Comparing to other commercial high octane gasoline, A/F will be about 1.5 leaner at the same volume of fuel.

- Superior anti-knocking characteristic. Best to use for vehicles with high compression, high boost level, and advanced ignition timing. If an engine setting is based on usual premium gasoline, run on Drag Gas, knocking will not occur as there is more safety margin.
- Supplied in a portable 20 liters can.



Cautions for Setting

In order to increase horsepower with usual premium gasoline, limitation of horsepower is decided by the point of knocking HKS Drag GAS has anti-knocking characteristic so the knocking does not occur. Thus, other factors should be considered such as heat range of spark plug due to pre-ignition.

DHOB

Gasoline additives developed by making full use of know-how gained by DRAG GAS development

When a can of this product is mixed with 50 liters gasoline, about 2 octane increases for premium gasoline and about 4.5 octane increases for regular gasoline. For a track, it will add safety margin against knocking. In addition, it has cleaning effect of fuel injector



Direct Sludge Remover

Oil additive for cleaning the inside of the engine

The sludge remover removes the engine sludge along with the old oil after adding to the old engine oil and idle the engine before oil change.

- Removing the sludge with DSR minimizes the amount of waste oil and the length of operation time.
- Since the base oil is the engine oil, even if the remover liquid is remained, it is not necessary to worry of trouble.

※ This product is not available for 2-stroke engine and rotary engine.



Direct Deposit Remover

High concentration hyper polyether amine (PEA) deposit remover

- Deposit in combustion chamber and spark plug due to tuning or long period operation will be easily removed.
- It is an additive for gasoline to recover performance of engine.
- A bottle (225ml) per 75 Liters of gasoline. As it is In-tank type, it is easy to use.
- It is applicable for any gasoline engines including normal port injection, direct injection, carburetor and rotary engine.

※ Deposit is sludge inside engine.



Direct Deposit Remover DIESEL

Superior Injector Cleaner, Cetane Number improves by 3 points, Gas oil lubricity improves

- Effective for all diesel vehicles including common rail system. Reduction of black smoke can be expected.
- Effective for smooth cold starting and misfiring prevention. Engine power can be recovered. Toxic emissions can be reduced.
- Effectively extends the life of fuel injection pump, etc. Available for sulphur-free gas oil.

※ Cetane number is a measure of fuel's ignition delay; the time period between the start of injection and start of combustion (ignition) of the fuel. The range of cetane numbers is usually from 15 to 100. Higher speed diesels operate more effectively with higher cetane number.



STANDARD GRADE						
Product	Base Oil	SAE	Volume	Code No.	Price	Remarks
SUPER OIL Premium API SP	100% SYNTHETIC	10W40 API SP	1L	52001-AK141		Vehicles with stock grade #W40. Old cars, cars with severe conditions engines. Oil Effective against LSPI
			4L	52001-AK142		
			20L	52001-AK143		
SUPER OIL Premium API SP/ILSAC GF-6A	100% SYNTHETIC	5W30 API SP ILSAC GF-6A	1L	52001-AK144		Vehicles with stock grade #W30. Sports car, kei car with turbo. Oil Effective against LSPI
			4L	52001-AK145		
			20L	52001-AK146		
		0W20 API SP ILSAC GF-6A	1L	52001-AK147		Vehicles with stock grade #W20. Hybrid cars, cars with direct ignition turbo engines, etc.. Oil Effective against LSPI
			4L	52001-AK148		
			20L	52001-AK149		
SUPER OIL Premium EURO API SN/ACEA A3/B4	100% SYNTHETIC	5W40 API SN ACEA A3/B4	1L	52001-AK119		
			4L	52001-AK120		
SUPER OIL Premium	100% SYNTHETIC	7.5W55 Equivalent	1L	52001-AK098		
			4L	52001-AK099		
			20L	52001-AK100		
		7.5W45 Equivalent	1L	52001-AK101		
			4L	52001-AK102		
			20L	52001-AK103		
		7.5W35 Equivalent	1L	52001-AK104		
			4L	52001-AK105		
			20L	52001-AK106		
		0W25 Equivalent	1L	52001-AK107		
			4L	52001-AK108		
			20L	52001-AK109		
SUPER OIL Premium Diesel	100% SYNTHETIC	7.5W44 Equivalent	4L	52001-AK113		
			20L	52001-AK114		
		7.5W33 Equivalent	4L	52001-AK115		
			20L	52001-AK116		
		5W30 Equivalent	1L	52001-AK139		
			4L	52001-AK117		
SUPER OIL	SYNTHETIC	5W30 Equivalent	4L	52001-AK118		

HIGH GRADE						
Product	Base Oil	SAE	Volume	Code No.	Price	Remarks
SUPER NA RACING	100% SYNTHETIC	0W40	1L	52001-AK121		Oil Effective against LSPI
			4L	52001-AK122		
			20L	52001-AK123		
SUPER TURBO RACING	100% SYNTHETIC	5W40	1L	52001-AK124		Oil Effective against LSPI
			4L	52001-AK125		
			200L	52001-AK140		
SUPER TURBO RACING	100% SYNTHETIC	15W50	1L	52001-AK126		Oil Effective against LSPI
			4L	52001-AK127		
			20L	52001-AK128		
			200L	52001-AK129		
SUPER BOXER RACING	100% SYNTHETIC	10W40	1L	52001-AK130		Oil Effective against LSPI
			4L	52001-AK131		
SUPER ROTARY RACING	100% SYNTHETIC	10W40	1L	52001-AK132		※This oil does not contain the additive effective against LSPI.
			4L	52001-AK133		
			20L	52001-AK134		
			200L	52001-AK135		

HIGH GRADE (Available Only from HKS Authorized Shops)						
Product	Base Oil	SAE	Volume	Code No.	Price	Remarks
Premium Pro	100% SYNTHETIC	0W-20	20L	52001-AK037		HIPER ESTER BASE
		20W-60	20L	52001-AK040		
Racing Pro	100% SYNTHETIC	10W-50	4L	52001-AK068		HIPER ESTER BASE
		10W-50	20L	52001-AK067		
		10W-50	200L	52001-AK066		
		0W-40	20L	52001-AK069		
		-5W-30	20L	52001-AK071		

BRAKE FLUID					
Product	SAE	Volume	Code No.	Price	Remarks
BRAKE FLUID Racing Pro	DOT5.1 Equivalent to standard	0.5L	52003-AK002		Boric acid ester
BRAKE FLUID Sport	DOT5.1 Equivalent to standard	1L	52003-AK003		Glycol ether
BBRAKE FLUID Touring	DOT4	1L	52003-AK004		Glycol ether

GEAR AND DIFF OIL						
Product	Base Oil	SAE	Volume	Code No.	Price	Remarks
G-900	100% SYNTHETIC	75W 90 Equivalent	1L	52004-AK003		Ex SS Gear
			20L	52004-AK004		
G-1000		75W 100 Equivalent	1L	52004-AK005		Ex FF Gear
			20L	52004-AK006		
G-1200		75W 120 Equivalent	1L	52004-AK007		Ex GT-R Gear
			20L	52004-AK008		
G-1400		75W 140 Equivalent	1L	52004-AK009		Ex SS Diff.
			20L	52004-AK010		
G-2500		85W 250 Equivalent	1L	52004-AK011		Ex Drag Gear
			20L	52004-AK012		

DUAL CLUTCH TRANSMISSION FLUID					
Product	Base Oil	Volume	Code No.	Price	Remarks
DCTF Sport	100% SYNTHETIC	20L	52002-AK003		
DCTF Touring		20L	52002-AK004		For areas with temperatures falling below -10°C Sport type is recommended.

GASOLINE				
Base Oil	Volume	Code No.	Price	Remarks
DRAG GAS	20L	6122-RR001		

ADDITIVE FOR GASOLINE				
Base Oil	Volume	Code No.	Price	Remarks
DHOB	500ml	5303-SA001		For Gasoline

ENGINE INTERNAL CLEANER				
Base Oil	Volume	Code No.	Price	Remarks
Direct Sludge Remover	400ml	52006-AK004		※This product is not available for 2-stroke engine and rotary engine.

DEPOSIT REMOVER				
Base Oil	Volume	Code No.	Price	Remarks
Direct Deposit Remover	225ml	52006-AK003		For Diesel
Direct Deposit Remover DIESEL	250ml	52006-AK002		For Gasoline

OIL FILTER

エンジンに強い!!

Trust Us With Your Engine

- Utilizing the filter original designed for HKS Oil Filter and increasing its filter surface area by 15%, compared with a conventional product, greatly improved particle collection performance.
- Compared to conventional product, HKS filtration flow is equivalent in terms of pressure loss, while filtration performance is improved up to 8.3%.
- This filter catches until 20 μ particles and it meets the required conditions for most of the engines.
- It is recommended to replace a filter every 10,000 km or 6 months under the normal driving environment. For sports and/or race use, it is recommend to replace a filter every 3,000 km - 5,000km.
- $\phi 65 \times H50$ is newly released. This new size filter is available for the latest Kei cars and vehicle equipped with an oil cooler that needs a low height filter. (A sandwich type attachment is required to install HKS Oil Filter.)

※Purple Edition is limited Qty product. When the limited quantity is exceeded, the sale will finish.

Protect the Engine!
Outstanding Filtration Performance.

Neodymium Magnet

Powerful neodymium magnet collects ferrous metal deposits.

High Efficiency Filter


Bespoke high efficiency filter enhances particle collection performance

Super Stealth Frame

Smooth oil flow & high structural rigidity.

Silicon Base Flap

Backflow of oil and outflow of foreign objects are properly prevented.



Type	Unit Size	Bolt Thread Size	Code No.	Price	Remarks
TYPE1	$\phi 68 \times H65$	M20 $\times$ P1.5	52009-AK005		
TYPE3	$\phi 74 \times H85$	UNF3/4-16	52009-AK007		
TYPE4	$\phi 65 \times H50$	M20 $\times$ P1.5	52009-AK008		
TYPE5	$\phi 65 \times H50$	UNF3/4-16	52009-AK009		
TYPE6	$\phi 68 \times H65$	UNF 3/4-16	52009-AK010		
TYPE7	$\phi 65 \times H66$	UNF 3/4-16	52009-AK011		
TYPE1	$\phi 68 \times H65$	M20-P1.5	52009-AK005V		PURPLE EDITION Limited Product
TYPE6	$\phi 68 \times H65$	UNF 3/4-16	52009-AK010V		PURPLE EDITION Limited Product
TYPE7	$\phi 65 \times H66$	UNF 3/4-16	52009-AK011V		PURPLE EDITION Limited Product

SUPER COOLANT

High performance coolant is released by HKS, the expert of the engine tuning.

- Select the one best matching your usage.

Racing Pro : "Ultimate Cooling Performance for Winning!!"


Sport : "For More Comfortable Sporty Driving"

Touring : "All-round Performance for Safer Touring"

- All types are "on-amine" coolant for the safe and reliable use.
- High durability and high performance for street to sporty driving.
- All 3 types guarantee safety preventing metallic corrosion.
- Replacement interval is 2-3 years.

※HKS SUPER COOLANT is a pre-diluted coolant. Just pour straight into the cooling system. "Made in JAPAN" - High Quality

■HKS Super Coolant Characteristics



Racing Pro



Sport



Touring

Product Name	Freeze Temp	Base	Volume	Code No.	Price	Remarks
SUPER Coolant Racing Pro	-1°C Less than	Pure Water	4L	52009-AK002		BLUE
SUPER Coolant Sport	-18°C Less than	Pure Water and Ethylene Glycol (25-35%)	4L	52009-AK003		YELLOW
SUPER Coolant Touring	-37°C Less than	Pure Water and Ethylene Glycol (40-50%)	4L	52009-AK004		PURPLE

● HKS ENGINE OIL APPLICATION LIST

Vehicle	Model	Engine Model	Model Year	Normal Viscosity	Recommended engine oil		Required Oil Vol. (L)		Oil Filter	Required Coolant Volume (L)		Remarks
					Standard		Oil	Oil+ Filter		Coolant Volume (L)	Inter Cooler Inverter(L)	
					Standard	API						
LEXUS												
CT200h	ZWA10	2ZR-FXE (HYBRID)	11/1~17/8	0W-20	0W-25	0W-20 SP	3.9	4.2	—	6.9	Inverter 2.1	
	ZWA10	2ZR-FXE (HYBRID)	17/9~	0W-20	0W-25	0W-20 SP	3.9	4.2	TYPE7	6.9	Inverter 2.1	*1
HS250h	ANF10	2AZ-FXE (HYBRID)	09/7~	0W-20	0W-25	0W-20 SP	4.1	4.3	—	7.3	Inverter 2.9	
GS200t	ARL10	8AR-FTS (TURBO)	16/9~17/10	0W-20	0W-25	0W-20 SP	4.3	4.6	—	9.0	Intercooler 2.1	
GS300	ARL10	8AR-FTS (TURBO)	17/11~	0W-20	0W-25	0W-20 SP	4.3	4.6	—	9.0	Intercooler 2.1	
GS250	GRL11	4GR-FSE (D-4)	12/1~	5W-30	7.5W-35	5W-30 SP	5.9	6.3	—	11.0		
GS300h	AWL10	4AR-FSE (D-4) (HYBRID)	13/10~	0W-20	0W-25	0W-20 SP	4.1	4.5	—	8.4	Inverter 2.3	
GS350	GRL12.GRL16	2GR-FKS	15/11~	0W-20	0W-25	0W-20 SP	5.5	5.7	—	9.4-9.7		
	GRL10.GRL15	2GR-FSE (D-4)	12/1~	5W-30	7.5W-35	5W-30 SP	5.9	6.3	—	9.7		
	GRS191.GRS196	2GR-FSE (D-4)	05/8~12/1	5W-30	7.5W-35	5W-30 SP	5.9	6.3	—	9.1		
GS450h	GWL10	2GR-FXE (D-4) (HYBRID)	12/3~	0W-20	0W-25	0W-20 SP	5.9	6.3	—	9.4	Inverter 2.9	
GS430	UZS190	3UZ-FE	05/8~12/1	5W-30	7.5W-35	5W-30 SP	4.3	5.1	TYPE3	10.1		
GS460	URS190	1UR-FSE	07/10~12/1	0W-20	0W-25	0W-20 SP	8.4	8.6		10.8		
GS F	URL10	2UR-GSE	15/11~	5W-30	7.5W-35	5W-30 SP	7.9	8.8	—	11.6		
IS200t	ASE30	8AR-FTS (TURBO)	15/7~17/10	0W-20	0W-25	0W-20 SP	4.3	4.6	—	7.9	Intercooler 3.0	
IS300	ASE30	8AR-FTS (TURBO)	20/11~	0W-20	0W-25	0W-20 SP	4.3	4.6	—	7.9	Intercooler 3.0	
	ASE30	8AR-FTS (TURBO)	17/11~20/10	0W-20	0W-25	0W-20 SP	4.3	4.6	—	7.9	Intercooler 3.0	
IS250	GSE30.GSE35	4GR-FSE (D-4)	13/5~	5W-30	7.5W-35	5W-30 SP	5.9	6.3	—	10.5-10.8		
	GSE20.GSE25	4GR-FSE (D-4)	05/9~13/5	5W-30	7.5W-35	5W-30 SP	5.9	6.3	—	9.1-10.3		
IS300h	AVE30	2AR-FSE+1KM (HYBRID)	20/11~	0W-20	0W-25	0W-20 SP	4.1	4.5	—	8.1	Inverter 2.2	
	AVE35	2AR-FSE+1KM (HYBRID)	20/11~	0W-20	0W-25	0W-20 SP	4.1	4.5	—	8.0	Inverter 2.3	
	AVE30.AVE35	2AR-FSE+1KM (HYBRID)	13/5~	0W-20	0W-25	0W-20 SP	4.1	4.5	—	8.2	Inverter 2.2	
IS350	GSE31	2GR-FKS	20/11~	0W-20	0W-25	0W-20 SP	5.5	5.7	—	9.3		
	GSE31	2GR-FKS	17/11~20/10	0W-20	0W-25	0W-20 SP	5.5	5.7	—	9.4		
	GSE31	2GR-FSE (D-4)	13/5~17/10	5W-30	7.5W-35	5W-30 SP	5.9	6.3	—	9.3-9.6		FR
	GSE21	2GR-FSE (D-4)	05/9~13/5	5W-30	7.5W-35	5W-30 SP	5.9	6.3	—	9.1		
IS F	USE20	2UR-GSE	07/12~	5W-30	7.5W-35	5W-30 SP	8.2	9.3	—	11.9		
NX200t	AGZ10.AGZ15	8AR-FTS	14/7~17/10	0W-20	0W-25	0W-20 SP	4.7	4.9	—	7.9	Intercooler 2.9	
NX300	AGZ10.AGZ15	8AR-FTS	17/11~	0W-20	0W-25	0W-20 SP	4.7	4.9	—	7.9	Intercooler 2.9	
NX300h	AYZ10.AYZ15	2AR-FXE+2JM (HYBRID)	14/7~	0W-20	0W-25	0W-20 SP	4.0	4.4	—	6.7	Inverter 3.1	
LC500	URZ100	2UR-GSE	17/3~	5W-30	7.5W-35	5W-30 SP	7.9	8.6	—	12.1		
LC500h	GWZ100	8GR-FXS+2NM (HYBRID)	17/3~	0W-20	0W-25	0W-20 SP	5.5	5.7	—	10.9	Inverter 2.3	
LS500	VXFA50	V35A-FTS	17/10~	0W-20	0W-25	0W-20 SP	5.8	6.3	TYPE7	10.6	Intercooler 4.3	FR
LS500	VXFA55	V35A-FTS	17/10~	0W-20	0W-25	0W-20 SP	6.6	7.1	—	10.6	Intercooler 4.3	AWD
LS500h	GVF50	8GR-FXS	17/10~	0W-20	0W-25	0W-20 SP	5.5	5.7	—	11.0	Inverter 2.4	FR
LS500h	GVF55	8GR-FXS	17/10~	0W-20	0W-25	0W-20 SP	6.4	6.7	—	11.0	Inverter 2.4	AWD
LS460	USF40.USF45	1UR-FSE	06/9~	0W-20	0W-25	0W-20 SP	8.4	8.6	—	11.0-11.8		
LS460L	USF41.USF46	1UR-FSE	06/9~	0W-20	0W-25	0W-20 SP	8.4	8.6	—	11.0-11.1		
LS600h	UVF45	2UR-FSE+1KM (HYBRID)	07/4~	0W-20	0W-25	0W-20 SP	8.4	8.6	—	11.1	Inverter 2.5	
LS600hL	UVF46	2UR-FSE+1KM (HYBRID)	07/4~	0W-20	0W-25	0W-20 SP	8.4	8.6	—	11.1	Inverter 2.5	
LX570	URJ201W	3UR-FE	15/9~	0W-20	0W-25	0W-20 SP	7.1	7.5	—	16.2		
SC430	UZZ40	3UZ-FE	05/8~10/7	5W-30	7.5W-35	5W-30 SP	4.3	5.1	TYPE3	9.9		
RC200t	ASC10	8AR-FTS (TURBO)	15/9~17/10	0W-20	0W-25	0W-20 SP	4.3	4.6	—	8.1	Intercooler 3.1	
RC300	ASC10	8AR-FTS (TURBO)	17/11~	0W-20	0W-25	0W-20 SP	4.3	4.6	—	8.1	Intercooler 3.1	
RC300h	AVC10	2AR-FSE+1KM (HYBRID)	14/9~	0W-20	0W-25	0W-20 SP	4.1	4.5	—	8.4	Inverter 2.3	
RC350	GSC10	2GR-FKS (D-4)	17/11~	0W-20	0W-25	0W-20 SP	5.5	5.7	—	9.5		
	GSC10	2GR-FSE (D-4)	14/9~17/10	0W-20	0W-25	0W-20 SP	5.9	6.3	—	9.6-9.7		
RC F	USC10	2UR-GSE	14/9~	5W-30	7.5W-35	5W-30 SP	8.2	9.3	—	11.6		
RX200t	AGL20W.AGL25W	8AR-FTS (TURBO)	15/10~17/11	0W-20	0W-25	0W-20 SP	4.7	4.9	—	8.7	Intercooler 3.2	
RX300	AGL20W.AGL25W	8AR-FTS (TURBO)	17/12~	0W-20	0W-25	0W-20 SP	4.7	4.9	—	8.7	Intercooler 3.2	
RX270	AGL10W	1AR-FE	10/8~15/9	0W-20	0W-25	0W-20 SP	4.0	4.4	—	6.7		
RX350	GGL10W	2GR-FE	09/1~15/19	0W-20	0W-25	0W-20 SP	5.7	6.1	—	8.6		
RX450h	GYL10W.GYL15W.GYL16W	2GR-FXE (HYBRID)	09/4~15/9	0W-20	0W-25	0W-20 SP	5.7	6.1	—	11.4	Inverter 1.9	
	GYL20W.GYL25W	2GR-FXS+6JM (HYBRID)	15/10~	0W-20	0W-25	0W-20 SP	5.3	5.4	—	9.8	Inverter 1.9	
UX200	MZAH10.MZAH15	M20A-FXS+3NM (HYBRID)	18/11~	0W-16	0W-25	0W-20 SP	3.9	4.3	—	6.5	Inverter 1.6	
UX250h	MZAA10	M20A-FKS	18/11~	0W-16	0W-25	0W-20 SP	4.3	4.6	—	6.4		

*The volume in this list is only for reference.
 *Actual replaceable volume is about 80% of full volume.
 *1: The filter shape varies depending on the registration date between September, 2017 and December, 2017.
 Confirm the shape of the actual filter.

● HKS ENGINE OIL APPLICATION LIST

Vehicle	Model	Engine Model	Model Year	Normal Viscosity	Recommended engine oil		Required Oil Vol. (L)		Oil Filter	Required Coolant Volume (L)		Remarks
					Standard		Oil	Oil + Filter		Coolant Volume (L)	Inter Cooler Inverter(L)	
					Standard	API						
TOYOTA												
86	ZN6	FA20	12/04~	0W-20	0W-25	0W-20 SP	5.2	5.4	TYPE1	7.2-7.5		
bB	QNC20.QNC25	K3-VE	05/12~16/8	0W-20	0W-25	0W-20 SP	2.8	3.1	—	4.2		
	NCP30	2NZ-FE	00/2~05/11	5W-20	0W-25	5W-30 SP	3.4	3.7	TYPE7	4.4		
	QCN21	3SZ-VE	05/12~16/8	0W-20	0W-25	0W-20 SP	2.8	3.1	—	4.4		
	NCP31.NCP35	1NZ-FE	00/2~05/11	5W-20	0W-25	5W-30 SP	3.4	3.7	TYPE7	4.3		
C-HR	NGX10	8NR-FTS(TURBO)	18/5~	0W-20	0W-25	0W-20 SP	3.7	4.0	TYPE7	6.5	Intercooler 1.9	
	NGX50	8NR-FTS(TURBO)	16/12~	0W-20	0W-25	0W-20 SP	3.7	4.0	TYPE7	6.5	Intercooler 1.9	
	ZYX10	2ZR-FXE(HYBRID)	17/9~	0W-16	0W-25	0W-20 SP	3.9	4.2	TYPE7	5.4	PCU 1.4	*1
	ZYX10	2ZR-FXE(HYBRID)	16/12~17/8	0W-16	0W-25	0W-20 SP	3.9	4.2	—	5.4	PCU 1.4	
GR Supra	DB82,DB22	B48	19/5~	0W-20		5W-40 EURO SN	—	5.3	—	9.9	I/C 4.0	
	DB02	B58H	20/11~	0W-20		5W-40 EURO SN	—	6.5	—	10.5	I/C 4.0	
	DB42	B58	19/5~20/10	0W-20		5W-40 EURO SN	—	6.5	—	10.5	I/C 4.0	
GR Yaris	MXPA12	M15A-FKS	20/9~	0W-16		0W-20 SP	3.2	3.4		5.1		
	GXPA16	G16E-GTS	20/9~	0W-20		0W-20 SP	4.0	4.3		5.2		
iQ	KGJ10	1KR-FE	08/11~	0W-20	0W-25	0W-20 SP	2.9	3.1	—	4.5		
	NGJ10	1NR-FE	09/8~	0W-20	0W-25	0W-20 SP	3.3	3.8	—	4.7-4.9		
MR2	SW20	3S-GE	89/11~97/12	10W-30	7.5W-35	10W-40 SP	3.6	3.9	TYPE7	13.6-13.7		
	SW20	3S-GE	97/12~99/10	10W-30	7.5W-35	10W-40 SP	4.0	4.5	TYPE7	13.6-13.7		
	SW20	3S-GTE	89/11~97/12	10W-30	7.5W-35	10W-40 SP	3.6	3.9	TYPE7	13.6-13.7		
	SW20	3S-GTE	97/12~99/10	10W-30	7.5W-35	10W-40 SP	4.0	4.5	TYPE7	13.6-13.7		
MR-S	ZZW30	1ZZ-FE	99/10~07/7	5W-20	0W-25	5W-30 SP	3.5	3.7	TYPE7	10.4		
RAV4	MXAA54.MXAA52	M20A-FKS	19/4~	0W-16	0W-25	0W-20 SP	3.9	4.3		6.9		
	AXAH54.AXAH52	A25A-FXS(HYBRID)	19/4~	0W-16	0W-25	0W-20 SP	4.2	4.5		6.6	PCU 2.0	HYBRID
RAV4 PHV	AXAP54	A25A-FXS	20/6~	0W-16	0W-25	0W-20 SP	4.2	4.5		7.3	PCU 2.0	
ISIS	ZGM10G.ZGM10W	2ZR-FAE	16/9~	0W-20	0W-25	0W-20 SP	3.9	4.2	TYPE7	6.4 No Rear Heater 7.9 With Rear Heater		
	ZGM15G.ZGM15W	2ZR-FAE	16/9~	0W-20	0W-25	0W-20 SP	3.9	4.2	TYPE7	6.4 No Rear Heater 7.9 With Rear Heater		
	ZGM10G.ZGM10W	2ZR-FAE	09/9~16/8	0W-20	0W-25	0W-20 SP	3.9	4.2	—	6.4 No Rear Heater 7.9 With Rear Heater		
	ZGM15G.ZGM15W	2ZR-FAE	09/9~16/8	0W-20	0W-25	0W-20 SP	3.9	4.2	—	6.4 No Rear Heater 7.9 With Rear Heater		
	ZNM10G.ZNM10W	1ZZ-FE	04/9~09/9	5W-20	0W-25	5W-30 SP	3.5	3.7	TYPE7	6.4 No Rear Heater 7.9 With Rear Heater		
	ZGM11G.ZGM11W	3ZR-FAE	16/9~	0W-20	0W-25	0W-20 SP	3.9	4.2	TYPE7	6.4 No Rear Heater 7.9 With Rear Heater		
	ZGM11G.ZGM11W	3ZR-FAE	09/9~16/8	0W-20	0W-25	0W-20 SP	3.9	4.2	—	6.4 No Rear Heater 7.9 With Rear Heater		
	ANM10G.ANM10W	1AZ-FSE(D-4)	04/9~09/9	5W-20	0W-25	5W-30 SP	4.0	4.2	TYPE7	6.5 No Rear Heater 8.0 With Rear Heater		
	ANM15G.ANM15W	1AZ-FSE(D-4)	04/9~09/9	5W-20	0W-25	5W-30 SP	4.0	4.2	TYPE7	6.5 No Rear Heater 8.0 With Rear Heater		
AQUA	NHP10	1NZ-FXE(HYBRID)	11/12~	0W-20	0W-25	0W-20 SP	3.4	3.7	TYPE7	4.5-5.3	Inverter 1.6	
ARISTO	JZS160	2JZ-GE	97/8~04/12	5W-20	0W-25	5W-30 SP	5.1	5.4	TYPE3	7.7		
	JZS161	2JZ-GTE	97/8~04/12	10W-30	7.5W-35	10W-40 SP	5.3	5.6	TYPE3	8.5		
ALTEZZA	GXE10	1G-FE	98/10~05/7	5W-20	0W-25	5W-30 SP	3.6	3.8	TYPE3	6.6		
	SXE10	3S-GE	98/10~05/7	10W-30	7.5W-35	10W-40 SP	4.8	5.1	TYPE7	6.8		
ALTEZZA GITA	JXE10W.JXE15W	1G-FE	01/7~05/7	5W-20	0W-25	5W-30 SP	3.6	3.8	TYPE3	6.6 FR 7.3 4WD		
	JCE10W.JCE15W	2JZ-GE	01/7~05/7	5W-20	0W-25	5W-30 SP	5.1	5.4	TYPE3	7.5 FR 7.0 4WD		
ALPHARD	ATH20W(HYBRID)	2AZ-FXE	11/11~15/1	0W-20	0W-25	0W-20 SP	4.1	4.3	—	9.1	Inverter 3.3	
	ANH20W	2AZ-FE	08/5~15/1	0W-20	0W-25	0W-20 SP	4.1	4.3	TYPE7	8.4		
	ATH10W(HYBRID)	2AZ-FXE	03/7~08/04	5W-20	0W-25	5W-30 SP	4.1	4.3	TYPE7	7.9	Inverter 1.6	
	ANH10W	2AZ-FE	02/5~08/04	5W-20	0W-25	5W-30 SP	4.1	4.3	TYPE7	8.1		
	AGH30W.AGH35W	2AR-FE	18/1~	0W-20	0W-25	0W-20 SP	4.0	4.4	—	9.3		
	AGH30W.AGH35W	2AR-FE	15/1~17/12	0W-20	0W-25	0W-20 SP	4.0	4.4	—	8.8		
	AYH30W(HYBRID)	2AR-FXE	15/1~	0W-20	0W-25	0W-20 SP	4.0	4.4	—	9.3	Inverter 3.3	
	MNH10W	1MZ-FE	02/5~08/04	5W-20	0W-25	5W-30 SP	4.5	4.7	TYPE3	11.0		
	GGH30W.GGH35W	2GR-FKS	18/1~	0W-20	0W-25	0W-20 SP	5.3	5.4	—	10.7		
	GGH30W.GGH35W	2GR-FE	15/1~17/12	0W-20	0W-25	0W-20 SP	5.7	6.1	—	10.6		
	GGH20W.GGH25W	2GR-FE	08/5~15/1	5W-20	0W-25	5W-30 SP	5.7	6.1	—	10.6		
	IST	NCP60	2NZ-FE	02/5~07/6	0W-20	0W-25	0W-20 SP	3.4	3.7	TYPE7	4.4	
NCP110.NCP115		1NZ-FE	07/7~	0W-20	0W-25	0W-20 SP	3.4	3.7	TYPE7	5.1		
NCP61.NCP65		1NZ-FE	02/5~07/6	0W-20	0W-25	0W-20 SP	3.4	3.7	TYPE7	4.3		
ZSP110		2ZR-FE	07/7~10/7	0W-20	0W-25	0W-20 SP	3.9	4.2	—	4.9		
VANGUARD	ACA33W.ACA38W	2AZ-FE	07/8~	0W-20	0W-25	0W-20 SP	4.1	4.3	TYPE7	6.2		
	GSA33W	2GR-FE	07/8~	5W-20	0W-25	5W-30 SP	5.7	6.1	—	8.9		
WISH	ZGE20G.ZGE20W ZGE25G.ZGE25W	2ZR-FAE	16/9~17/11	0W-20	0W-25	0W-20 SP	3.9	4.2	TYPE7	5.5		
	ZGE20G.ZGE20W ZGE25G.ZGE25W	2ZR-FAE	09/4~16/8	0W-20	0W-25	0W-20 SP	3.9	4.2	—	5.5		

*The volume in this list is only for reference.

*Actual replaceable volume is about 80% of full volume.

*1: The filter shape varies depending on the registration date between September, 2017 and December, 2017. Confirm the shape of the actual filter.

● HKS ENGINE OIL APPLICATION LIST

Vehicle	Model	Engine Model	Model Year	Normal Viscosity	Recommended engine oil		Required Oil Vol. (L)		Oil Filter	Required Coolant Volume (L)		Remarks
					Standard		Oil	Oil + Filter		Coolant Volume (L)	Inter Cooler Inverter (L)	
					Standard	API						
WISH	ZNE10G.ZNE14G	1ZZ-FE	03/1~09/4	5W-20	0W-25	5W-30 SP	3.5	3.7	TYPE7	6.9 FF 6.5 4WD		
	ZGE22W	3ZR-FAE	16/9~17/11	0W-20	0W-25	0W-20 SP	3.9	4.2	TYPE7	5.5		
	ZGE21G.ZGE22W	3ZR-FAE	09/4~16/8	0W-20	0W-25	0W-20 SP	3.9	4.2	—	5.5		
	ANE10G.ANE11W	1AZ-FSE(D-4)	03/4~09/4	5W-20	0W-25	5W-30 SP	4.0	4.2	TYPE7	6.7		
VITZ	SCP10	1SZ-FE	99/1~05/1	5W-20	0W-25	5W-30 SP	2.9	3.2	TYPE7	5.4		
	KSP130	1KR-FE	14/4~20/1	0W-20	0W-25	0W-20 SP	2.9	3.1	—	4.8		
	KSP130	1KR-FE	10/12~14/4	0W-20	0W-25	0W-20 SP	2.9	3.1	—	4.8		
	KSP90	1KR-FE	05/2~10/12	0W-20	0W-25	0W-20 SP	2.9	3.2	—	4.8		
	NCP10.NCP15	2NZ-FE	99/8~05/1	5W-20	0W-25	5W-30 SP	3.4	3.7	TYPE7	4.4-4.5		
	NSP130	1NR-FKE	14/4~20/1	0W-16	0W-25	0W-20 SP	3.6	3.8	—	4.9		
	NSP130.NSP135	1NR-FE	10/12~14/4	0W-20	0W-25	0W-20 SP	3.2	3.4	—	4.7		
	NCP95	2NZ-FE	05/2~10/12	0W-20	0W-25	0W-20 SP	2.9	3.2	TYPE7	4.8		
	SCP90	2SZ-FE	05/2~10/12	0W-20	0W-25	0W-20 SP	2.9	3.2	TYPE7	5.4		
	SCP13(CVT)	2SZ-FE	02/12~05/1	5W-20	0W-25	5W-30 SP	3.1	3.4	TYPE7	5.1-5.3		
	NHP130	1NZ-FXE(HYBRID)	17/1~20/1	0W-16	0W-25	0W-20 SP	3.4	3.7	TYPE7	4.5	Inverter 1.6	HYBRID
	NCP131	1NZ-FE	10/12~20/1	0W-20	0W-25	0W-20 SP	3.4	3.7	TYPE7	4.8-5.0		
	NCP91	1NZ-FE	05/2~10/12	0W-20	0W-25	0W-20 SP	3.4	3.7	TYPE7	4.8-5.1		
	NCP13	1NZ-FE	00/10~05/1	5W-20	0W-25	5W-30 SP	3.4	3.7	TYPE7	4.3-4.4		
VEROSSA	GX110.GX115	1G-FE	01/7~04/4	5W-20	0W-25	5W-30 SP	4.0	4.2	TYPE3	6.5-7.2		
	JZX110	1JZ-GTE(TURBO)	01/7~04/4	10W-30	7.5W-35	10W-40 SP	5.1	5.4	TYPE3	7.7-8.4		
	JZX110	1JZ-FSE(D-4)	01/7~04/4	5W-20	0W-25	5W-30 SP	5.1	5.4	TYPE3	6.9		
VELLFIRE	ATH20W(HYBRID)	2AZ-FXE	11/11~15/1	0W-20	0W-25	0W-20 SP	4.1	4.3	—	9.1	Inverter 3.3	
	ANH20W.ANH25W	2AZ-FE	08/5~15/1	0W-20	0W-25	0W-20 SP	4.1	4.3	TYPE7	8.4		
	AGH30W.AGH35W	2AR-FE	18/1~	0W-20	0W-25	0W-20 SP	4.0	4.4	—	9.3		
	AGH30W.AGH35W	2AR-FE	15/1~	0W-20	0W-25	0W-20 SP	4.0	4.4	—	8.8		
	AYH30W(HYBRID)	2AR-FXE	15/1~	0W-20	0W-25	0W-20 SP	4.0	4.4	—	9.3	Inverter 3.3	
	GGH30W.GGH35W	2GR-FKS	18/1~	0W-20	0W-25	0W-20 SP	5.3	5.4	—	10.7		
	GGH30W.GGH35W	2GR-FE	15/1~17/12	0W-20	0W-25	0W-20 SP	5.7	6.1	—	10.6		
	GGH20W.GGH25W	2GR-FE	08/5~15/1	5W-20	0W-25	5W-30 SP	5.7	6.1	—	10.6		
VOXY	ZWR80G.ZWR80W	2ZR-FXE(HYBRID)	17/9~	0W-20	0W-25	0W-20 SP	3.9	4.2	TYPE7	5.7 No Rear A/C 7.5 With Rear A/C	PCU 2.9	HYBRID *1
	ZWR80G	2ZR-FXE(HYBRID)	14/1~17/8	0W-20	0W-25	0W-20 SP	3.9	4.2	—	5.7 No Rear A/C 7.5 With Rear A/C	Inveter 2.9	HYBRID
	ZRP80G.ZRR80W ZRR85G.ZRR85W	3ZR-FAE(VALVE MATIC)	16/9~	0W-20	0W-25	0W-20 SP	3.9	4.2	TYPE7	6.1 No Rear A/C 7.9 With Rear A/C		
	ZRP80G.ZRR80W ZRR85G.ZRR85W	3ZR-FAE(VALVE MATIC)	14/1~16/8	0W-20	0W-25	0W-20 SP	3.9	4.2	—	6.1 No Rear A/C 7.9 With Rear A/C		
	ZRR70G.ZRR70W ZRR75G.ZRR75W	3ZR-FE	07/6~14/1	0W-20	0W-25	0W-20 SP	3.9	4.2	—	6.6 No Rear A/C 8.6 With Rear A/C		
	ZRR70W.ZRR75W	3ZR-FAE(VALVE MATIC)	07/6~14/1	0W-20	0W-25	0W-20 SP	3.9	4.2	—	6.6 No Rear A/C 8.6 With Rear A/C		
	AZR60G.AZR65G	1AZ-FSE(D-4)	01/11~07/6	5W-20	0W-25	5W-30 SP	4.0	4.2	TYPE7	6.8 No Rear A/C 7.5 With Rear A/C		
ESQUIRE	ZWR80G	2ZR-FXE(HYBRID)	17/9~	0W-20	0W-25	0W-20 SP	3.9	4.2	TYPE7	5.7 No Rear A/C 7.5 With Rear A/C	PCU 2.9	HYBRID *1
	ZWR80G	2ZR-FXE(HYBRID)	14/10~17/8	0W-20	0W-25	0W-20 SP	3.9	4.2	—	5.7 No Rear A/C 7.5 With Rear A/C	Inveter 2.9	HYBRID
	ZRR80G.ZRR85G	3ZR-FAE(VALVE MATIC)	16/9~	0W-20	0W-25	0W-20 SP	3.9	4.2	TYPE7	6.1 No Rear A/C 7.9 With Rear A/C		
	ZRR80G.ZRR85G	3ZR-FAE(VALVE MATIC)	14/10~16/8	0W-20	0W-25	0W-20 SP	3.9	4.2	—	6.1 No Rear A/C 7.9 With Rear A/C		
ESTIMA	AHR20W(HYBRID)	2AZ-FXE	06/6~19/10	0W-20	0W-25	0W-20 SP	4.1	4.3	TYPE7	7.3 No Rear A/C 8.9 With Rear A/C	Inverter 3.3	HYBRID
	ACR50W.ACR55W	2AZ-FE	06/1~19/10	0W-20	0W-25	0W-20 SP	4.1	4.3	TYPE7	6.3 No Rear A/C 8.2 With Rear A/C		
	AHR10W(HYBRID)	2AZ-FXE	01/6~05/11	5W-20	0W-25	5W-30 SP	4.1	4.3	TYPE7	6.0 No Rear Heater 7.7 With Rear Heater	Inverter 1.4	HYBRID
	ACR30W.ACR40W	2AZ-FE	00/2~06/1	5W-20	0W-25	5W-30 SP	4.1	4.3	TYPE7	6.4 No Rear Heater 8.1 With Rear Heater		
	MCR30W.MCR40W	1MZ-FE	00/2~06/1	5W-20	0W-25	5W-30 SP	4.5	4.7	TYPE3	9.3 No Rear Heater 11.0 With Rear Heater		
	GSR50W.GSR55W	2GR-FE	06/1~16/5	5W-20	0W-25	5W-30 SP	5.7	6.1	—	8.7 No Rear A/C 10.6 With Rear A/C		
AURIS	NRE185H	8NR-FTS(TURBO)	15/4~	0W-20	0W-25	0W-20 SP	3.7	4.0	TYPE7	6.4	Intercooler 2.1	
	NZE181H.NZE184H	1NZ-FE	12/8~	0W-20	0W-25	0W-20 SP	3.4	3.7	TYPE7	5.5		
	NZE151H.NZE154H	1NZ-FE	06/10~12/7	0W-20	0W-25	0W-20 SP	3.4	3.7	TYPE7	5.5		
	ZRE186H	2ZR-FAE	16/9~	0W-20	0W-25	0W-20 SP	3.9	4.2	TYPE7	5.6-5.8		
	ZWE186H	2ZR-FXE(HYBRID)	16/4~	0W-16	0W-25	0W-20 SP	3.9	4.2	—	6.3-7.0	Inverter 2.1	HYBRID
	ZRE186H	2ZR-FAE	12/8~16/8	0W-20	0W-25	0W-20 SP	3.9	4.2	—	5.6-5.8		
	ZRE152H.ZRE154H	2ZR-FE	06/10~12/7	0W-20	0W-25	0W-20 SP	3.9	4.2	—	5.8		
CAMRY	ACV40.ACIV45	2AZ-FE	06/2~11/8	0W-20	0W-25	0W-20 SP	4.1	4.3	—	6.2		
	ACV30.ACIV35	2AZ-FE	01/9~06/1	5W-20	0W-25	5W-30 SP	4.1	4.3	—	6.2		
	AXVH70	A25A-FXS(HYBRID)	17/7~	0W-16	0W-25	0W-20 SP	4.2	4.5	—	6.1	PCU 1.7	
	AVV50	2AR-FXE(HYBRID)	11/9~17/6	0W-20	0W-25	0W-20 SP	4.0	4.4	—	7.2	Inverter 3.2	
COROLLA	NRE210	8NR-FTS(TURBO)	19/09-	0W-20	0W-25	0W-20 SP	3.7	4.0	TYPE7	6.3	Intercooler 1.9	
	ZRE212	2ZR-FAE	19/09-	0W-20	0W-25	0W-20 SP	3.9	4.2	TYPE7	5.8		
	ZWE211,ZWE214	2ZR-FXE(HYBRID)	19/09-	0W-16	0W-25	0W-20 SP	3.9	4.2	TYPE7	5.4	PCU 1.4	

*The volume in this list is only for reference.
*Actual replaceable volume is about 80% of full volume.

*1: The filter shape varies depending on the registration date between September, 2017 and December, 2017.
Confirm the shape of the actual filter.

● HKS ENGINE OIL APPLICATION LIST

Vehicle	Model	Engine Model	Model Year	Normal Viscosity	Recommended engine oil		Required Oil Vol. (L)		Oil Filter	Required Coolant Volume (L)		Remarks
					Standard		Oil	Oil + Filter		Coolant Volume (L)	Inter Cooler Inverter (L)	
					Standard	API						
COROLLA AXIO	NRE160	1NR-FE	12/5~19/8	0W-20	0W-25	0W-20 SP	3.2	3.4	—	4.7		
	NRE161	2NR-FKE	15/4~	0W-16	0W-25	0W-20 SP	3.4	3.6	—	4.9		
	NKE165	1NZ-FXE (HYBRID)	13/8~	0W-20	0W-25	0W-20 SP	3.4	3.7	TYPE7	4.5-5.3	Inverter 1.6	HYBRID
	NZE161.NZE164	1NZ-FE	12/5~19/8	0W-20	0W-25	0W-20 SP	3.4	3.7	TYPE7	4.8-5.0		
	NZE141.NZE144	1NZ-FE	07/11~12/4	0W-20	0W-25	0W-20 SP	3.4	3.7	TYPE7	5.6-5.8		
	NZE141.NZE144	1NZ-FE	06/10~07/11	0W-20	0W-25	0W-20 SP	3.4	3.7	TYPE7	5.6-5.8		
	ZRE142.ZRE144	2ZR-FE	06/10~12/4	0W-20	0W-25	0W-20 SP	3.9	4.2	—	5.9		
COROLLA SPORT	NRE210H,NRE214H	8NR-FTS (TURBO)	18/6~	0W-20	0W-25	0W-20 SP	3.7	4.0	TYPE7	6.3-6.5	Intercooler 1.9	
	ZWE211H.ZWE213H	2ZR-FXE (HYBRID)	18/6~	0W-16	0W-25	0W-20 SP	3.9	4.2	TYPE7	5.4	PCU 1.4	
COROLLA TOURING	NRE210W	8NR-FTS (TURBO)	19/09-	0W-20	0W-25	0W-20 SP	3.7	4.0	TYPE7	6.3	Intercooler 1.9	
	ZRE212W	2ZR-FAE	19/09-	0W-20	0W-25	0W-20 SP	3.9	4.2	TYPE7	5.8		
	ZWE211W,ZWE214W	2ZR-FXE (HYBRID)	19/09-	0W-16	0W-25	0W-20 SP	3.9	4.2	TYPE7	5.4	PCU 1.4	
	MZEA12W	M20A-FKS	20/06-	0W-16	0W-25	0W-20 SP	4.3	4.6		6.3		
COROLLA FIELDER	NRE161G	2NR-FKE	15/4~	0W-16	0W-25	0W-20 SP	3.4	3.6	—	4.9		
	NKE165G	1NZ-FXE (HYBRID)	13/8~	0W-20	0W-25	0W-20 SP	3.4	3.7	TYPE7	4.5-5.3	Inverter 1.6	HYBRID
	NZE161G.NZE164G	1NZ-FE	12/5~	0W-20	0W-25	0W-20 SP	3.2	3.4	TYPE7	4.8-5.0		
	NZE141G.NZE144G	1NZ-FE	06/10~12/4	0W-20	0W-25	0W-20 SP	3.4	3.7	TYPE7	5.6-5.8		
	NZE122G.NZE124G	1NZ-FE	00/8~06/9	0W-20	0W-25	0W-20 SP	3.4	3.7	TYPE7	5.7-5.9		
	ZRE162G	2ZR-FAE	16/9~19/08	0W-20	0W-25	0W-20 SP	3.9	4.2	TYPE7	4.9		
	ZRE162G	2ZR-FAE	12/5~16/8	0W-20	0W-25	0W-20 SP	3.9	4.2	—	4.9		
	ZRE142G.ZRE144G	2ZR-FE	06/10~12/4	0W-20	0W-25	0W-20 SP	3.9	4.2	—	5.9		
	ZZE122G.ZZE124G	1ZZ-FE	00/8~06/9	5W-20	0W-25	5W-30 SP	3.5	3.7	TYPE7	6.5-6.8		
	ZZE123G	2ZZ-GE	00/8~06/9	5W-30	7.5W-35	5W-30 SP	4.2	4.4	TYPE7	6.7		
COROLLA RUMION	NZE151N	1NZ-FE	07/10~	0W-20	0W-25	0W-20 SP	3.4	3.7	TYPE7	5.5		
	ZRE152N.ZRE154N	2ZR-FAE	09/12~	0W-20	0W-25	0W-20 SP	3.9	4.2	—	5.8		
	ZRE152N.ZRE154N	2ZR-FE	07/10~	0W-20	0W-25	0W-20 SP	3.9	4.2	—	5.8		
CROWN	ARS220	8AR-FTS (TURBO)	18/6~	0W-20	0W-25	0W-20 SP	4.3	4.6	—	8.5	Intercooler 3.4	
	ARS210	8AR-FTS (TURBO)	15/10~18/5	0W-20	0W-25	0W-20 SP	4.3	4.6	—	8.0	Intercooler 3.1	
	GS171.GS171W	1G-FE	01/8~03/12	5W-20	0W-25	5W-30 SP	3.6	3.8	TYPE3	7.0		
	GS171W	1G-FE	01/8~03/12	10W-30	7.5W-35	10W-40 SP	3.9	4.1	TYPE3	7.0		
	JZS171.JZS173 JZS171W.JZS173W	1JZ-GE	99/9~03/12	5W-30	7.5W-35	5W-30 SP	5.4	5.7	TYPE3	7.0-8.0		
	JZS171.JZS171W	1JZ-GTE	99/9~03/12	5W-30	7.5W-35	5W-30 SP	5.4	5.7	—	8.0		
	AZSH20	A25A-FXS (HYBRID)	18/6~	0W-16	0W-25	0W-20 SP	4.6	5.0	—	7.7	PCU 2.3	FR
	AZSH21	A25A-FXS (HYBRID)	18/6~	0W-16	0W-25	0W-20 SP	4.5	4.9	—	7.7	PCU 2.3	AWD
	GRS210.GRS211	4GR-FSE (D-4)	12/12~18/5	0W-20	0W-25	0W-20 SP	5.9	6.3	—	11.0		
	AWS210.AWS211	4AR-FSE (D-4) (HYBRID)	12/12~18/5	0W-20	0W-25	0W-20 SP	4.1	4.5	—	8.0	Inverter 3.1	HYBRID
	GRS200.GRS201	4GR-FSE (D-4)	08/2~12/12	0W-20	0W-25	0W-20 SP	5.9	6.3	—	9.4		
	GRS180.GRS181	4GR-FSE (D-4)	03/12~08/01	5W-20	0W-25	5W-30 SP	5.9	6.3	—	9.1		
	JZS171.JZS171W	1JZ-FSE (D-4)	01/8~03/12	10W-30	7.5W-35	10W-40 SP	5.1	5.4	TYPE3	7.0		
	JZS175.JZS175W	2JZ-FSE (D-4)	99/9~03/12	5W-30	7.5W-35	5W-30 SP	5.4	5.7	TYPE3	7.5		
	JZS179	2JZ-GE	99/9~03/12	5W-30	7.5W-35	5W-30 SP	4.5	4.8	TYPE3	7.2		
	GRS202.GRS203	3GR-FSE (D-4)	08/2~12/12	0W-20	0W-25	0W-20 SP	5.9	6.3	—	9.4		
	GRS182	3GR-FSE (D-4)	03/12~05/9	5W-20	0W-25	5W-30 SP	5.9	6.3	—	9.1		
	GWS220	8GR-FXS (HYBRID)	18/6~	0W-20	0W-25	0W-20 SP	5.5	5.7	—	10.3	PCU 2.3	
	GRS214	2GR-FSE (D-4)	12/12~18/5	0W-20	0W-25	0W-20 SP	5.9	6.3	—	9.8		
	GRS204	2GR-FSE (D-4)	08/2~12/12	0W-20	0W-25	0W-20 SP	5.9	6.3	—	9.2		
	GRS184	2GR-FSE (D-4)	05/10~08/1	5W-20	0W-25	5W-30 SP	5.9	6.3	—	9.1		
CROWN MAJESTA	AWS215	2AR-FSE (D-4) (HYBRID)	14/7~18/5	0W-20	0W-25	0W-20 SP	4.1	4.5	—	8.4	PCU 2.2	HYBRID
	JZS177	2JZ-FSE (D-4)	99/9~04/6	5W-30	7.5W-35	5W-30 SP	5.4	5.7	TYPE3	9.4		
	GWS214	2GR-FXE (D-4) (HYBRID)	13/9~18/5	0W-20	0W-25	0W-20 SP	5.9	6.3	—	9.6	PCU 2.9	HYBRID
	UZS171.UZS175	1UZ-FE	99/9~04/6	5W-30	7.5W-35	5W-30 SP	5.3	5.6	TYPE3	9.4		
	UZS173	1UZ-FE	99/9~04/6	5W-30	7.5W-35	5W-30 SP	6.5	6.8	TYPE3	9.4		
	UZS186.UZS187	3UZ-FE	04/7~09/03	5W-20	0W-25	5W-30 SP	4.5	5.1	TYPE3	10.7		
KLUGER	ACU20W.ACU25W	2AZ-FE	01/11~07/5	5W-20	0W-25	5W-30 SP	4.1	4.3	TYPE7	6.4 No Rear Heater 7.8 With Rear Heater		
	MCU20W.MCU25W	1MZ-FE	01/11~07/5	5W-20	0W-25	5W-30 SP	4.5	4.7	TYPE3	9.4 No Rear Heater 10.8 With Rear Heater		
	MHU28W	3MZ-FE (HYBRID)	05/3~07/5	5W-20	0W-25	5W-30 SP	4.5	4.7	TYPE3	10.3 No Rear Heater 11.7 With Rear Heater	Inverter 3.4	
CRESTA	JZX100	1JZ-GE	96/9~01/6	5W-20	0W-25	5W-30 SP	5.1	5.4	TYPE3	8.4		
	JZX105	1JZ-GE	96/9~01/6	5W-20	0W-25	5W-30 SP	5.1	5.4	TYPE3	7.6		4WD
	JZX100	1JZ-GTE	96/9~01/6	10W-30	7.5W-35	10W-40 SP	5.1	5.4	TYPE3	8.4		
	JZX90	1JZ-GE	92/10~96/9	5W-30	7.5W-35	5W-30 SP	5.1	5.4	TYPE3	6.9		

*The volume in this list is only for reference.
*Actual replaceable volume is about 80% of full volume.

● HKS ENGINE OIL APPLICATION LIST

Vehicle	Model	Engine Model	Model Year	Normal Viscosity	Recommended engine oil		Required Oil Vol. (L)		Oil Filter	Required Coolant Volume (L)		Remarks
					Standard		Oil	Oil + Filter		Coolant Volume (L)	Inter Cooler Inverter (L)	
					Standard	API						
CRESTA	JZX90	1JZ-GTE	92/10~96/9	10W-30	7.5W-35	10W-40 SP	5.1	5.4	TYPE3	8.4		
	JZX101	2JZ-GE	96/9~01/6	5W-20	0W-25	5W-30 SP	5.1	5.4	TYPE3	7.4		
	JZX91	2JZ-GE	92/10~96/9	5W-30	7.5W-35	5W-30 SP	5.1	5.4	TYPE3	7.4		
GRANACE	GDH303H	1GD-FTV	19/11~	0W-30	5W-30 D		6.6	7.1	—	12.8	Intercooler 2.2	DL-1
COPEN GR SPORT	LA400A	KF-VET (TURBO)	19/10~	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE6	3.0		
SUCCEED	NHP160V	1NZ-FXE (HYBRID)	18/11~	0W-16	0W-25	0W-20 SP	3.4	3.7	TYPE7	4.5	Inverter 1.6	HYBRID
	NCP160V.NCP165V	1NZ-FE	14/8~	0W-20	0W-25	0W-20 SP	3.4	3.7	TYPE7	5.0		
	NCP58G.NCP59G	1NZ-FE	02/7~13/10	0W-20	0W-25	0W-20 SP	3.4	3.7	TYPE7	4.3		
SIENTA	NHP170G	1NZ-FXE (HYBRID)	15/6~	0W-16	0W-25	0W-20 SP	3.4	3.7	TYPE7	5.0	Inverter 1.8	HYBRID
	NSP170G.NSP172G	2NR-FKE	15/6~	0W-16	0W-25	0W-20 SP	3.4	3.6	—	4.9		
	NCP175G	1NZ-FE	15/6~	0W-20	0W-25	0W-20 SP	3.4	3.7	TYPE7	4.7		
	NCP81G	1NZ-FE	03/9~15/5	0W-20	0W-25	0W-20 SP	3.4	3.7	TYPE7	4.9		
	NCP85G	1NZ-FE	03/9~15/5	0W-20	0W-25	0W-20 SP	3.4	3.7	TYPE7	4.3		
JPN TAXI	NTP10	1NZ-FXP (HYBRID)	17/10~	0W-20	0W-25	0W-20 SP	3.4	3.7	—	5.7	Inverter 1.5	LPG HYBRID
SUPRA	JZA80	2JZ-GE	93/5~97/8	5W-30	7.5W-35	5W-30 SP	4.9	5.2	TYPE3	7.3-8.3		
	JZA80	2JZ-GE	97/8~02/8	5W-20	0W-25	5W-30 SP	5.1	5.4	TYPE3	7.3-8.3		
	JZA80	2JZ-GTE	93/5~97/8	10W-30	7.5W-35	10W-40 SP	4.7	5.0	TYPE3	8.8-9.5		
	JZA80	2JZ-GTE	97/8~02/8	10W-30	7.5W-35	10W-40 SP	5.3	5.6	TYPE3	8.8-9.5		
SPADE	NSP140	1NR-FE	12/7~15/6	0W-20	0W-25	0W-20 SP	3.2	3.4	—	4.7		
	NCP141	1NZ-FE	12/7~15/6	0W-20	0W-25	0W-20 SP	3.4	3.7	TYPE7	5.0		
	NCP145	1NZ-FE	12/7~	0W-20	0W-25	0W-20 SP	3.4	3.7	TYPE7	5.0		
CELICA	ZZT231	2ZZ-GE	99/9~06/4	5W-30	7.5W-35	5W-30 SP	4.2	4.4	TYPE7	5.8-5.9		
	ZZT230	1ZZ-FE	99/9~06/4	5W-20	0W-25	5W-30 SP	3.5	3.7	TYPE7	5.6-5.7		
CELSIOR	UCF20.UCF21	1UZ-FE	94/10~00/8	10W-30	7.5W-35	10W-40 SP	4.8	5.1	TYPE3	10.8-11.0		
	UCF10.UCF11	1UZ-FE	89/11~94/10	10W-30	7.5W-35	10W-40 SP	4.8	5.1	TYPE3	10.6		
	UCF30.UCF31	3UZ-FE	00/8~06/5	5W-20	0W-25	5W-30 SP	4.5	5.1	TYPE3	9.5		
CENTURY	UWG60	2UR-FSE (HYBRID)	18/6~	0W-20	0W-25	0W-20 SP	8.8	9.4	—	11.1	PCU 2.5	
	GZG50	1GZ-FE	97/4~18/5	0W-20	0W-25	0W-20 SP	7.3	8.4	—	11.0		
SOARER	JZZ30	1JZ-GTE	91/5~01/3	10W-30	7.5W-35	10W-40 SP	4.6	4.9	TYPE3	8.7-8.8		
	JZZ31	2JZ-GE	94/1~01/3	5W-30	7.5W-35	5W-30 SP	4.9	5.2	TYPE3	8.4		
	UZZ30.UZZ31.UZZ32	1UZ-FE	91/5~01/3	5W-30	7.5W-35	5W-30 SP	4.5	4.8	TYPE3	10.8-10.9		
	UZZ40	3UZ-FE	01/4~05/6	5W-20	0W-25	5W-30 SP	4.5	5.1	TYPE3	9.9		
TANK	M900A.M910A	1KR-FE	16/11~	0W-20	0W-25	0W-20 SP	2.9	3.1	—	4.4		
	M900A	1KR-VET	16/11~	0W-20	0W-25	0W-20 SP	2.9	3.1	—	5.0		
CHASER	JZX100	1JZ-GE	96/9~01/6	5W-20	0W-25	5W-30 SP	5.1	5.4	TYPE3	6.9		
	JZX105	1JZ-GE	96/9~01/6	5W-20	0W-25	5W-30 SP	5.1	5.4	TYPE3	7.6		4WD
	JZX100	1JZ-GTE	96/9~01/6	10W-30	7.5W-35	10W-40 SP	5.1	5.4	TYPE3	7.7-8.4		
	JZX90	1JZ-GE	92/10~96/9	5W-30	7.5W-35	5W-30 SP	5.1	5.4	TYPE3	6.9		
	JZX90	1JZ-GTE	92/10~96/9	10W-30	7.5W-35	10W-40 SP	5.1	5.4	TYPE3	8.4		
	JZX101	2JZ-GE	96/9~01/6	5W-20	0W-25	5W-30 SP	5.1	5.4	TYPE3	7.4		
	JZX91	2JZ-GE	92/10~96/9	5W-30	7.5W-35	5W-30 SP	5.1	5.4	TYPE3	7.4		
NOAH	ZWR80G.ZWR80W	2ZR-FXE (HYBRID)	17/9~	0W-20	0W-25	0W-20 SP	3.9	4.2	TYPE7	5.7 No Rear A/C 7.5 With Rear A/C	PCU 2.9	HYBRID *1
	ZWR80G	2ZR-FXE (HYBRID)	14/1~17/8	0W-20	0W-25	0W-20 SP	3.9	4.2	—	5.7 No Rear A/C 7.5 With Rear A/C	Inveter 2.9	
	ZRR80G.ZRR80W ZRR85G.ZRR85W	3ZR-FAE (VALVE MATIC)	16/9~	0W-20	0W-25	0W-20 SP	3.9	4.2	TYPE7	6.1 No Rear A/C 7.9 With Rear A/C		
	ZRR80G.ZRR80W ZRR85G.ZRR85W	3ZR-FAE (VALVE MATIC)	14/1~16/8	0W-20	0W-25	0W-20 SP	3.9	4.2	—	6.1 No Rear A/C 7.9 With Rear A/C		
	ZRR70G.ZRR70W ZRR75G.ZRR75W	3ZR-FE	07/6~14/1	0W-20	0W-25	0W-20 SP	3.9	4.2	—	6.6 No Rear A/C 8.6 With Rear A/C		
	ZRR70W.ZRR75W	3ZR-FAE (VALVE MATIC)	07/6~14/1	0W-20	0W-25	0W-20 SP	3.9	4.2	—	6.6 No Rear A/C 8.6 With Rear A/C		
	AZR60G.AZR65G	1AZ-FSE (D-4)	01/11~07/6	5W-20	0W-25	5W-30 SP	4.0	4.2	TYPE7	6.8 No Rear A/C 7.5 With Rear A/C		
HIACE	TRH200V.TRH200K.TRH201K	1TR-FE	14/12~	0W-20	0W-25	0W-20 SP	4.9	5.3	—	11.1 No Rear Heater 13.2 With Rear Heater		
	TRH200V.TRH200K.TRH201K	1TR-FE	12/4~14/11	0W-20	0W-25	0W-20 SP	5.0	5.5	—	11.1 No Rear Heater 13.2 With Rear Heater		
	TRH200V.TRH200K.TRH201K	1TR-FE	04/8~12/3	5W-20	7.5W-35	5W-30 SP	5.0	5.5	—	11.1 No Rear Heater 13.2 With Rear Heater		
	KDH200K.KDH200V	2KD-FTV	05/1~07/8	10W-30	7.5W-33 D		6.3	6.5	TYPE3	14.2 No Rear Heater 16.2 With Rear Heater		CF-4
	KDH205V.KDH220K.KDH225K	2KD-FTV	05/1~07/8	10W-30	7.5W-33 D		6.3	6.5	TYPE3	14.2 No Rear Heater 16.2 With Rear Heater		CF-4
	TRH221K.TRH226K	2TR-FE	14/12~	0W-20	0W-25	0W-20 SP	4.9	5.3	—	11.2 No Rear Heater 13.2 With Rear Heater		
	TRH214W.TRH224W TRH219W.TRH229W	2TR-FE	14/12~	0W-20	0W-25	0W-20 SP	4.9	5.3	—	11.2 No Rear Heater 13.2 With Rear Heater		
	TRH223B.TRH228B	2TR-FE	14/12~	0W-20	0W-25	0W-20 SP	4.9	5.3	—	11.2 No Rear Heater 13.2 With Rear Heater		
	TRH221K.TRH226K	2TR-FE	12/4~14/11	0W-20	0W-25	0W-20 SP	5.0	5.5	—	11.2 No Rear Heater 13.2 With Rear Heater		
	TRH214W.TRH224W TRH219W.TRH229W	2TR-FE	12/4~14/11	0W-20	0W-25	0W-20 SP	5.0	5.5	—	11.2 No Rear Heater 13.2 With Rear Heater		
	TRH223B.TRH228B	2TR-FE	12/4~14/11	0W-20	0W-25	0W-20 SP	5.0	5.5	—	11.2 No Rear Heater 13.2 With Rear Heater		
	TRH221K.TRH226K	2TR-FE	04/8~12/3	5W-20	7.5W-35	5W-30 SP	5.0	5.5	—	11.2 No Rear Heater 13.2 With Rear Heater		

*The volume in this list is only for reference.

*Actual replaceable volume is about 80% of full volume.

*1: The filter shape varies depending on the registration date between September, 2017 and December, 2017. Confirm the shape of the actual filter.

● HKS ENGINE OIL APPLICATION LIST

Vehicle	Model	Engine Model	Model Year	Normal Viscosity	Recommended engine oil		Required Oil Vol. (L)		Oil Filter	Required Coolant Volume (L)		Remarks
					Standard		Oil	Oil + Filter		Coolant Volume (L)	Inter Cooler Inverter(L)	
					Standard	API						
HIACE	TRH214W.TRH224W TRH219W.TRH229W	2TR-FE	04/8~12/3	5W-20	7.5W-35	5W-30 SP	5.0	5.5	—	11.2 No Rear Heater 13.2 With Rear Heater		
	TRH223B.TRH228B	2TR-FE	04/8~12/3	5W-20	7.5W-35	5W-30 SP	5.0	5.5	—	11.2 No Rear Heater 13.2 With Rear Heater		
	GDH201V.GDH201K	1GD-FTV	17/11~	0W-30	5W-30 D		5.5	6.1	—	13.9 No Rear Heater 15.9 With Rear Heater		DL-1
	GDH206V.GDH206K	1GD-FTV	17/11~	0W-30	5W-30 D		5.5	6.1	—	13.9 No Rear Heater 15.9 With Rear Heater		DL-1
	GDH211K.GDH216K	1GD-FTV	17/11~	0W-30	5W-30 D		5.5	6.1	—	13.9 No Rear Heater 15.9 With Rear Heater		DL-1
	GDH221K.GDH226K	1GD-FTV	17/11~	0W-30	5W-30 D		5.5	6.1	—	13.9 No Rear Heater 15.9 With Rear Heater		DL-1
	GDH223B	1GD-FTV	17/11~	0W-30	5W-30 D		5.5	6.1	—	13.9 No Rear Heater 15.9 With Rear Heater		DL-1
	KDH201K/V	1KD-FTV	10/7~17/11	0W-30	5W-30 D		6.6	6.8	TYPE3	14.2-15.0 No Rear Heater 16.2-17.0 With Rear Heater		DL-1
	KDH201K/V	1KD-FTV	07/8~10/7	5W-30	5W-30 D		5.0	5.2	TYPE3	15.0 No Rear Heater 17.0 With Rear Heater		DL-1
	KDH206K/V	1KD-FTV	10/7~17/11	0W-30	5W-30 D		6.8	7.0	TYPE3	14.2-15.0 No Rear Heater 16.2-17.0 With Rear Heater		DL-1
	KDH206K/V	1KD-FTV	07/8~10/7	5W-30	5W-30 D		5.5	5.7	TYPE3	15.0 No Rear Heater 17.0 With Rear Heater		DL-1
	KDH211K	1KD-FTV	10/7~17/11	0W-30	5W-30 D		6.6	6.8	TYPE3	14.2-15.0 No Rear Heater 16.2-17.0 With Rear Heater		DL-1
	KDH211K	1KD-FTV	07/8~10/7	5W-30	5W-30 D		5.0	5.2	TYPE3	15.0 No Rear Heater 17.0 With Rear Heater		DL-1
	KDH221K	1KD-FTV	10/7~17/11	0W-30	5W-30 D		6.6	6.8	TYPE3	14.2-15.0 No Rear Heater 16.2-17.0 With Rear Heater		DL-1
	KDH221K	1KD-FTV	07/8~10/7	5W-30	5W-30 D		5.0	5.2	TYPE3	15.0 No Rear Heater 17.0 With Rear Heater		DL-1
HILUX	GUN125	2GD-FTV	17/9~	0W-30	5W-30 D		7.0	7.5	—	9.6		DL-1
HILUX SURF	TRN210W.TRN215W	2TR-FE	04/8~09/8	5W-20	7.5W-35	5W-30 SP	5.0	5.7	—	8.1		
	RZN210W.RZN215W	3RZ-FE	02/10~04/7	5W-20	7.5W-35	5W-30 SP	4.4	5.1	TYPE3	7.1		
	KDN215W	1KD-FTV	02/10~05/6	10W-30	7.5W-33 D		6.7	7.4	—	11.0-11.2		CF-4
	VZN210W.VZN215W	5VZ-FE	02/10~05/6	5W-20	7.5W-35	5W-30 SP	5.1	5.4	TYPE3	9.0		
	GRN215W	1GR-FE	05/7~09/8	5W-20	7.5W-35	5W-30 SP	4.9	5.2	TYPE3	9.8		
HARRIER	MXUA80,MXUA85	M20A-FKS	20/6~	0W-16	0W-25	0W-20 SP	3.9	4.3		6.9		
	ASU60W.ASU65W	8AR-FTS(TURBO)	17/6~20/5	0W-20	0W-25	0W-20 SP	4.7	4.9	—	7.9	Intercooler 3.3	
	ZSU60W.ZSU65W	3ZR-FAE	13/11~20/5	0W-20	0W-25	0W-20 SP	3.9	4.2	TYPE7	5.9		
	ACU30W.ACU35W	2AZ-FE	03/2~11/10	5W-20	0W-25	5W-30 SP	4.1	4.3	TYPE7	6.2		
	AXUH80,AXUH85	A25A-FXS(HYBRID)	20/6~	0W-16	0W-25	0W-20 SP	4.2	4.5		6.7	PCU 2.0	
	AVU65W	2AR-FXE(HYBRID)	14/1~20/5	0W-20	0W-25	0W-20 SP	4.0	4.4	—	6.9	Inverter 3.4	HYBRID
	MCU30W.MCU31W MCU35W.MCU36W	1MZ-FE	03/2~05/12	5W-20	0W-25	5W-30 SP	4.5	4.7	TYPE3	9.4		
	MHU38W	3MZ-FE(HYBRID)	05/3~12/12	5W-20	0W-25	5W-30 SP	4.5	4.7	TYPE3	10.3	Inverter 3.4	HYBRID
GSU31W.GSU35W	2GR-FE	05/3~08/11	5W-20	0W-25	5W-30 SP	5.7	6.1	—	8.4			
PASSO	M700A.M710A	1KR-FE	16/4~	0W-20	0W-25	0W-20 SP	2.9	3.1	—	4.3		
	KGC30.KGC35	1KR-FE	14/4~16/3	0W-20	0W-25	0W-20 SP	2.9	3.1	—	4.0-4.3		
	KGC30.KGC35	1KR-FE	10/2~14/3	0W-20	0W-25	0W-20 SP	2.9	3.1	—	4.0-4.3		
	KGC10.KGC15	1KR-FE	04/6~10/2	0W-20	0W-25	0W-20 SP	2.9	3.1	—	3.9		
	NGC30	1NR-FE	10/2~16/3	0W-20	0W-25	0W-20 SP	3.3	3.6	—	4.5		
	QNC10	K3-VE	06/12~10/2	0W-20	0W-25	0W-20 SP	3.3	3.6	—	4.1		
	QNC10	K3-VE	04/6~06/12	5W-20	0W-25	5W-30 SP	3.3	3.6	—	4.1		
PASSO SETTE	M502E.M512E	3SZ-VE	08/12~12/3	0W-20	0W-25	0W-20 SP	3.3	3.6	—	4.5		
PIXIS EPOCH	LA350A.LA360A	KF-VE	17/5~	0W-20	0W-25	0W-20 SP	2.7	2.9	TYPE6	2.9		
	LA300A.LA310A	KF-VE	12/5~17/4	0W-20	0W-25	0W-20 SP	2.7	2.9	TYPE6	3.2		
PIXIS JOY	LA250A.LA260A	KF-VE	16/9~	0W-20	0W-25	0W-20 SP	2.7	2.9	TYPE6	3.4		
	LA250A.LA260A	KF-VET(TURBO)	16/9~	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE6	3.4-3.5		
PIXIS SPACE	L575A.L585A	KF-VE	11/9~	0W-20	0W-25	0W-20 SP	2.7	2.9	TYPE6	2.8-3.3		
	L575A.L585A	KF-DET(DOHC,TURBO)	11/9~	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE6	2.9-3.0		
PIXIS TRUCK	S500U.S510U	KF-VE	14/9~	5W-30	7.5W-35	5W-30 SP	3.2	3.4	TYPE6	3.6-3.7		
	S201U.S211U	KF-VE	11/12~14/8	5W-30	7.5W-35	5W-30 SP	3.2	3.4	TYPE6	3.8		
PIXIS VAN	S321M.S331M	KF-VE	11/12~	5W-30	7.5W-35	5W-30 SP	3.2	3.4	TYPE6	5.2-5.7		
		KF-DET(DOHC,TURBO)	11/12~	5W-30	7.5W-35	5W-30 SP	3.2	3.4	TYPE6	5.4-5.9		
PIXIS MEGA	LA700A.LA710A	KF-VE	15/7~	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE6	3.5		
	LA700A.LA710A	KF-VET(TURBO)	15/7~	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE6	3.5		
PRIUS	NHW20	1NZ-FXE(HYBRID)	03/9~09/5	0W-20	0W-25	0W-20 SP	3.4	3.7	TYPE7	5.3	Inverter 2.7	
	ZVW50	2ZR-FXE(HYBRID)	17/9~	0W-16	0W-25	0W-20 SP	3.9	4.2	TYPE7	6.0	PCU 1.4	*1
	ZVW51	2ZR-FXE(HYBRID)	17/9~	0W-16	0W-25	0W-20 SP	3.9	4.2	TYPE7	6.0	PCU 1.4	*1
	ZVW55	2ZR-FXE(HYBRID)	17/9~	0W-16	0W-25	0W-20 SP	3.9	4.2	TYPE7	6.0	PCU 1.4	*1
	ZVW50	2ZR-FXE(HYBRID)	15/12~17/8	0W-16	0W-25	0W-20 SP	3.9	4.2	—	6.0	PCU 1.4	
	ZVW51	2ZR-FXE(HYBRID)	15/12~17/8	0W-16	0W-25	0W-20 SP	3.9	4.2	—	6.0	PCU 1.4	
	ZVW55	2ZR-FXE(HYBRID)	15/12~17/8	0W-16	0W-25	0W-20 SP	3.9	4.2	—	6.0	PCU 1.4	
	ZVW30	2ZR-FXE(HYBRID)	09/5~	0W-20	0W-25	0W-20 SP	3.9	4.2	—	7.2	Inverter 2.1	
PRIUS α	ZVW40W.ZVW41W	2ZR-FXE(HYBRID)	17/9~	0W-20	0W-25	0W-20 SP	3.9	4.2	TYPE7	6.5-6.9	PCU 2.7	*1
	ZVW40W.ZVW41W	2ZR-FXE(HYBRID)	11/6~17/8	0W-20	0W-25	0W-20 SP	3.9	4.2	—	6.5-6.9	PCU 2.7	

*The volume in this list is only for reference.

*Actual replaceable volume is about 80% of full volume.

*1: The filter shape varies depending on the registration date between September, 2017 and December, 2017. Confirm the shape of the actual filter.

● HKS ENGINE OIL APPLICATION LIST

Vehicle	Model	Engine Model	Model Year	Normal Viscosity	Recommended engine oil		Required Oil Vol. (L)		Oil Filter	Required Coolant Volume (L)		Remarks
					Standard		Oil	Oil+ Filter		Coolant Volume (L)	Inter Cooler Inverter(L)	
					Standard	API						
PRIUS PHV	ZVW52	2ZR-FXE(HYBRID)	17/9~	0W-16	0W-25	0W-20 SP	3.9	4.2	TYPE7	6.0	PCU 1.5	*1
	ZVW52	2ZR-FXE(HYBRID)	17/2~17/8	0W-16	0W-25	0W-20 SP	3.9	4.2	—	6.0	PCU 1.5	
	ZVW35	2ZR-FXE(HYBRID)	11/11~17/1	0W-20	0W-25	0W-20 SP	3.9	4.2	—	7.2	Inverter 2.1	
BLADE	AZE154H,AZE156H	2AZ-FE	06/12~12/4	0W-20	0W-25	0W-20 SP	4.1	4.3	—	6.2		
BLADE MASTER	GRE156H	2GR-FE	07/9~12/4	5W-20	0W-25	5W-30 SP	5.7	6.1	—	8.7		
BREVIS	JCG10	1JZ-FSE(D-4)	01/4~07/6	5W-20	0W-25	5W-30 SP	5.1	5.4	TYPE3	7.0		
	JCG15	1JZ-FSE(D-4)	01/4~07/6	5W-20	0W-25	5W-30 SP	4.2	4.5	TYPE3	7.0		
	JCG11	2JZ-FSE(D-4)	01/4~07/6	5W-20	0W-25	5W-30 SP	5.1	5.4	TYPE3			
PROBOX	NSP160V	1NR-FE	14/8~	0W-20	0W-25	0W-20 SP	3.4	3.7	TYPE7	4.7		
	NCP50V	2NZ-FE	02/7~14/7	5W-20	0W-25	5W-30 SP	3.4	3.7	TYPE7	4.4-4.5		
	NLP51V	1ND-TV	05/1~08/10	10W-30	7.5W-33 D		3.8	4.2	TYPE3	4.4		CF-4
	NHP160V	1NZ-FXE(HYBRID)	18/11~	0W-16	0W-25	0W-20 SP	3.4	3.7	TYPE7	4.5	Inverter 1.6	HYBRID
	NCP160V.NCP165V	1NZ-FE	14/8~	0W-20	0W-25	0W-20 SP	3.4	3.7	TYPE7	5.0		
	NCP51V.NCP55V	1NZ-FE	02/7~14/7	5W-20	0W-25	5W-30 SP	3.4	3.7	TYPE7	4.3-4.4		
PORTE	NSP140	1NR-FE	12/7~15/6	0W-20	0W-25	0W-20 SP	3.2	3.4	—	4.7		
	NNP10	2NZ-FE	04/7~12/6	0W-20	0W-25	0W-20 SP	3.4	3.7	TYPE7	4.4		
	NCP141	1NZ-FE	12/7~15/6	0W-20	0W-25	0W-20 SP	3.4	3.7	TYPE7	5.0		
	NCP145	1NZ-FE	12/7~	0W-20	0W-25	0W-20 SP	3.4	3.7	TYPE7	5.0		
	NNP11.NNP15	1NZ-FE	04/7~12/6	0W-20	0W-25	0W-20 SP	3.4	3.7	TYPE7	4.3		
MARKII	JZX110	1JZ-FSE(D-4)	00/10~04/11	5W-20	0W-25	5W-30 SP	5.1	5.4	TYPE3	6.9		
	JZX110	1JZ-GTE	00/10~04/11	10W-30	7.5W-35	10W-40 SP	5.1	5.4	TYPE3	7.7-8.4		
	JZX100	1JZ-GE	96/9~01/6	5W-20	0W-25	5W-30 SP	5.1	5.4	TYPE3	6.9		
	JZX105	1JZ-GE	96/9~01/6	5W-20	0W-25	5W-30 SP	5.1	5.4	TYPE3	7.6		
	JZX100	1JZ-GTE	96/9~01/6	10W-30	7.5W-35	10W-40 SP	5.1	5.4	TYPE3	7.7-8.4		
	JZX90	1JZ-GE	92/10~96/9	5W-30	0W-25	5W-30 SP	5.1	5.4	TYPE3	6.9		
	JZX90	1JZ-GTE	92/10~96/9	10W-30	7.5W-35	10W-40 SP	5.1	5.4	TYPE3	8.4		
	JZX101	2JZ-GE	96/9~01/6	5W-20	0W-25	5W-30 SP	5.1	5.4	TYPE3	7.4		
	JZX91	2JZ-GE	92/10~96/9	5W-30	0W-25	5W-30 SP	5.1	5.4	TYPE3	7.4		
MARKII BLIT	GX110W	1G-FE	02/1~07/5	5W-20	0W-25	5W-30 SP	3.6	3.8	TYPE3	6.5		
	GX115W	1G-FE	02/1~07/5	5W-20	0W-25	5W-30 SP	3.6	3.8	TYPE3	7.2		4WD
	JZX115W	1JZ-GE	02/1~07/5	5W-20	0W-25	5W-30 SP	4.2	4.5	TYPE3	7.6		
	JZX110W	1JZ-FSE(D-4)	02/1~07/5	5W-20	0W-25	5W-30 SP	5.1	5.4	TYPE3	6.9		
	JZX110W	1JZ-GTE	02/1~07/5	10W-30	7.5W-35	10W-40 SP	5.1	5.4	TYPE3	8.4		
MARK X	GRX130	4GR-FSE(D-4)	09/10~	5W-20	0W-25	5W-30 SP	5.9	6.3	—	9.4		
	GRX135	4GR-FSE(D-4)	09/10~	5W-20	0W-25	5W-30 SP	6.0	6.4	—	9.4		
	GRX120	4GR-FSE(D-4)	04/11~09/10	5W-20	0W-25	5W-30 SP	5.9	6.3	—	9.1		
	GRX125	4GR-FSE(D-4)	04/11~09/10	5W-20	0W-25	5W-30 SP	6.0	6.4	—	9.1		
	GRX121	3GR-FSE(D-4)	04/11~09/10	5W-20	0W-25	5W-30 SP	5.9	6.3	—	9.1		
	GRX133	2GR-FSE(D-4)	09/10~	5W-20	0W-25	5W-30 SP	5.9	6.3	—	9.2		
MARK X ZIO	ANA10.ANA15	2AZ-FE	07/9~13/11	0W-20	0W-25	0W-20 SP	4.1	4.3	—	6.2		
	GGA10	2GR-FE	07/9~13/11	5W-20	0W-25	5W-30 SP	5.7	6.1	—	8.7		
YARIS	KSP210	1KR-FE	20/2~	0W-20	0W-25	0W-20 SP	2.6	2.8	—	4.9		
	MXPA10.MXPA15	M15A-FKS	20/2~	0W-16	0W-25	0W-20 SP	3.2	3.4		5.0 MT 5.1 CVT		
	MXPH10.MXPH15	M15A-FXE(HYBRID)	20/2~	0W-8	0W-25	0W-20 SP	3.3	3.6		5.1	PCU 1.6	HYBRID
YARIS CROSS	MXPB10.MXPB15	M15A-FKS	20/8~	0W-16	0W-25	0W-20 SP	3.2	3.4		4.6		
	MXPJ10.MXPJ15	M15A-FXE	20/8~	0W-8	0W-25	0W-20 SP	3.3	3.6		4.7	PCU 1.6	HYBRID
RAIZE	A200A.A210A	1KR-VET	19/11~	0W-20	0W-25	0W-20 SP	2.9	3.1	—	4.7		
RACTIS	NSP120.NSP122	1NR-FKE	14/5~16/9	0W-16	0W-25	0W-20 SP	3.6	3.8	—	4.9		
	NSP120.NSP122	1NR-FE	10/11~14/5	0W-20	0W-25	0W-20 SP	3.2	3.4	—	4.7		
	SCP100	2SZ-FE	05/10~10/11	0W-20	0W-25	0W-20 SP	2.9	3.2	TYPE7	5.4		
	NCP120.NCP125	1NZ-FE	10/11~16/9	0W-20	0W-25	0W-20 SP	3.4	3.7	TYPE7	5.0		
	NCP100	1NZ-FE	05/10~10/11	0W-20	0W-25	0W-20 SP	3.4	3.7	TYPE7	5.1		
	NCP105	1NZ-FE	05/10~10/11	0W-20	0W-25	0W-20 SP	3.4	3.7	TYPE7	4.7		4WD
LANDCRUISER100	HDJ101K	1HD-FTE	98/1~07/9	10W-30	7.5W-33 D		10.1	11.4	—	13.2 MT 12.8-13.8 AT		CF-4
	UZJ100W	2UZ-FE	98/1~07/9	5W-20	0W-25	5W-30 SP	6.4	6.8	TYPE3	15.3		
LANDCRUISER200	URJ202W	1UR-FE	09/4~	0W-20	0W-25	0W-20 SP	7.1	7.5	—	14.6-14.7 No Rear A/C 17.4-17.5 With Rear A/C		
	UZJ200W	2UZ-FE	07/9~09/3	5W-20	0W-25	5W-30 SP	5.7	6.2	TYPE3	17.4		
LANDCRUISER70	GRJ76K.GRJ79K	1GR-FE	14/8~	10W-30	5W-30 D		5.1	5.4	TYPE3	11.8		

*The volume in this list is only for reference.
 *Actual replaceable volume is about 80% of full volume.
 *1: The filter shape varies depending on the registration date between September, 2017 and December, 2017.
 Confirm the shape of the actual filter.

● HKS ENGINE OIL APPLICATION LIST

Vehicle	Model	Engine Model	Model Year	Normal Viscosity	Recommended engine oil		Required Oil Vol. (L)		Oil Filter	Required Coolant Volume (L)		Remarks
					Standard		Oil	Oil + Filter		Coolant Volume (L)	Inter Cooler Inverter(L)	
					Standard	API						
LANDCRUISER PRADO	TRJ120W.TRJ125W	2TR-FE	05/1~09/9	5W-20	0W-25	5W-30 SP	5.0	5.7	—	8.1		
	GDJ150W.GDJ151W	1GD-FTV	15/6~	0W-30	5W-30 D		7.2	7.7	—	10.0		DL-1
	KDJ120W	1KD-FTV	05/1~09/9	10W-30	7.5W-33 D		6.7	7.4	—	11.0-11.2		CF-4
	KDJ121W.KDJ125W	1KD-FTV	05/1~05/7	10W-30	7.5W-33 D		6.7	7.4	—	11.0-11.2		CF-4
	VZJ120W.VZJ125W	5VZ-FE	96/5~99/6	5W-20	0W-25	5W-30 SP	5.1	5.4	TYPE3	9.0		
	GRJ120W.GRJ121W	1GR-FE	05/8~	5W-20	5W-30 D		4.9	5.2	TYPE3	9.8		
ROOMY	M900A.M910A	1KR-FE	16/11~	0W-20	0W-25	0W-20 SP	2.9	3.1	—	4.4		
	M900A	1KR-VET	16/11~	0W-20	0W-25	0W-20 SP	2.9	3.1	—	5.0		
REGIUS ACE	TRH200V.TRH200K.TRH201K	1TR-FE	14/12~	0W-20	0W-25	0W-20 SP	4.9	5.3	—	11.1 No Rear Heater 13.2 With Rear Heater		
	TRH200V.TRH200K.TRH201K	1TR-FE	12/4~14/11	0W-20	0W-25	0W-20 SP	5.0	5.5	—	11.1 No Rear Heater 13.2 With Rear Heater		
	TRH200V.TRH200K.TRH201K	1TR-FE	04/8~12/3	5W-20	7.5W-35	5W-30 SP	5.0	5.5	—	11.1 No Rear Heater 13.2 With Rear Heater		
	KDH200K.KDH200V	2KD-FTV	05/1~07/8	10W-30	7.5W-33 D		6.3	6.5	TYPE3	14.2 No Rear Heater 16.2 With Rear Heater		CF-4
	KDH205V.KDH220K.KDH225K	2KD-FTV	05/1~07/8	10W-30	7.5W-33 D		6.3	6.5	TYPE3	14.2 No Rear Heater 16.2 With Rear Heater		CF-4
	TRH221K.TRH226K	2TR-FE	14/12~	0W-20	0W-25	0W-20 SP	4.9	5.3	—	11.2 No Rear Heater 13.2 With Rear Heater		
	TRH214W.TRH224W TRH219W.TRH229W	2TR-FE	14/12~	0W-20	0W-25	0W-20 SP	4.9	5.3	—	11.2 No Rear Heater 13.2 With Rear Heater		
	TRH223B.TRH228B	2TR-FE	14/12~	0W-20	0W-25	0W-20 SP	4.9	5.3	—	11.2 No Rear Heater 13.2 With Rear Heater		
	TRH221K.TRH226K	2TR-FE	12/4~14/11	0W-20	0W-25	0W-20 SP	5.0	5.5	—	11.1 No Rear Heater 13.2 With Rear Heater		
	TRH214W.TRH224W TRH219W.TRH229W	2TR-FE	12/4~14/11	0W-20	0W-25	0W-20 SP	5.0	5.5	—	11.1 No Rear Heater 13.2 With Rear Heater		
	TRH223B.TRH228B	2TR-FE	12/4~14/11	0W-20	0W-25	0W-20 SP	5.0	5.5	—	11.1 No Rear Heater 13.2 With Rear Heater		
	TRH221K.TRH226K	2TR-FE	04/8~12/3	5W-20	7.5W-35	5W-30 SP	5.0	5.5	—	11.1 No Rear Heater 13.2 With Rear Heater		
	TRH214W.TRH224W TRH219W.TRH229W	2TR-FE	04/8~12/3	5W-20	7.5W-35	5W-30 SP	5.0	5.5	—	11.1 No Rear Heater 13.2 With Rear Heater		
	TRH223B.TRH228B	2TR-FE	04/8~12/3	5W-20	7.5W-35	5W-30 SP	5.0	5.5	—	11.1 No Rear Heater 13.2 With Rear Heater		
	GDH201V.GDH201K	1GD-FTV	17/11~	0W-30	5W-30 D		5.5	6.1	—	13.9 No Rear Heater 15.9 With Rear Heater		DL-1
	GDH206V.GDH206K	1GD-FTV	17/11~	0W-30	5W-30 D		5.5	6.1	—	13.9 No Rear Heater 15.9 With Rear Heater		DL-1
	GDH211K.GDH216K	1GD-FTV	17/11~	0W-30	5W-30 D		5.5	6.1	—	13.9 No Rear Heater 15.9 With Rear Heater		DL-1
	GDH221K.GDH226K	1GD-FTV	17/11~	0W-30	5W-30 D		5.5	6.1	—	13.9 No Rear Heater 15.9 With Rear Heater		DL-1
	GDH223B	1GD-FTV	17/11~	0W-30	5W-30 D		5.5	6.1	—	13.9 No Rear Heater 15.9 With Rear Heater		DL-1
	KDH201K.KDH201V	1KD-FTV	10/7~17/11	0W-30	5W-30 D		6.6	6.8	TYPE3	14.2-15.0 No Rear Heater 16.2-17.0 With Rear Heater		DL-1
	KDH201K.KDH201V	1KD-FTV	07/8~10/7	5W-30	5W-30 D		5.0	5.2	TYPE3	15.0 No Rear Heater 17.0 With Rear Heater		DL-1
	KDH206K.KDH206V	1KD-FTV	10/7~17/11	0W-30	5W-30 D		6.8	7.0	TYPE3	14.2-15.0 No Rear Heater 16.2-17.0 With Rear Heater		DL-1
	KDH206K.KDH206V	1KD-FTV	07/8~10/7	5W-30	5W-30 D		5.5	5.7	TYPE3	15.0 No Rear Heater 17.0 With Rear Heater		DL-1
	KDH211K	1KD-FTV	10/7~17/11	0W-30	5W-30 D		6.6	6.8	TYPE3	14.2-15.0 No Rear Heater 16.2-17.0 With Rear Heater		DL-1
	KDH211K	1KD-FTV	07/8~10/7	5W-30	5W-30 D		5.0	5.2	TYPE3	15.0 No Rear Heater 17.0 With Rear Heater		DL-1
	KDH221K	1KD-FTV	10/7~17/11	0W-30	5W-30 D		6.6	6.8	TYPE3	14.2-15.0 No Rear Heater 16.2-17.0 With Rear Heater		DL-1
	KDH221K	1KD-FTV	07/8~10/7	5W-30	5W-30 D		5.0	5.2	TYPE3	15.0 No Rear Heater 17.0 With Rear Heater		DL-1
NISSAN												
180SX	RS13.KRS13	CA18DET (TURBO)	89/4~91/1	7.5W-30	7.5W-35	10W-40 SP	3.2	3.6	TYPE7	7.0		
	RPS13.KRPS13	SR20DE	96/8~98/12	7.5W-30	7.5W-35	10W-40 SP	3.3	3.5	TYPE7	6.5		
	RPS13.KRPS13	SR20DET (TURBO)	91/1~98/12	7.5W-30	7.5W-35	10W-40 SP	3.5	3.7	TYPE7	6.5		
AD:AD EXPERT	VY12	HR15DE	06/12~16/11	0W-20	0W-25	0W-20 SP	2.8	3.0	TYPE1	6.7		
	VZNY12	HR16DE	08/12~16/11	5W-30	7.5W-35	5W-30 SP	2.8	3.0	TYPE1	6.3-6.7		
	VJY12	MR18DE	06/12~16/11	0W-20	0W-25	0W-20 SP	3.7	3.9	TYPE1	6.8		
GT-R	R35	VR38DETT	16/8~	0W-40	7.5W-45	10W-40 SP	4.5	5.0	TYPE1	11.3 NISMO / TRACK Edition		
	R35	VR38DETT	10/10~16/7	0W-40	7.5W-45	10W-40 SP	4.5	5.0	TYPE1	11.3 NISMO / TRACK Edition		
	R35	VR38DETT	07/12~10/10	0W-40	7.5W-45	10W-40 SP	5.0	5.5	TYPE1	11.3 NISMO / TRACK Edition		
NT100 CLIPPER	DR16T	R06A (NA)	13/12~	5W-30	7.5W-35	5W-30 SP	2.8	3.0	TYPE7	3.6-3.9		
NV100 CLIPPER	DR17V	R06A (TURBO)	15/3~	5W-30	7.5W-35	5W-30 SP	2.7	2.8	TYPE5	5.4-5.5		
	DR17V	R06A (NA)	15/3~	5W-30	7.5W-35	5W-30 SP	2.7	2.8	TYPE5	5.0-5.5 MT/AGS 4.8-5.3 AT		
	DR64V	K6A (DOHC,TURBO)	13/12~15/2	5W-30	7.5W-35	5W-30 SP	2.8	3.0	TYPE7	6.0-6.2		
	DR64V	K6A (DOHC)	13/12~15/2	5W-30	7.5W-35	5W-30 SP	2.8	3.0	TYPE7	5.2-5.9 MT 5.1-5.8 AT		
	U71V	3G83 (NA)	12/1~13/12	0W-20	0W-25	0W-20 SP	3.0	3.2	TYPE4	5.5		
	U71V	3G83 (TURBO)	12/1~13/12	10W-30	7.5W-35	10W-40 SP	3.0	3.2	TYPE4	5.5		
	U71TP	3G83 (NA)	12/1~13/12	0W-20	0W-25	0W-20 SP	3.0	3.2	TYPE4	5.5		
	U71TP	3G83 (TURBO)	12/1~13/12	10W-30	7.5W-35	10W-40 SP	3.0	3.2	TYPE4	5.5		
	U72V	3G83 (NA)	12/1~13/12	0W-20	0W-25	0W-20 SP	3.0	3.2	TYPE4	5.5		
	U72V	3G83 (TURBO)	12/1~13/12	10W-30	7.5W-35	10W-40 SP	3.0	3.2	TYPE4	5.5		
NV100 CLIPPER RIO	DR17W	R06A (TURBO)	15/3~	5W-30	7.5W-35	5W-30 SP	2.7	2.8	TYPE5	5.4		
	DR64W	K6A (DOHC,TURBO)	13/12~15/2	5W-30	7.5W-35	5W-30 SP	2.8	3.0	TYPE7	6.2		

*The volume in this list is only for reference.
*Actual replaceable volume is about 80% of full volume.

● HKS ENGINE OIL APPLICATION LIST

Vehicle	Model	Engine Model	Model Year	Normal Viscosity	Recommended engine oil		Required Oil Vol. (L)		Oil Filter	Required Coolant Volume (L)		Remarks
					Standard		Oil	Oil + Filter		Coolant Volume (L)	Inter Cooler Inverter(L)	
					Standard	API						
NV150 AD	VY12	HR15DE	16/12~	0W-20	0W-25	0W-20 SP	2.8	3.0	TYPE1	6.7		
	VZNY12	HR16DE	16/12~	5W-30	7.5W-35	5W-30 SP	2.8	3.0	TYPE1	6.7		
NV200 VANETTE VAN	VM20	HR16DE	09/5~	5W-30	7.5W-35	5W-30 SP	2.8	3.0	TYPE1	6.3		
NV200 VANETTE WAGON	M20	HR16DE	09/5~	5W-30	7.5W-35	5W-30 SP	2.8	3.0	TYPE1	6.3		
NV350 CARAVAN	VR2E26	QR20DE	12/6~	0W-20	0W-25	0W-20 SP	4.9	5.2	TYPE1	8.1 No Rear Heater 9.1 With Rear Heater		
	CS4E26.DS4E26 KS2E26.KS4E26	QR25DE	12/6~	0W-20	0W-25	0W-20 SP	4.9	5.2	TYPE1	8.1-8.5 No Rear Heater 9.1-9.7 With Rear Heater		
	CW4E26.CW8E26.DW4E26 VW2E26.VW6E26	YD25DDTi	12/6~	5W-30	5W30 D		7.5	7.8	—	10.2-10.6 No Rear Heater 11.2-11.8 With Rear Heater		DL-1
X-TRAIL	HT32.HNT32	MR20DD (HYBRID)	15/5~	0W-20	0W-25	0W-20 SP	3.6	3.8	TYPE1	7.9	Inverter 2.2	HYBRID
	T32.NT32	MR20DD	13/12~	0W-20	0W-25	0W-20 SP	3.6	3.8	TYPE1	8.6		
	DNT31	M9R	08/9~	5W-30	5W-30		7.0	7.4	—	8.4		C3 ACEA
	T31.NT31	MR20DE	07/8~13/12	0W-20	0W-25	0W-20 SP	3.6	3.8	TYPE1	7.4		
	PNT30	SR20VET (TURBO)	00/11~07/8	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE1	7.6		
	T30.NT30	QR20DE	00/11~07/8	0W-20	0W-25	0W-20 SP	3.5	3.7	TYPE1	7.1		
	TNT31	QR25DE	07/8~13/12	0W-20	0W-25	0W-20 SP	4.5	4.8	TYPE1	7.1		
WINGROAD	Y12	HR15DE	10/12~18/3	0W-20	0W-25	0W-20 SP	2.8	3.0	TYPE1	6.3-6.6		
	NY12	HR15DE	10/12~18/3	0W-20	0W-25	0W-20 SP	2.8	3.0	TYPE1	6.7		e-4WD
	Y12	HR15DE	05/11~10/12	0W-20	0W-25	0W-20 SP	3.1	3.3	TYPE1	6.3-6.6		
	NY12	HR15DE	05/11~10/12	0W-20	0W-25	0W-20 SP	3.1	3.3	TYPE1	6.7		e-4WD
	WYF11	QG15DE	05/1~05/11	0W-20	0W-25	0W-20 SP	2.5	2.7	TYPE1	6.6-6.7		
	JY12	MR18DE	05/11~18/3	0W-20	0W-25	0W-20 SP	3.7	3.9	TYPE1	6.8		
	WHNY11	QG18DE	05/1~05/11	0W-20	0W-25	0W-20 SP	2.5	2.7	TYPE1	6.6-6.7		
	WRY11	QR20DE	01/10~05/10	0W-20	0W-25	0W-20 SP	3.5	3.7	TYPE1	7.1		
ELGLAND	TE52.TNE52	QR25DE	10/8~	0W-20	0W-25	0W-20 SP	4.3	4.6	TYPE1	9.8-10.1		
	ME51.MNE51	VQ25DE	04/12~10/7	5W-30	7.5W-35	5W-30 SP	4.5	4.7	TYPE1	9.9		
	PE52.PNE52	VQ35DE	10/8~	5W-30	7.5W-35	5W-30 SP	4.3	4.6	TYPE1	11.0		
	E51	VQ35DE	02/5~10/7	5W-30	7.5W-35	5W-30 SP	4.5	4.7	TYPE1	9.9		
	APE50.APWE50	VQ35DE	00/8~02/4	5W-30	7.5W-35	5W-30 SP	4.4	4.7	TYPE1	9.6		
OTTI	H92W	3G83	06/10~	0W-20	0W-25	0W-20 SP	3.0	3.2	TYPE4	4.0		
	H92W	3G83 (TURBO)	06/10~	10W-30	7.5W-35	10W-40 SP	3.0	3.2	TYPE4	4.0		
	H91W	3G83	05/6~06/9	5W-20	7.5W-35	5W-30 SP	3.0	3.2	TYPE4	4.0		
	H91W	3G83 (TURBO)	05/6~06/9	10W-30	7.5W-35	10W-40 SP	3.0	3.2	TYPE4	4.0		
KICKS	H59A	4A30	08/10~12/6	10W-30	7.5W-35	10W-40 SP	3.3	3.5	TYPE4	4.0		
	P15	HR12DE-EM57	20/6~	0W-20	0W-25	0W-20 SP	3.2	3.4	TYPE1	6.4	Inverter 3.56	e-POWER
CARAVAN	VRE25	QR20DE	07/8~12/6	0W-20	0W-25	0W-20 SP	4.9	5.2	TYPE1	8.0-9.0 MT 7.9-8.9 AT		
	VPE25	KA20DE	01/4~07/8	5W-30	7.5W-35	5W-30 SP	3.3	3.6	TYPE1	8.0-8.1 No Rear Heater 9.0-9.1 With Rear Heater		
	QGE25.CQGE25.DQGE25.QE25	KA24DE	01/4~07/8	5W-30	7.5W-35	5W-30 SP	3.3	3.6	TYPE1	8.0-8.1 No Rear Heater 9.0-9.1 With Rear Heater		
	CWGE25.CWMGE25.VWE25. VWME25	ZD30DDTi	07/8~12/6	5W-30	5W30 D		8.0	8.5	—	11.7-12.9 MT 11.6-12.8 AT		DL-1
	CWGE25.CWMGE25.VWE25. VWME25	ZD30DDTi	05/1~07/8	10W-30	7.5W33 D		6.4	6.9	—	11.7-12.9 MT 11.6-12.8 AT		CF-4
CUBE	BZ11.BNZ11	CR14DE	02/10~08/11	0W-20	0W-25	0W-20 SP	3.2	3.4	TYPE7	4.9-5.0		
	Z12.NZ12	HR15DE	08/11~	0W-20	0W-25	0W-20 SP	2.8	3.0	TYPE1	6.6-6.9		
	YZ11	HR15DE	05/5~08/11	0W-20	0W-25	0W-20 SP	2.8	3.0	TYPE1	5.4		
CUBE 3	YGZ11.YGNZ11	HR15DE	05/5~08/10	0W-20	0W-25	0W-20 SP	2.8	3.0	TYPE1	5.4-5.8		
GLORIA	Y33	VG20E	95/6~99/5	7.5W-30	7.5W-35	10W-40 SP	3.5	3.9	TYPE7	9.3		
	ENY34	RB25DET	99/6~04/9	5W-30	7.5W-35	5W-30 SP	4.3	4.7	TYPE7	8.9		
	MY34	VQ25DD (NEO-Di)	99/6~00/7	5W-30	7.5W-35	5W-30 SP	4.4	4.7	TYPE1	9.3		
	MY33	VQ25DE	97/6~99/5	7.5W-30	7.5W-35	10W-40 SP	4.4	4.7	TYPE1	8.7		
	ENY33	RB25DET	97/6~99/5	7.5W-30	7.5W-35	10W-40 SP	4.3	4.7	TYPE7	8.9		
	UY33	RD28	95/6~99/5	10W-30	7.5W-33 D		5.6	6.3	—	9.1		CD
	HY34	VQ30DD (NEO-Di)	99/6~04/9	5W-30	7.5W-35	5W-30 SP	4.4	4.7	TYPE1	8.8		
	HY34	VQ30DET	99/6~00/7	5W-30	7.5W-35	5W-30 SP	4.4	4.7	TYPE1	9.7		
	PY33	VG30E	95/6~99/5	7.5W-30	7.5W-35	10W-40 SP	3.5	3.9	TYPE7	9.3		
	HY33	VQ30DE	95/6~99/5	7.5W-30	7.5W-35	10W-40 SP	4.4	4.7	TYPE1	8.7		
	HY33.HBY33	VQ30DET	95/6~99/5	7.5W-30	7.5W-35	10W-40 SP	4.4	4.7	TYPE1	8.7		
CIMA	HF50	VQ30DET	01/1~10/7	5W-30	7.5W-35	5W-30 SP	4.4	4.7	TYPE1	9.8		
	GF50	VK45DE	12/1~10/8	0W-20	0W-25	0W-20 SP	5.0	5.6	TYPE1	9.8		
	GNF50	VK45DE	12/1~10/8	0W-20	0W-25	0W-20 SP	6.0	6.6	TYPE1	9.8		
CIMA HYBRID	HGY51	VQ35HR	12/4~	5W-30	7.5W-35	5W-30 SP	4.0	4.9	TYPE1	8.6	Inverter 2.7	
JUKE	YF15	HR15DE	10/6~	0W-20	0W-25	0W-20 SP	2.8	3.0	TYPE1	6.6		
	F15.NF15	MR16DDT	14/6~	0W-20	0W-25	0W-20 SP	4.1	4.3	TYPE1	8.1-8.7		
	F15.NF15	MR16DDT	10/11~14/6	5W-30	7.5W-35	5W-30 SP	4.3	4.5	TYPE1	8.1-8.7		

*The volume in this list is only for reference.
*Actual replaceable volume is about 80% of full volume.

LEXUS

TOYOTA

NISSAN

HONDA

MAZDA

SUBARU

MAZDA

SUZUKI

DAIHATSU

● HKS ENGINE OIL APPLICATION LIST

Vehicle	Model	Engine Model	Model Year	Normal Viscosity	Recommended engine oil		Required Oil Vol. (L)		Oil Filter	Required Coolant Volume (L)		Remarks
					Standard		Oil	Oil + Filter		Coolant Volume (L)	Inter Cooler Inverter(L)	
					Standard	API						
SILVIA	S15	SR20DE	99/1~02/8	10W-30	7.5W-35	10W-40 SP	3.3	3.5	TYPE1	6.2		
	S15	SR20DET (TURBO)	99/1~02/8	10W-30	7.5W-35	10W-40 SP	3.3	3.5	TYPE1	6.2		
	S14.CS14	SR20DE	93/10~98/12	7.5W-30	7.5W-35	10W-40 SP	3.5	3.7	TYPE1	6.2		
	S14.CS14	SR20DET (TURBO)	93/10~98/12	7.5W-30	7.5W-35	10W-40 SP	3.5	3.7	TYPE1	6.2		
	PS13	SR20DE	91/1~93/9	7.5W-30	7.5W-35	10W-40 SP	3.5	3.7	TYPE7	6.5		
	PS13.KPS13	SR20DET (TURBO)	91/1~93/9	7.5W-30	7.5W-35	10W-40 SP	3.5	3.7	TYPE7	6.5		
SYLPHY	TB17	MRA8DE	12/12~	0W-20	0W-25	0W-20 SP	3.7	3.9	TYPE1	6.6		
SKYLINE	YV37	274A	14/11~19/6	0W-30	7.5W-35	5W-30 SP	5.8	6.3	—	9.0		
	ZV37	274930	14/5~14/11	0W-30	7.5W-35	5W-30 SP	5.8	6.3	—	9.0		
	V36.NV36	VQ25HR	06/11~13/11	5W-30	7.5W-35	5W-30 SP	4.4	4.7	TYPE1	8.8		
	V35.NV35	VQ25DD (NEO-Di)	01/6~06/10	5W-30	7.5W-35	5W-30 SP	4.4	4.7	TYPE1	8.5		
	ER34	RB25DE	98/5~01/4	5W-30	7.5W-35	5W-30 SP	3.8	4.2	TYPE7	9.4		
	ENR34	RB25DE	98/5~01/4	5W-30	7.5W-35	5W-30 SP	4.2	4.6	TYPE7	9.4		4WD
	ER34	RB25DET (TURBO)	98/5~01/4	5W-30	7.5W-35	5W-30 SP	3.9	4.3	TYPE7	9.4		
	ECR33	RB25DET	93/5~97/2	7.5W-30	7.5W-35	10W-40 SP	3.9	4.3	TYPE7	8.5		
	RV37	VR30DDTT	19/7~	0W-20	0W-25	0W-20 SP	5.1	5.3	TYPE1	9.3	I/C 3.2	
	RV37	VR30DDTT	19/7~	0W-20	0W-25	0W-20 SP	5.1	5.3	TYPE1	10.4	I/C 3.2	400R
	HV35	VQ30DD (NEO-Di)	01/6~04/10	5W-30	7.5W-35	5W-30 SP	4.4	4.7	TYPE1	8.5		
	HV37.HNV37	VQ35HR	13/11~	5W-30	7.5W-35	5W-30 SP	4.6	4.9	TYPE1	9.8-10.3	Inverter 2.4	
	PV36	VQ35HR	06/11~13/11	5W-30	7.5W-35	5W-30 SP	4.6	4.9	TYPE1	9.0		
	CPV35 (COUPE)	VQ35DE	03/1~06/10	5W-30	7.5W-35	5W-30 SP	4.4	4.7	TYPE1	8.7		
	PV35	VQ35DE	02/1~06/10	5W-30	7.5W-35	5W-30 SP	4.4	4.7	TYPE1	8.5		
	CKV36 (COUPE)	VQ37VHR	07/10~13/11	5W-30	7.5W-35	5W-30 SP	4.6	4.9	TYPE1	8.5-8.6		
	KV36	VQ37VHR	08/12~13/11	5W-30	7.5W-35	5W-30 SP	4.6	4.9	TYPE1	8.5-8.6		
SKYLINE GT-R	BNR34	RB26DETT (TURBO)	99/1~02/8	7.5W-30	7.5W-35	10W-40 SP	4.2	4.6	TYPE7	9.0		
	BCNR33	RB26DETT (TURBO)	95/1~99/1	7.5W-30	7.5W-35	10W-40 SP	4.2	4.6	TYPE7	8.7		
	BNR32	RB26DETT (TURBO)	89/8~95/1	7.5W-30	7.5W-35	10W-40 SP	4.2	4.6	TYPE7	8.7		
SKYLINE CROSSOVER	J50.NJ50	VQ37VHR	09/7~	5W-30	7.5W-35	5W-30 SP	4.6	4.9	TYPE1	8.6		
STAGEA	WHC34	RB20DE (LEANBURN)	97/8~01/9	5W-30	7.5W-35	5W-30 SP	3.8	4.2	TYPE7	9.4		
	WHC34	RB20E	96/9~97/8	7.5W-30	7.5W-35	10W-40 SP	3.8	4.2	TYPE7	9.4		
	WGC34.WGNC34	RB25DET (TURBO)	98/8~01/9	5W-30	7.5W-35	5W-30 SP	4.3	4.7	TYPE7	9.7		
	WGNC34	RB25DET (TURBO)	96/9~98/8	5W-30	7.5W-35	5W-30 SP	4.3	4.7	TYPE7	9.7		
	WGC34	RB25DE	96/9~01/9	7.5W-30	7.5W-35	10W-40 SP	4.2	4.6	TYPE7	9.7		
	WGNC34	RB25DE	96/9~01/9	7.5W-30	7.5W-35	10W-40 SP	4.2	4.6	TYPE7	9.7		
	M35.NM35	VQ25DD (NEO-Di)	01/10~07/6	5W-30	7.5W-35	5W-30 SP	4.4	4.7	TYPE1	8.4-8.5		
	M35.NM35	VQ25DET (TURBO)	01/10~04/7	5W-30	7.5W-35	5W-30 SP	4.4	4.7	TYPE1	8.5		
	WGNC34改 (260RS)	RB26DETT (TURBO)	97/11~01/9	5W-30	7.5W-35	5W-30 SP	4.4	4.7	TYPE7			
	PM35.PNM35	VQ35DE	04/8~07/6	5W-30	7.5W-35	5W-30 SP	4.4	4.7	TYPE1	8.7		
	HM35.M35	VQ30DD (NEO-Di)	01/10~04/8	5W-30	7.5W-35	5W-30 SP	4.4	4.7	TYPE1	8.5		
CEDRIC	Y33	VG20E	95/6~99/5	7.5W-30	7.5W-35	10W-40 SP	3.5	3.9	TYPE7	9.3		
	ENY34	RB25DET	99/6~04/9	5W-30	7.5W-35	5W-30 SP	4.3	4.7	TYPE7	8.9		
	MY34	VQ25DD (NEO-Di)	99/6~00/7	5W-30	7.5W-35	5W-30 SP	4.4	4.7	TYPE1	9.3		
	MY33	VQ25DE	97/6~99/5	7.5W-30	7.5W-35	10W-40 SP	4.4	4.7	TYPE1	8.7		
	ENY33	RB25DET	97/6~99/5	7.5W-30	7.5W-35	10W-40 SP	4.3	4.7	TYPE7	8.9		
	UY33	RD28	95/6~99/5	10W-30	7.5W-33 D		5.6	6.3	—	9.1		CD
	HY34	VQ30DD (NEO-Di)	99/6~04/9	5W-30	7.5W-35	5W-30 SP	4.4	4.7	TYPE1	8.8		
	HY34	VQ30DET	99/6~00/7	5W-30	7.5W-35	5W-30 SP	4.4	4.7	TYPE1	9.7		
	PY33	VG30E	95/6~99/5	7.5W-30	7.5W-35	10W-40 SP	3.5	3.9	TYPE7	9.3		
	HY33	VQ30DE	95/6~99/5	7.5W-30	7.5W-35	10W-40 SP	4.4	4.7	TYPE1	8.7		
	HY33.HBY33	VQ30DET	95/6~99/5	7.5W-30	7.5W-35	10W-40 SP	4.4	4.7	TYPE1	8.7		
SERENA	HC27.HFC27	HR12DE-EM57	18/3~	0W-20	0W-25	0W-20 SP	3.2	3.4	TYPE1	6.3 No Rear Cooler 7.6 With Rear Cooler	4.5 Inverter	e-POWER
	PC24.PNC24	SR20DE	99/6~01/11	0W-20	0W-25	0W-20 SP	3.5	3.7	TYPE1	7.5 No Rear Cooler 9.2 With Rear Cooler		
	C27	MR20DD	16/8~	0W-16	0W-25	0W-20 SP	3.6	3.8	TYPE1	8.3 No Rear Cooler 10.1 With Rear Cooler		
	GC27.GNC27.GFC27.GFNC27	MR20DD S-HYBRID	16/8~	0W-16	0W-25	0W-20 SP	3.6	3.8	TYPE1	8.3 No Rear Cooler 10.1 With Rear Cooler		
	HC26.HFC26	MR20DD S-HYBRID	12/8~	0W-20	0W-25	0W-20 SP	3.6	3.8	TYPE1	6.3 8.1 Auto Dual A/C		
	C26.NC26.FC26.FNC26	MR20DD	10/11~	0W-20	0W-25	0W-20 SP	3.6	3.8	TYPE1	6.3 8.1 Auto Dual A/C		
	C25.NC25	MR20DE	05/5~10/11	0W-20	0W-25	0W-20 SP	3.6	3.8	TYPE1	6.7 With Rear Cooler 8.2 With Rear A/C		
	TC24.TNC24	QR20DE (NEO)	01/12~05/4	0W-20	0W-25	0W-20 SP	3.5	3.7	TYPE1	7.3 No Rear Cooler 9.2 With Rear Cooler		
	RC24	QR25DE (NEO)	01/12~05/4	0W-20	0W-25	0W-20 SP	3.5	3.7	TYPE1	7.3 No Rear Cooler 9.2 With Rear Cooler		

*The volume in this list is only for reference.
*Actual replaceable volume is about 80% of full volume.

● HKS ENGINE OIL APPLICATION LIST

Vehicle	Model	Engine Model	Model Year	Normal Viscosity	Recommended engine oil		Required Oil Vol. (L)		Oil Filter	Required Coolant Volume (L)		Remarks
					Standard		Oil	Oil + Filter		Coolant Volume (L)	Inter Cooler Inverter (L)	
					Standard	API						
DAYZ	B45W,B48W	BR06DET-SM21	19/3~	0W-16	0W-25	0W-20 SP	2.8	3.0	TYPE1	4.0		
	B44W,B47W	BR06DE-SM21	19/3~	0W-8	0W-25	0W-20 SP	2.8	3.0	TYPE1	4.0		
	B43W,B46W	BR06DE	19/3~	0W-8	0W-25	0W-20 SP	2.8	3.0	TYPE1	4.0		
	B21W	3B20	13/6~19/2	0W-20	0W-25	0W-20 SP	3.0	3.2	TYPE4	4.0		
	B21W	3B20(TURBO)	13/6~19/2	0W-20	0W-25	0W-20 SP	3.0	3.2	TYPE4	4.0		
DAYZ ROOX	B21A	3B20	14/2~20/2	0W-20	0W-25	0W-20 SP	3.0	3.2	TYPE4	4.0		
	B21A	3B20(TURBO)	14/2~20/2	0W-20	0W-25	0W-20 SP	3.0	3.2	TYPE4	4.0		
TEANA	J31	VQ23DE	03/2~08/5	5W-30	7.5W-35	5W-30 SP	4.2	4.5	TYPE1	8.1-8.2		
	L33	QR25DE	14/1~	0W-20	0W-25	0W-20 SP	4.3	4.6	TYPE1	8.1		
	J32	VQ25DE	08/6~14/1	5W-30	7.5W-35	5W-30 SP	4.3	4.6	TYPE1	9.1		
	TNJ32	QR25DE	08/6~14/1	0W-20	0W-25	0W-20 SP	4.3	4.6	TYPE1	7.7		
	TNJ31	QR25DE	03/2~08/5	0W-20	0W-25	0W-20 SP	3.7	3.9	TYPE1	7.4		
	PJ32	VQ35DE	08/6~14/1	5W-30	7.5W-35	5W-30 SP	4.3	4.6	TYPE1	9.1		
	PJ31	VQ35DE	03/2~08/5	5W-30	7.5W-35	5W-30 SP	4.2	4.5	TYPE1	8.5-8.8		
TIIDA	C11.NC11	HR15DE	08/1~12/8	0W-20	0W-25	0W-20 SP	2.8	3.0	TYPE1	6.3-6.7		
	C11.NC11	HR15DE	04/9~08/1	0W-20	0W-25	0W-20 SP	3.1	3.3	TYPE1	6.3-6.7		
	JC11	MR18DE	05/1~10/8	0W-20	0W-25	0W-20 SP	3.7	3.9	TYPE1	6.8		
TIIDA LATIO	SC11.SNC11	HR15DE	08/1~12/8	0W-20	0W-25	0W-20 SP	2.8	3.0	TYPE1	6.3-6.7		
	SC11.SNC11	HR15DE	04/9~08/1	0W-20	0W-25	0W-20 SP	3.1	3.3	TYPE1	6.3-6.7		
	JSC11	MR18DE	05/1~12/8	0W-20	0W-25	0W-20 SP	3.7	3.9	TYPE1	6.8		
DUALIS	J10.NJ10.KJ10.KNJ10	MR20DE	07/5~13/11	0W-20	0W-25	0W-20 SP	4.0	4.2	TYPE1	7.7		
NOTE	E13	HR12DE-EM47	20/12~	0W-20	0W-25	0W-20 SP	3.2	3.4				e-POWER
	HE12 e-power	HR12DE-EM57	16/11~	0W-20	0W-25	0W-20 SP	3.2	3.4	TYPE1	5.8		e-POWER
	E12	HR12DDR	12/9~	0W-20	0W-25	0W-20 SP	3.3	3.5	TYPE1	5.2		
	E12.NE12	HR12DE	12/9~	0W-20	0W-25	0W-20 SP	2.8	3.0	TYPE1	5.8-6.0		
	E11.NE11	HR15DE	10/2~12/8	0W-20	0W-25	0W-20 SP	2.8	3.0	TYPE1	5.4-5.8		
	E11.NE11	HR15DE	05/1~10/2	0W-20	0W-25	0W-20 SP	3.1	3.3	TYPE1	5.4-5.8		
	E12 NISMO-S	HR16DE	14/10~	5W-30	7.5W-35	5W-30 SP	4.1	4.3	TYPE1	6.2		NISMO-S
	ZE11	HR16DE	08/10~12/8	5W-30	7.5W-35	5W-30 SP	3.1	3.3	TYPE1	5.4		
FUGA	Y51	VQ25HR	09/11~	5W-30	7.5W-35	5W-30 SP	4.4	4.7	TYPE1	8.2		
	Y50	VQ25HR	07/12~09/10	5W-30	7.5W-35	5W-30 SP	4.6	4.9	TYPE1	9.0		
	Y50	VQ25DE	04/10~07/11	5W-30	7.5W-35	5W-30 SP	4.4	4.7	TYPE1	8.9		
	PY50.PNY50	VQ35HR	07/12~09/10	5W-30	7.5W-35	5W-30 SP	4.6	4.9	TYPE1	9.2		
	PY50.PNY50	VQ35DE	04/10~07/11	5W-30	7.5W-35	5W-30 SP	4.4	4.7	TYPE1	8.9		
	KY51.KNY51	VQ37VHR	09/11~	5W-30	7.5W-35	5W-30 SP	4.6	4.9	TYPE1	8.4		
	GY50	VK45DE	05/8~09/10	0W-20	0W-25	0W-20 SP	4.9	5.5	TYPE1	10.4		
FUGA HYBRID	HY51	VQ35HR	10/10~	5W-30	7.5W-35	5W-30 SP	4.6	4.9	TYPE1	8.6	Inverter 2.7	
FAIRLADY Z	Z33	VQ35HR	07/1~08/11	5W-30	7.5W-35	5W-30 SP	4.6	4.9	TYPE1	9.0		
	HZ33(ROADSTER)	VQ35HR	07/1~08/11	5W-30	7.5W-35	5W-30 SP	4.6	4.9	TYPE1	9.0		
	HZ33(ROADSTER)	VQ35DE	03/10~06/12	5W-30	7.5W-35	5W-30 SP	4.4	4.7	TYPE1	8.7		
	Z33	VQ35DE	02/1~06/12	5W-30	7.5W-35	5W-30 SP	4.4	4.7	TYPE1	8.7		
	HZ34	VQ37VHR	09/10~	5W-30	7.5W-35	5W-30 SP	4.6	4.9	TYPE1	8.5-8.6		
	Z34	VQ37VHR	08/12~	5W-30	7.5W-35	5W-30 SP	4.6	4.9	TYPE1	8.5-8.6		
PRESAGE	TU31.TNU31	QR25DE	03/7~09/8	0W-20	0W-25	0W-20 SP	3.7	3.9	TYPE1	7.6 No Rear Heater 8.9 With Rear Heater		
	PU31.PNU31	VQ35DE	03/7~09/8	5W-30	7.5W-35	5W-30 SP	4.2	4.5	TYPE1	9.2 No Rear Heater 10.4 With Rear Heater		
MARCH	K13.NK13	HR12DE	10/7~	0W-20	0W-25	0W-20 SP	2.8	3.0	TYPE1	5.8-6.0		
	AK12	CR12DE	02/3~10/6	0W-20	0W-25	0W-20 SP	3.2	3.4	TYPE7	4.9		
	BK12.BNK12	CR14DE	02/3~10/6	0W-20	0W-25	0W-20 SP	3.2	3.4	TYPE7	4.9-5.0		
	YK12	HR15DE	05/8~10/6	0W-20	0W-25	0W-20 SP	3.1	3.3	TYPE1	5.4		
MURANO	TZ51.TNZ51	QR25DE	08/9~	0W-20	0W-25	0W-20 SP	4.3	4.6	TYPE1	7.6		
	TZ50	QR25DE	04/9~08/8	0W-20	0W-25	0W-20 SP	3.7	3.9	TYPE1	7.5		
	PNZ51	VQ35DE	08/9~	5W-30	7.5W-35	5W-30 SP	4.3	4.6	TYPE1	9.0		
	PZ50.PNZ50	VQ35DE	04/9~08/8	5W-30	7.5W-35	5W-30 SP	4.2	4.5	TYPE1	9.2		
MOCO	MG33S	R06A (TURBO)	11/2~	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE7	3.4		
	MG33S	R06A (NA)	11/2~	0W-20	0W-25	0W-20 SP	2.7	2.9	TYPE7	3.2-3.3		
	MG22S	K6A (TURBO)	06/2~11/2	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE7	3.5		
	MG22S	K6A	06/2~11/2	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE7	3.3		
	MG21S	K6A (TURBO)	02/4~06/1	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE7	3.5		
	MG21S	K6A	02/4~06/1	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE7	3.3		
LAFESTA	B30.NB30	MR20DE	04/12~	0W-20	0W-25	0W-20 SP	3.6	3.8	TYPE1	7.0		

*The volume in this list is only for reference.
*Actual replaceable volume is about 80% of full volume.

LEXUS

TOYOTA

NISSAN

HONDA

MAZDA

SUBARU

MAZDA

SUZUKI

DAIHATSU

● HKS ENGINE OIL APPLICATION LIST

Vehicle	Model	Engine Model	Model Year	Normal Viscosity	Recommended engine oil		Required Oil Vol. (L)		Oil Filter	Required Coolant Volume (L)		Remarks
					Standard		Oil	Oil+ Filter		Coolant Volume (L)	Inter Cooler Inverter(L)	
					Standard	API						
LAFESTA HIGHWAYSTAR	CWFFWN	PE-VPS	13/3~	0W-20	0W-25	0W-20 SP	4.0	4.2	TYPE1	6.6		
	CWEFWN	LF-VDS	11/6~13/2	0W-20	0W-25	0W-20 SP	3.9	4.3	—	6.0		
	CWEFWN	LF-VD	11/6~	0W-20	0W-25	0W-20 SP	3.9	4.3	—	6.0		
	CWEAWN	LF-VE	11/6~	0W-20	0W-25	0W-20 SP	3.9	4.3	—	6.0		
ROOX	B45A,B48A	BR06DET-SM21	20/3~	0W-16	0W-25	0W-20 SP	2.8	3.0	TYPE1	4.0		
	B44A,B47A	BR06DE-SM21	20/3~	0W-8	0W-25	0W-20 SP	2.8	3.0	TYPE1	4.0		
	ML21S	K6A(TURBO)	09/12~13/3	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE7	3.4		
	ML21S	K6A	09/12~13/3	0W-20	0W-25	0W-20 SP	2.7	2.9	TYPE7	3.2		
HONDA												
CR-V	RW1,RW2	L15B(TURBO)	18/09~	ULTRA LEO	0W-25	0W-20 SP	3.2	3.5	TYPE1	6.2		
	RT5,RT6	LFB(HYBRID)	18/11~	ULTRA LEO	0W-25	0W-20 SP	3.5	3.8	TYPE1	5.6		
	RM1	R20A(i-VTEC)	11/12~16/09	0W-20	0W-25	0W-20 SP	3.5	3.7	TYPE1	5.9		
	RM4	K24A(i-VTEC)	11/12~16/09	0W-20	0W-25	0W-20 SP	3.8	4.0	TYPE1	6.2		
	RE3.RE4	K24A(i-VTEC)	06/10~11/12	0W-20	0W-25	0W-20 SP	4.0	4.2	TYPE1	5.0		
	RD6.RD7	K24A(i-VTEC)	04/9~06/9	0W-20	0W-25	0W-20 SP	4.0	4.2	TYPE1	5.3-5.4		
CR-Z	ZF2	LEA(HYBRID)	12/9~	ULTRA Green	0W-25	0W-20 SP	3.4	3.6	TYPE1	4.4-4.5		
	ZF1	LEA(HYBRID)	10/2~12/9	ULTRA Green	0W-25	0W-20 SP	3.4	3.6	TYPE1	4.4		
HR-V	GH2.GH3.GH4(LEV)	D16A(VTEC)	01/7~06/2	5W-30	7.5W-35	5W-30 SP	3.3	3.6	TYPE1	2.8-3.0		
	GH1.GH2.GH3.GH4(LEV)	D16A	98/9~01/6	5W-30	7.5W-35	5W-30 SP	3.3	3.6	TYPE1	3.9-4.1		
	GH2.GH4(LEV)	D16A(VTEC)	98/9~01/6	5W-30	7.5W-35	5W-30 SP	3.3	3.6	TYPE1	3.9-4.1		
N-BOX	JF3.JF4	S07B(TURBO)	17/8~	ULTRA LEO	0W-25	0W-20 SP	2.4	2.8	TYPE1	2.8		
	JF3.JF4	S07B	17/8~	ULTRA NEXT	0W-25	0W-20 SP	2.4	2.8	TYPE1	2.8		
	JF1.JF2	S07A	12/12~17/7	ULTRA NEXT	0W-25	0W-20 SP	2.4	2.6	TYPE1	2.7-2.9		
	JF1	S07A(TURBO)	11/12~17/7	0W-20	0W-25	0W-20 SP	2.4	2.6	TYPE1	2.7-3.0		
	JF2	S07A(TURBO)	11/12~17/7	0W-20	0W-25	0W-20 SP	2.4	2.6	TYPE1	2.7-3.0		
	JF1.JF2	S07A	11/12~12/12	ULTRA Green	0W-25	0W-20 SP	2.4	2.6	TYPE1	2.7-2.9		
N-BOX Slash	JF1.JF2	S07A	14/12~	ULTRA Green	0W-25	0W-20 SP	2.4	2.6	TYPE1	2.7		
	JF1.JF2	S07A(TURBO)	14/12~	ULTRA NEXT	0W-25	0W-20 SP	2.4	2.6	TYPE1	2.7		
N BOX+	JF1	S07A(TURBO)	12/7~17/7	0W-20	0W-25	0W-20 SP	2.4	2.6	TYPE1	2.7-3.0		
	JF2	S07A(TURBO)	12/7~17/7	0W-20	0W-25	0W-20 SP	2.4	2.6	TYPE1	2.7-3.0		
	JF1.JF2	S07A	13/12~	ULTRA NEXT	0W-25	0W-20 SP	2.4	2.6	TYPE1	2.7-2.9		
	JF1.JF2	S07A	12/7~12/12	ULTRA Green	0W-25	0W-20 SP	2.4	2.6	TYPE1	2.7-2.9		
N-ONE	JG3,JG4	S07B(TURBO)	20/11~	ULTRA LEO	0W-25	0W-20 SP	2.4	2.8	TYPE1	2.6 6MT 2.9 CVT		
	JG3,JG4	S07B	20/11~	ULTRA NEXT	0W-25	0W-20 SP	2.4	2.8	TYPE1	2.8		
	JG1.JG2	S07A	12/10~20/10	ULTRA NEXT	0W-25	0W-20 SP	2.4	2.6	TYPE1	2.7-2.9		
	JG1.JG2	S07A(TURBO)	12/10~20/10	0W-20	0W-25	0W-20 SP	2.4	2.6	TYPE1	2.7-3.0		
N-VAN	JJ1,JJ2	S07B(TURBO)	18/7~	ULTRA LEO	0W-25	0W-20 SP	2.4	2.8	TYPE1	2.9		
	JJ1,JJ2	S07B	18/7~	ULTRA NEXT	0W-25	0W-20 SP	2.4	2.8	TYPE1	2.7-2.9		
N-WGN	JH3,JH4	S07B(TURBO)	19/7~	ULTRA LEO	0W-25	0W-20 SP	2.4	2.8	TYPE1	2.8		
	JH3,JH4	S07B	19/7~	ULTRA NEXT	0W-25	0W-20 SP	2.4	2.8	TYPE1	2.8		
	JH1.JH2	S07A	13/11~19/6	ULTRA NEXT	0W-25	0W-20 SP	2.4	2.6	TYPE1	2.7-2.9		
	JH1.JH2	S07A(TURBO)	13/11~19/6	0W-20	0W-25	0W-20 SP	2.4	2.6	TYPE1	2.7-3.0		
NSX	NA1	C30A	90/9~05/12	5W-40	7.5W-45	10W-40 SP	4.3	5.0	TYPE1	12.0		
	NA2	C32B	97/2~05/12	5W-40	7.5W-45	10W-40 SP	4.3	5.0	TYPE1	12.0		
	NC1	JNC	17/2~	10W-40	7.5W-45	10W-40 SP	7.3	7.9	—	15.5	PDU 1.9	
S2000	AP2	F22C(DOHC,VTEC)	05/11~09/8	5W-40	7.5W-45	10W-40 SP	4.5	4.8	TYPE1	6.4		
	AP1	F20C(DOHC,VTEC)	99/4~05/10	5W-40	7.5W-45	10W-40 SP	4.5	4.8	TYPE1	6.4		
S660	JW5	S07A(TURBO)	15/4~	ULTRA NEXT	0W-25	0W-20 SP	2.4	2.6	TYPE1	5.0		
ACTY TRUCK	HA8,HA9	E07Z	09/12~	0W-20	0W-25	0W-20 SP	2.5	2.7	—	4.9		MT
										5.4		AT
ACTY VAN	HH5,HH6	E07Z	05/12~	0W-20	0W-25	0W-20 SP	2.5	2.7		4.5-5.2		MT, 3AT
							2.8	3.0		4.7-5.2		4AT
	HH5,HH6	E07Z	99/6~05/11	5W-30	7.5W-35	5W-30 SP	2.5	2.7		4.4-5.0		MT, 3AT
							2.8	3.0	—	4.3-5.0		4AT
ACCORD	CV3	LFB(HYBRID)	20/2~	0W-20	0W-25	0W-20 SP	3.5	3.8	TYPE1	4.9		
	CU1	R20A(i-VTEC)	11/2~13/6	0W-20	0W-25	0W-20 SP	3.5	3.7	TYPE1	5.4		
	CL7.CL8	K20A(i-VTEC)	02/10~08/12	0W-20	0W-25	0W-20 SP	4.0	4.2	TYPE1	4.4-4.7		
	CL7(EURO-R)	K20A(i-VTEC)	02/10~08/12	5W-30	7.5W-35	5W-30 SP	4.0	4.2	TYPE1	4.8-5.0		
	CU2	K24A(i-VTEC)	08/12~13/6	0W-20	0W-25	0W-20 SP	3.8	4.0	TYPE1	6.1-6.2		
	CL9	K24A(i-VTEC)	02/10~08/12	5W-30	7.5W-35	5W-30 SP	4.0	4.2	TYPE1	5.0-5.2		

*The volume in this list is only for reference.
 *Actual replaceable volume is about 80% of full volume.

● HKS ENGINE OIL APPLICATION LIST

Vehicle	Model	Engine Model	Model Year	Normal Viscosity	Recommended engine oil		Required Oil Vol. (L)		Oil Filter	Required Coolant Volume (L)		Remarks
					Standard		Oil	Oil + Filter		Coolant Volume (L)	Inter Cooler Inverter(L)	
					Standard	API						
ACCORD TOURER	CW1	R20A (i-VTEC)	08/12~13/5	0W-20	0W-25	0W-20 SP	3.5	3.7	TYPE1	5.4		
	CW2	K24A (i-VTEC)	08/12~13/5	0W-20	0W-25	0W-20 SP	3.8	4.0	TYPE1	6.1-6.2		
ACCORD HYBRID	CR7	LFA (HYBRID)	16/5~20/1	ULTRA NEXT	0W-25	0W-20 SP	3.5	3.8	TYPE1	5.7		
	CR5.CR6	LFA (HYBRID)	13/6~16/4	ULTRA NEXT	0W-25	0W-20 SP	3.5	3.7	TYPE1	5.4		
ACCORD WAGON	CM1	K20A (i-VTEC)	05/1~08/12	0W-20	0W-25	0W-20 SP	4.0	4.2	TYPE1	4.4-4.7		
	CM2	K24A (i-VTEC)	05/1~08/12	0W-20	0W-25	0W-20 SP	4.0	4.2	TYPE1	4.9-5.0		Gasoline
	CM2	K24A (i-VTEC)	05/1~08/12	5W-30	7.5W-35	5W-30 SP	4.0	4.2	TYPE1	5.0-5.2		High-octane
	CM3	K24A (i-VTEC)	05/1~08/12	0W-20	0W-25	0W-20 SP	4.0	4.2	TYPE1	4.9-5.0		Gasoline
	CM3	K24A (i-VTEC)	05/1~05/11	5W-30	7.5W-35	5W-30 SP	4.0	4.2	TYPE1	5.0-5.2		High-octane
INSIGHT	ZE2	LDA (HYBRID)	09/2~14/3	ULTRA Green	0W-25	0W-20 SP	3.0	3.2	TYPE1	4.4-4.6		
	ZE4	LEB-H4	18/12~	ULTRA LEO	0W-25	0W-20 SP	3.1	3.3	TYPE1	4.6		
	ZE3	LEA (HYBRID)	11/11~14/3	ULTRA Green	0W-25	0W-20 SP	3.4	3.6	TYPE1	4.4		
INSPIRE	UC1	J30A (i-VTEC)	03/6~07/12	0W-20	0W-25	0W-20 SP	4.0	4.3	TYPE1	6.7		
	CP3	J35A (VTEC)	07/12~12/10	0W-20	0W-25	0W-20 SP	4.0	4.3	TYPE1	6.6		
INTEGRA	DC5 (is)	K20A (i-VTEC)	01/7~07/2	0W-20	0W-25	0W-20 SP	4.0	4.2	TYPE1	6.3-6.4		
	DC5 (TYPE-R)	K20A (i-VTEC)	01/7~07/2	5W-40	7.5W-45	10W-40 SP	4.5	4.7	TYPE1	6.4		
VEZEL	RV3,RV4	L15Z	21/4~	ULTRA NEXT	0W-25	0W-20 SP						
	RV5,RV6	LEC-H5	21/4~	ULTRA LEO	0W-25	0W-20 SP						
	RU1	L15B (TURBO)	19/1~21/3	ULTRA LEO	0W-25	0W-20 SP	3.2	3.5	TYPE1	5.8		
	RU1.RU2	L15B	13/12~21/3	ULTRA NEXT	0W-25	0W-20 SP	3.1	3.3	TYPE1	3.6		
VEZEL HV	RU3.RU4	LEB (HYBRID)	13/12~21/3	ULTRA NEXT	0W-25	0W-20 SP	3.1	3.3	TYPE1	3.6		
AIRWAVE	GJ1.GJ2	L15A	05/4~10/8	0W-20	0W-25	0W-20 SP	3.4	3.6	TYPE1	4.0		
EDIX	BE1	D17A	04/7~06/11	0W-20	0W-25	0W-20 SP	3.0	3.2	TYPE1	4.4		
	BE2	D17A	04/7~06/11	0W-20	0W-25	0W-20 SP	3.3	3.5	TYPE1	4.4		
	BE3.BE4	K20A	04/7~09/8	0W-20	0W-25	0W-20 SP	4.0	4.2	TYPE1	4.9		
	BE8	K24A (i-VTEC)	06/11~09/8	0W-20	0W-25	0W-20 SP	4.0	4.2	TYPE1	5.1		
ELYSION	RR1.RR2	K24A (i-VTEC)	04/5~12/5	0W-20	0W-25	0W-20 SP	4.0	4.2	TYPE1	5.4		
	RR3.RR4	J30A (i-VTEC)	04/5~12/5	0W-20	0W-25	0W-20 SP	4.0	4.3	TYPE1	5.8		
	RR5.RR6	J35A (VTEC)	06/12~12/5	0W-20	0W-25	0W-20 SP	4.0	4.3	TYPE1	5.8-6.0		
ODYSSEY	RC1.RC2	K24W	13/11~	0W-20	0W-25	0W-20 SP	4.0	4.2	TYPE1	6.8		
	RB3.RB4	K24A (i-VTEC)	08/10~13/11	0W-20	0W-25	0W-20 SP	4.0	4.2	TYPE1	6.2-6.6		
	RB3.RB4 (ABSOLUTE)	K24A (i-VTEC)	08/10~13/11	0W-20	0W-25	0W-20 SP	3.8	4.0	TYPE1	6.2-6.6		ABSOLUTE
	RB1.RB2	K24A (i-VTEC)	03/10~08/10	0W-20	0W-25	0W-20 SP	4.0	4.2	TYPE1	7.4 No Rear Heater 9.2 With Rear Heater		
	RB1RB2 (ABSOLUTE)	K24A (i-VTEC)	03/10~08/10	5W-30	7.5W-35	5W-30 SP	4.0	4.2	TYPE1	7.4 No Rear Heater 9.2 With Rear Heater		ABSOLUTE
ODYSSEY HV	RC4	LFA (HYBRID)	16/2~	ULTRA NEXT	0W-25	0W-20 SP	3.5	3.8	TYPE1	5.8	Inverter 1.1	
CLARITY PHEV	ZC5	LEB (HYBRID)	18/7~	ULTRA LEO	0W-25	0W-20 SP	3.1	3.3	TYPE1	4.9		
GRACE	GM6.GM9	L15B	15/6~	ULTRA NEXT	0W-25	0W-20 SP	3.1	3.3	TYPE1	3.8		
GRACE HV	GM4.GM5	LEB (HYBRID)	14/12~	ULTRA NEXT	0W-25	0W-20 SP	3.1	3.3	TYPE1	3.8		
CROSSROAD	RT1.RT2	R18A (i-VTEC)	07/2~10/8	0W-20	0W-25	0W-20 SP	3.5	3.7	TYPE1	5.2		
	RT3.RT4	R20A (i-VTEC)	07/2~10/8	0W-20	0W-25	0W-20 SP	3.5	3.7	TYPE1	5.2		
THAT'S	JD1,JD2	E07Z (TURBO)	02/2~07/10	5W-30	7.5W-35	5W-30 SP	2.6	2.8	TYPE1	4.1		
	JD1,JD2	E07Z	02/2~07/10	5W-30	7.5W-35	5W-30 SP	2.6	2.8	TYPE1	3.8		
JADE	FR5	L15B (TURBO)	15/5~	ULTRA LEO	0W-25	0W-20 SP	3.2	3.5	TYPE1	5.6		RS
JADE HV	FR4	LEB (HYBRID)	15/2~	ULTRA NEXT	0W-25	0W-20 SP	3.1	3.3	TYPE1	4.9		
CIVIC/FERIO	FD3	LDA (HYBRID)	09/9~10/12	ULTRA Green	0W-25	0W-20 SP	3.0	3.2	TYPE1	4.7-4.8		
	FD3	LDA (HYBRID)	05/11~09/9	0W-20	0W-25	0W-20 SP	3.0	3.2	TYPE1	4.7-4.8		
	FC1	L15B (TURBO)	17/9~	ULTRA LEO	0W-25	0W-20 SP	3.2	3.5	TYPE1	4.9		SEDAN
	FK7	L15C (TURBO)	17/9~	ULTRA LEO	0W-25	0W-20 SP	3.2	3.5	TYPE1	4.8-4.9		HACHBACK
	ES1.ES2	D15B	01/10~05/8	0W-20	0W-25	0W-20 SP	3.0	3.2	TYPE1	5.0-5.1		
	ES3.ET2	D17A (VTEC)	00/9~05/8	0W-20	0W-25	0W-20 SP	3.3	3.5	TYPE1	5.0-5.1		
	FD1	R18A (i-VTEC)	05/9~12/6	0W-20	0W-25	0W-20 SP	3.5	3.7	TYPE1	5.2-5.5		
	FD2	K20A (i-VTEC)	05/9~12/6	0W-20	0W-25	0W-20 SP	4.0	4.2	TYPE1	4.2		
CIVIC TYPE R	FK8	K20C (TURBO)	17/9~	ULTRA LEO	0W-25	0W-20 SP	5.0	5.4	TYPE1	4.7		
	FK2	K20C (TURBO)	15/12~17/8	ULTRA LEO	0W-25	0W-20 SP	5.0	5.4	TYPE1	6.5		
	FN2	K20A (i-VTEC)	09/12~12/6	5W-30	7.5W-35	5W-30 SP	4.2	4.4	TYPE1	4.4		
	FD2 (TYPE-R)	K20A (i-VTEC)	05/9~10/6	5W-30	7.5W-35	5W-30 SP	4.5	4.7	TYPE1	5.2		
	EP3	K20A (i-VTEC)	01/8~05/8	5W-30	7.5W-35	5W-30 SP	4.5	4.7	TYPE1	6.8		
STEPWGN	RP3.RP4	L15B (TURBO)	15/4~	ULTRA LEO	0W-25	0W-20 SP	3.2	3.5	TYPE1	5.3		
	RK1.RK2.RK3.RK4	R20A (i-VTEC)	09/10~15/3	0W-20	0W-25	0W-20 SP	3.5	3.7	TYPE1	5.9		

*The volume in this list is only for reference.
*Actual replaceable volume is about 80% of full volume.

LEXUS

TOYOTA

NISSAN

HONDA

MAZDA

SUBARU

MAZDA

SUZUKI

DAIHATSU

● HKS ENGINE OIL APPLICATION LIST

Vehicle	Model	Engine Model	Model Year	Normal Viscosity	Recommended engine oil		Required Oil Vol. (L)		Oil Filter	Required Coolant Volume (L)		Remarks
					Standard		Oil	Oil + Filter		Coolant Volume (L)	Inter Cooler Inverter(L)	
					Standard	API						
STEPWGN	RG1.RG2	K20A (i-VTEC)	05/5~09/10	0W-20	0W-25	0W-20 SP	4.0	4.2	TYPE1	4.8		
	RF5.RF6 (SPADA)	K20A (i-VTEC)	03/6~05/4	0W-20	0W-25	0W-20 SP	4.0	4.2	TYPE1	5.8-6.2 No Rear Heater 7.2-7.6 With Rear Heater		
	RF3.RF4	K20A (i-VTEC)	01/4~05/4	0W-20	0W-25	0W-20 SP	4.0	4.2	TYPE1	5.8-6.2 No Rear Heater 7.2-7.6 With Rear Heater		
	RG3.RG4	K24A (i-VTEC)	05/5~09/10	0W-20	0W-25	0W-20 SP	4.0	4.2	TYPE1	4.8		
	RF7.RF8 (SPADA)	K24A (i-VTEC)	03/6~05/4	0W-20	0W-25	0W-20 SP	4.0	4.2	TYPE1	6.2-7.6		
STEPWGN SPADA HYBRID	RP5	LFA (HYBRID)	17/9~	ULTRA NEXT	0W-25	0W-20 SP	3.5	3.8	TYPE1	5.3 No Rear A/C 5.4 With Rear A/C		
STREAM	RN2	D17A (DOHC,VTEC)	03/9~06/7	0W-20	0W-25	0W-20 SP	3.3	3.5	TYPE1	3.9		
	RN1	D17A (DOHC,VTEC)	00/10~06/7	0W-20	0W-25	0W-20 SP	3.0	3.2	TYPE1	3.9		
	RN6.RN7	R18A (i-VTEC)	06/7~	0W-20	0W-25	0W-20 SP	3.5	3.7	TYPE1	5.5		
	RN8.RN9	R20A (i-VTEC)	06/7~	0W-20	0W-25	0W-20 SP	3.5	3.7	TYPE1	5.4-5.5		
	RN5	K20B (i-VTEC)	03/12~06/6	0W-20	0W-25	0W-20 SP	4.0	4.2	TYPE1	5.3		
	RN3.RN4	K20A (i-VTEC)	00/10~06/7	0W-20	0W-25	0W-20 SP	4.0	4.2	TYPE1	5.3		
ZEST	JE1.JE2	P07A	06/3~12/11	0W-20	0W-25	0W-20 SP	2.6	2.9	TYPE1	3.5-3.6		
	JE1.JE2	P07A (TURBO)	06/3~12/11	5W-30	7.5W-35	5W-30 SP	2.6	2.9	TYPE1	3.7		
VAMOS	HM1.HM2	E07Z	99/6~	0W-20	0W-25	0W-20 SP	2.5	2.7	TYPE1	4.6-5.2		
	HM1.HM2	E07Z (TURBO)	00/2~	5W-30	7.5W-35	5W-30 SP	2.5	2.7	TYPE1	4.2-5.1		
VAMOS HOBIO	HJ1.HJ2	E07Z	03/4~	0W-20	0W-25	0W-20 SP	2.5	2.7	TYPE1	4.8-5.2		
	HM3.HM4	E07Z (TURBO)	03/4~	5W-30	7.5W-35	5W-30 SP	2.5	2.7	TYPE1	4.8-5.0		
FIT	GR1, GR2	L13B	20/2~	ULTRA NEXT	0W-25	0W-20 SP	3.1	3.3	TYPE1	3.6		
	GR5,GR7	L13B	20/2~	ULTRA NEXT	0W-25	0W-20 SP	3.1	3.3	TYPE1	3.6		
	GK3,GK4	L13B	13/9~20/1	ULTRA NEXT	0W-25	0W-20 SP	3.1	3.3	TYPE1	3.4-3.5		
	GE6.GE7	L13A	07/10~13/9	ULTRA Green	0W-25	0W-20 SP	3.0	3.2	TYPE1	4.4-4.5		
	GD1.GD2	L13A (i-DSi)	01/6~07/10	0W-20	0W-25	0W-20 SP	3.4	3.6	TYPE1	3.6-3.8		
	GR3,GR4	LEB (HYBRID)	20/2~	ULTRA LEO	0W-25	0W-20 SP	2.9	3.1	TYPE1	3.9		
	GR6,GR8	LEB (HYBRID)	20/2~	ULTRA LEO	0W-25	0W-20 SP	2.9	3.1	TYPE1	3.9		
	GK5,GK6	L15B	13/9~20/1	ULTRA NEXT	0W-25	0W-20 SP	3.1	3.3	TYPE1	3.4 MT 3.5-3.8 CVT		
	GE8.GE9	L15A	07/10~13/9	0W-20	0W-25	0W-20 SP	3.4	3.6	TYPE1	4.4-4.6		
	GD3.GD4	L15A	02/9~07/10	0W-20	0W-25	0W-20 SP	3.4	3.6	TYPE1	3.6-3.8		
FIT HYBRID	GP1	LDA (HYBRID)	10/10~13/9	ULTRA Green	0W-25	0W-20 SP	3.0	3.2	TYPE1	4.4-4.6		
	GP5	LEB (HYBRID)	13/9~20/1	ULTRA NEXT	0W-25	0W-20 SP	3.1	3.3	TYPE1	3.8		
	GP6	LEB (HYBRID)	13/12~20/1	ULTRA NEXT	0W-25	0W-20 SP	3.1	3.3	TYPE1	3.8		
	GP4	LEA (HYBRID)	12/5~13/9	ULTRA NEXT	0W-25	0W-20 SP	3.4	3.6	TYPE1	4.3-4.5		
FIT ARIA	GD6.GD7	L13A	02/12~09/1	0W-20	0W-25	0W-20 SP	3.4	3.6	TYPE1	3.8-3.9		
	GD8.GD9	L15A	02/12~09/1	0W-20	0W-25	0W-20 SP	3.4	3.6	TYPE1	3.8-3.9		
FIT SHUTTLE	GG7.GG8	L15A	11/5~15/4	0W-20	0W-25	0W-20 SP	3.4	3.6	TYPE1	4.5-4.6		
FIT SHUTTLE HYBRID	GP2	LDA (HYBRID)	11/5~15/4	ULTRA Green	0W-25	0W-20 SP	3.0	3.2	TYPE1	4.6		
FREED	GB5.GB6	L15B	16/9~	ULTRA NEXT	0W-25	0W-20 SP	3.1	3.3	TYPE1	4.0		
	GB3.GB4	L15A	08/5~16/8	0W-20	0W-25	0W-20 SP	3.4	3.6	TYPE1	4.5-4.7		
FREED HYBRID	GB7.GB8	LEB (HYBRID)	16/9~	ULTRA NEXT	0W-25	0W-20 SP	3.1	3.3	TYPE1	3.7		
	GP3	LEA (HYBRID)	11/10~	ULTRA Green	0W-25	0W-20 SP	3.4	3.6	TYPE1	4.7		
FREED+	GB5.GB6	L15B	16/9~	ULTRA NEXT	0W-25	0W-20 SP	3.1	3.3	TYPE1	4.0		
FREED+ HYBRID	GB7.GB8	LEB (HYBRID)	16/9~	ULTRA NEXT	0W-25	0W-20 SP	3.1	3.3	TYPE1	3.7		
FREED SPIKE	GB3.GB4	L15A	10/7~16/8	0W-20	0W-25	0W-20 SP	3.4	3.6	TYPE1	4.5-4.8		
FREED SPIKE HYBRID	GP3	LEA (HYBRID)	11/10~16/8	ULTRA Green	0W-25	0W-20 SP	3.4	3.6	TYPE1	4.7		
MOBILIO	GB1.GB2	L15A	01/12~	0W-20	0W-25	0W-20 SP	3.4	3.6	TYPE1	5.6-5.8		
MOBILIO SPIKE	GK1.GK2	L15A	02/9~	0W-20	0W-25	0W-20 SP	3.4	3.6	TYPE1	5.7-5.8		
LIFE	JC1.JC2	P07A	09/11~14/5	ULTRA Green	0W-25	0W-20 SP	2.6	2.9	TYPE1	3.2		
	JC1.JC2	P07A	08/11~09/10	0W-20	0W-25	0W-20 SP	2.6	2.9	TYPE1	3.2		
	JC1.JC2	P07A (TURBO)	08/11~	5W-30	7.5W-35	5W-30 SP	2.6	2.9	TYPE1	3.5		
	JB5.JB6	P07A	03/9~08/11	0W-20	0W-25	0W-20 SP	2.6	2.9	TYPE1	3.2		
	JB7.JB8	P07A (TURBO)	03/9~08/11	5W-30	7.5W-35	5W-30 SP	2.6	2.9	TYPE1	3.5		
LEGEND	KC2	JNB (HYBRID)	15/1~	0W-20	0W-25	0W-20 SP	4.0	4.3	TYPE1	7.9	PDU 1.2	
	KB1	J35A (VTEC)	04/10~08/8	0W-20	0W-25	0W-20 SP	4.0	4.3	TYPE1	6.1		
	KB2	J37A	10/12~12/7	5W-20	0W-25	5W-30 SP	4.0	4.3	TYPE1	6.0		
	KB2	J37A	08/9~10/12	0W-20	0W-25	0W-20 SP	4.0	4.3	TYPE1	6.0		
MITSUBISHI												
ek ACTIVE	H81W	3G83 (TURBO)	04/5~06/9	10W-30	7.5W-35	10W-40 SP	3.0	3.2	TYPE4	4.0		
	H81W	3G83	04/5~06/9	5W-20	0W-25	5W-30 SP	3.0	3.2	TYPE4	4.0		

*The volume in this list is only for reference.
*Actual replaceable volume is about 80% of full volume.

● HKS ENGINE OIL APPLICATION LIST

Vehicle	Model	Engine Model	Model Year	Normal Viscosity	Recommended engine oil		Required Oil Vol. (L)		Oil Filter	Required Coolant Volume (L)		Remarks
					Standard		Oil	Oil + Filter		Coolant Volume (L)	Inter Cooler Inverter(L)	
					Standard	API						
ek CLASSY	H81W	3G83(SOHC)	03/5~05/12	5W-20	0W-25	5W-30 SP	3.0	3.2	TYPE4	4.0		
ek X	B35W,B38W	BR06DET-SM21	19/3~	0W-16	0W-25	0W-20 SP	2.8	3.0	TYPE1	4.0		
	B34W,B37W	BR06DE-SM21	19/3~	0W-8	0W-25	0W-20 SP	2.8	3.0	TYPE1	4.0		
ek X SPACE	B35A,B38A	BR06DET-SM21	20/3~	0W-16	0W-25	0W-20 SP	2.8	3.0	TYPE1	4.0		
	B34A,B37A	BR06DE-SM21	20/3~	0W-8	0W-25	0W-20 SP	2.8	3.0	TYPE1	4.0		
ek SPACE	B35A,B38A	BR06DET-SM21	20/3~	0W-16	0W-25	0W-20 SP	2.8	3.0	TYPE1	4.0		
	B34A,B37A	BR06DE-SM21	20/3~	0W-8	0W-25	0W-20 SP	2.8	3.0	TYPE1	4.0		
	B11A	3B20	14/2~20/2	0W-20	0W-25	0W-20 SP	3.0	3.2	TYPE4	4.0		
	B11A	3B20(TURBO)	14/2~20/2	0W-20	0W-25	0W-20 SP	3.0	3.2	TYPE4	4.0		
ek SPORTS	H82W	3G83(SOHC)	09/8~13/6	0W-20	0W-25	0W-20 SP	3.0	3.2	TYPE4	4.0		
	H82W	3G83(TURBO)	06/9~13/5	10W-30	7.5W-35	10W-40 SP	3.0	3.2	TYPE4	4.0		
	H82W	3G83(SOHC)	06/9~09/8	5W-20	0W-25	5W-30 SP	3.0	3.2	TYPE4	4.0		
	H81W	3G83(TURBO)	02/9~06/9	10W-30	7.5W-35	10W-40 SP	3.0	3.2	TYPE4	4.0		
	H81W	3G83(SOHC)	02/9~06/9	5W-20	0W-25	5W-30 SP	3.0	3.2	TYPE4	4.0		
ek WAGON	B33W,B36W	BR06DE	19/3~	0W-8	0W-25	0W-20 SP	2.8	3.0	TYPE1	4.0		
	B11W	3B20	13/6~19/2	0W-20	0W-25	0W-20 SP	3.0	3.2	TYPE4	4.0		
	B11W	3B20(TURBO)	13/6~19/2	0W-20	0W-25	0W-20 SP	3.0	3.2	TYPE4	4.0		
	H82W	3G83(SOHC)	06/9~13/5	0W-20	0W-25	0W-20 SP	3.0	3.2	TYPE4	4.0		
	H81W	3G83(SOHC)	01/10~06/9	5W-20	0W-25	5W-30 SP	3.0	3.2	TYPE4	4.0		
i (アイ)	HA1W	3B20(DOHC)	09/10~13/6	0W-20	0W-25	0W-20 SP	3.5	3.7	TYPE4	6.7-6.9		
	HA1W	3B20(DOHC)	07/12~09/10	5W-20	0W-25	5W-30 SP	3.5	3.7	TYPE4	6.7-6.9		
	HA1W	3B20(TURBO)	07/12~13/6	5W-20	0W-25	5W-30 SP	3.5	3.7	TYPE4	6.7-6.9		
	HA1W	3B20(DOHC)	06/10~07/12	5W-20	0W-25	5W-30 SP	3.7	3.9	TYPE4	6.7-6.9		
	HA1W	3B20(TURBO)	06/1~07/12	5W-20	0W-25	5W-30 SP	3.7	3.9	TYPE4	6.7-6.9		
i-MIEV	HA4W	—	09/7~	—					—	5.1		
RVR	GA4W	4J10	11/10~	0W-20	0W-25	0W-20 SP	4.0	4.3	TYPE1	7.5		
	GA3W	4B10	10/2~	0W-20	0W-25	0W-20 SP	4.0	4.3	TYPE1	7.5		
OUTLANDER	GF7W	4J11	12/10~	0W-20	0W-25	0W-20 SP	4.0	4.3	TYPE1	6.0		
	GF8W	4J12	12/10~	0W-20	0W-25	0W-20 SP	4.0	4.3	TYPE1	6.0		
	CW5W	4B12	05/10~12/10	0W-20	0W-25	0W-20 SP	4.3	4.6	TYPE1	7.5		
	CW6W	6B31	07/9~12/10	5W-30	7.5W-35	5W-30 SP	4.0	4.3	TYPE1	9.5		
OUTLANDER PHEV	GG2W	4B11	12/12~18/07	0W-20	0W-25	0W-20 SP	4.0	4.3	TYPE1	6.5-7.5	Motor 6.5	
	GG3W	4B12	18/08~	0W-20	0W-25	0W-20 SP	4.3	4.6		6.5-7.5	Motor 6.5	
AIRTREK	CU2W	4G63(DOHC,TURBO)	02/6~05/10	10W-30	7.5W-35	10W-40 SP	4.0	4.3	TYPE1	7.0		
	CU2W	4G63(ECI-MULTI)	01/6~05/10	5W-20	0W-25	5W-30 SP	4.0	4.3	TYPE1	7.0		
ECLIPSE	D53A	6G72	04/10~06/10	5W-20	0W-25	5W-30 SP	4.0	4.3	—	8.0		
ECLIPSE CROSS	GK1W	4A40(TURBO)	18/3~	0W-20	0W-25	0W-20 SP	4.1	4.3	TYPE1	6.0		
	GK9W	4N14	19/6~	0W-30	5W-30 D		5.6	5.9		8.0		
GALANT FORTIS	CY6A	4J10	11/10~15/3	0W-20	0W-25	0W-20 SP	4.0	4.3	TYPE1	7.0		
	CY3A	4B10	09/12~11/9	0W-20	0W-25	0W-20 SP	4.0	4.3	TYPE1	7.0		
	CY4A	4B11(TURBO)	08/12~15/3	5W-30	7.5W-35	5W-30 SP	4.8	5.1	TYPE1	7.0		
	CY4A	4B11	07/8~15/3	0W-20	0W-25	0W-20 SP	4.0	4.3	TYPE1	7.0		
GALANT FORTIS SPORTBACK	CX6A	4J10	11/10~15/3	0W-20	0W-25	0W-20 SP	4.0	4.3	TYPE1	7.0		
	CX3A	4B10	09/12~11/9	0W-20	0W-25	0W-20 SP	4.0	4.3	TYPE1	7.0		
	CX4A	4B11	08/12~15/3	0W-20	0W-25	0W-20 SP	4.0	4.3	TYPE1	7.0		
	CX4A	4B11(TURBO)	08/12~15/3	5W-30	7.5W-35	5W-30 SP	4.8	5.1	TYPE1	7.0		
COLT	Z21A,Z22A	4A90(MIVEC)	10/6~12/10	0W-20	0W-25	0W-20 SP	4.0	4.2	TYPE1	5.4		
	Z21A,Z22A	4A90(MIVEC)	04/10~10/6	0W-20	0W-25	0W-20 SP	3.8	4.0	TYPE1	5.4		
	Z27AG	4G15(MIVEC,TURBO)	06/5~12/10	10W-30	7.5W-35	10W-40 SP	3.3	3.6	TYPE1	6.8		[Version,R]
	Z23A,Z24A	4A91(MIVEC)	04/10~10/6	0W-20	0W-25	0W-20 SP	3.8	4.0	TYPE1	5.4		
	Z27A	4G15(MIVEC,TURBO)	04/10~06/4	10W-30	7.5W-35	10W-40 SP	3.3	3.6	TYPE1	5.2		
COLT PLUS	Z21W,Z22W	4A90(MIVEC)	10/6~12/6	0W-20	0W-25	0W-20 SP	4.0	4.2	TYPE1	5.4		
	Z23W,Z24W	4A91(MIVEC)	10/6~12/10	0W-20	0W-25	0W-20 SP	4.0	4.2	TYPE1	5.4		
	Z27AG	4G15(MIVEC,TURBO)	06/5~12/10	10W-30	7.5W-35	10W-40 SP	3.3	3.6	TYPE1	6.8		
	Z23W,Z24W	4A91(MIVEC)	04/10~10/6	0W-20	0W-25	0W-20 SP	3.8	4.0	TYPE1	5.4		
	Z27W	4G15(MIVEC,TURBO)	04/10~06/4	10W-30	7.5W-35	10W-40 SP	3.3	3.6	TYPE1	6.8		
TOWN BOX	DS17W	R06A(TURBO)	15/3~	5W-30	7.5W-35	5W-30 SP	2.7	2.8	TYPE5	5.4		
	DS64W	K6A(DOHC,TURBO)	14/2~15/2	5W-30	7.5W-35	5W-30 SP	2.8	3.0	TYPE7	6.0-6.2		
	U61W,U62W	3G83	10/8~11/12	0W-20	0W-25	0W-20 SP	3.0	3.2	TYPE4	5.5		
	U61W,U62W	3G83	07/12~10/8	5W-20	0W-25	5W-30 SP	3.0	3.2	TYPE4	5.5		

*The volume in this list is only for reference.
*Actual replaceable volume is about 80% of full volume.

LEXUS

TOYOTA

NISSAN

HONDA

MAZDA

SUBARU

MAZDA

SUZUKI

DAIHATSU

● HKS ENGINE OIL APPLICATION LIST

Vehicle	Model	Engine Model	Model Year	Normal Viscosity	Recommended engine oil		Required Oil Vol. (L)		Oil Filter	Required Coolant Volume (L)		Remarks
					Standard		Oil	Oil + Filter		Coolant Volume (L)	Inter Cooler Inverter(L)	
					Standard	API						
TOWN BOX	U63W.U64W	3G83(TURBO)	02/9~11/11	10W-30	7.5W-35	10W-40 SP	3.0	3.2	TYPE4	5.5		
	U61W.U62W	3G83	02/9~07/12	5W-30	7.5W-35	5W-30 SP	3.0	3.2	TYPE4	5.5		
DELICA D:2	MB36S	K12C	15/12~	0W-16	0W-25	0W-20 SP	3.1	3.3	TYPE5	4.3		
	MB46S	K12C (HYBRID)	15/12~	0W-16	0W-25	0W-20 SP	3.1	3.3	TYPE5	4.3-4.4		HYBRID
	MB15S	K12B (DJE)	13/12~15/11	0W-20	0W-25	0W-20 SP	2.9	3.1	TYPE7	4.6		
	MB15S	K12B	13/12~15/11	0W-20	0W-25	0W-20 SP	2.9	3.1	TYPE7	4.6		
	MB15S	K12B	11/3~13/11	0W-20	0W-25	0W-20 SP	2.9	3.1	TYPE7	4.6		
DELICA D:3	BM20	HR16DE	11/10~	5W-30	7.5W-35	5W-30 SP	2.8	3.0	TYPE1	6.3		
DELICA D:5	CV2W	4J11	11/12~	0W-20	0W-25	0W-20 SP	4.0	4.3	TYPE1	7.5		
	CV4W	4B11	10/1~11/11	0W-20	0W-25	0W-20 SP	4.0	4.3	TYPE1	7.5		
	CV1W	4N14	13/1~	0W-30	5W-30 D		5.6	5.9	—	7.5		DL-1
	CV5W	4B12	07/1~	0W-20	0W-25	0W-20 SP	4.3	4.6	TYPE1	7.5		
TOPPO	H82A	3G83(SOHC)	09/8~13/5	0W-20	0W-25	0W-20 SP	3.0	3.2	TYPE4	4.0		
	H82A	3G83(TURBO)	08/9~13/5	10W-30	7.5W-35	10W-40 SP	3.0	3.2	TYPE4	4.0		
	H82A	3G83(SOHC)	08/9~09/8	5W-20	0W-25	5W-30 SP	3.0	3.2	TYPE4	4.0		
PAJERO	V83W.V93W	6G72	06/10~	0W-20	0W-25	0W-20 SP	4.3	4.6	—	9.0-10.5		
	V63W.V73W	6G72(MPI)	00/8~06/9	5W-30	7.5W-35	5W-30 SP	4.3	4.6	—	9.0-10.5		
	V88W.V98W	4M41	08/10~	0W-30	5W-30 D		7.5	8.5	—	9.0-10.5		DL-1
	V68W.V78W	4M41	05/1~08/12	10W-30	7.5W-33 D		8.8	9.8	—	9.0-10.5		CF-4
	V65W.V75W	6G74 (GDI)	99/10~05/11	5W-30	7.5W-35	5W-30 SP	4.3	4.6	—	9.0-10.5		
	V87W.V97W	6G75 (MIVEC)	06/10~	0W-20	0W-25	0W-20 SP	4.6	4.9	—	9.0-10.5		
	V77W	6G75	05/11~06/9	5W-20	0W-25	5W-30 SP	4.3	4.6	—	9.0-10.5		
PAJERO IO	H76W	4G93	02/9~07/8	5W-20	0W-25	5W-30 SP	3.5	3.8	TYPE1	6.0		
	H76W	4G93 (GDI,TURBO)	00/6~06/1	5W-20	0W-25	5W-30 SP	3.5	3.8	TYPE1	6.0		
	H77W	4G94 (GDI)	00/6~07/6	5W-20	0W-25	5W-30 SP	3.5	3.8	TYPE1	6.0		
PAJERO MINI	H53A	4A30(TURBO)	05/1~05/12	10W-30	7.5W-35	10W-40 SP	3.3	3.5	TYPE4	4.0		Low down
	H53A	4A30	05/1~12/6	5W-20	0W-25	5W-30 SP	3.3	3.5	TYPE4	4.0		
	H58A	4A30(TURBO)	02/9~13/2	10W-30	7.5W-35	10W-40 SP	3.3	3.5	TYPE4	4.0		
	H58A	4A30	02/9~13/2	5W-20	0W-25	5W-30 SP	3.3	3.5	TYPE4	4.0		
MINICA	H42A	3G83	05/1~07/6	5W-20	0W-25	5W-30 SP	3.0	3.2	TYPE4	4.0		
MINICAB	DS17V	R06A (TURBO)	15/3~	5W-30	7.5W-35	5W-30 SP	2.7	2.8	TYPE5	5.4		
	DS17V	R06A (NA)	15/3~	5W-30	7.5W-35	5W-30 SP	2.7	2.8	TYPE5	5.0-5.5		
	DS64V	K6A (DOHC,TURBO)	14/2~15/2	5W-30	7.5W-35	5W-30 SP	2.8	3.0	TYPE7	6.0-6.2		
	DS64V	K6A (DOHC)	14/2~15/2	5W-30	7.5W-35	5W-30 SP	2.8	3.0	TYPE7	5.2-5.9 MT 5.1-5.8 AT		
	U61V.U62V	3G83 (TURBO)	11/12~14/2	10W-30	7.5W-35	10W-40 SP	3.0	3.2	TYPE4	5.5		
	U61V.U62V	3G83	10/8~14/2	0W-20	0W-25	0W-20 SP	3.0	3.2	TYPE4	5.5		
	U61T.U61TP.U62T.U62TP	3G83	10/8~14/2	0W-20	0W-25	0W-20 SP	3.0	3.2	TYPE4	5.5		
	U61V.U62V	3G83	07/12~10/8	5W-20	0W-25	5W-30 SP	3.0	3.2	TYPE4	5.5		
	U61T.U61TP.U62T.U62TP	3G83	07/12~10/8	5W-20	0W-25	5W-30 SP	3.0	3.2	TYPE4	5.5		
	U61V.U62V	3G83	99/1~07/12	5W-30	7.5W-35	5W-30 SP	3.0	3.2	TYPE4	5.5		
U61T.U61TP.U62T.U62TP	3G83	99/1~07/12	5W-30	7.5W-35	5W-30 SP	3.0	3.2	TYPE4	5.5			
MIRAGE	A05A	3A90	12/8~	0W-20	0W-25	0W-20 SP	2.8	3.0	TYPE1	4.3-4.6		
	A03A	3A92	14/12~	0W-20	0W-25	0W-20 SP	2.8	3.0	TYPE1	4.3		
LANCER	CS2A	4G15	05/1~10/5	5W-20	0W-25	5W-30 SP	3.0	3.3	TYPE1	6.0		
	CS5A	4G93 (GDI)	03/2~08/6	5W-20	0W-25	5W-30 SP	3.5	3.8	TYPE1	6.0		
	CS5A	4G93 (GDI,TURBO)	03/2~08/6	5W-20	0W-25	5W-30 SP	3.5	3.8	TYPE1	6.0		
	CS6A	4G94	05/1~08/6	5W-20	0W-25	5W-30 SP	3.5	3.8	TYEP1	6.0		
LANCER WAGON	CS5W	4G93 (GDI)	03/2~08/6	5W-20	0W-25	5W-30 SP	3.5	3.8	TYPE1	6.0		
	CS5W	4G93 (GDI,TURBO)	03/2~08/6	5W-20	0W-25	5W-30 SP	3.5	3.8	TYPE1	6.0		
LANCER EVOLUTION	CZ4A (EVOX)	4B11 (DOHC,MIVEC,TURBO)	07/10~16/4	10W-30	7.5W-35	10W-40 SP	4.8	5.1	TYPE1	7.5		
	CT9A (EVOⅨ MR)	4G63 (DOHC,MIVEC,TURBO)	06/8~07/9	10W-30	7.5W-35	10W-40 SP	4.5	4.8	TYPE1	6.0		
	CT9A (EVOⅨ)	4G63 (DOHC,MIVEC,TURBO)	05/3~06/7	10W-30	7.5W-35	10W-40 SP	4.5	4.8	TYPE1	6.0		
	CT9A (EVOⅧ MR)	4G63 (DOHC,TURBO)	04/2~05/2	10W-30	7.5W-35	10W-40 SP	4.5	4.8	TYPE1	6.0		
	CT9A (EVOⅧ)	4G63 (DOHC,TURBO)	03/2~04/1	10W-30	7.5W-35	10W-40 SP	4.5	4.8	TYPE1	6.0		
	CT9A (EVO GT-A)	4G63 (DOHC,TURBO)	02/2~02/12	10W-30	7.5W-35	10W-40 SP	4.5	4.8	TYPE1	6.0		
	CT9A (EVOⅦ)	4G63 (DOHC,TURBO)	01/2~02/3	10W-30	7.5W-35	10W-40 SP	4.5	4.8	TYPE1	6.0		
	CP9A (EVOⅦ,Tommi-Mäkinen EDITION)	4G63 (DOHC,TURBO)	00/1~01/1	10W-30	7.5W-35	10W-40 SP	4.8	5.1	TYPE1	6.0		
	CP9A (EVOⅦ)	4G63 (DOHC,TURBO)	99/1~01/1	10W-30	7.5W-35	10W-40 SP	4.8	5.1	TYPE1	6.0		
	CP9A (EVOⅦ)	4G63 (DOHC,TURBO)	98/1~98/12	10W-30	7.5W-35	10W-40 SP	4.8	5.1	TYPE1	6.0		
CN9A (EVOⅣ)	4G63 (DOHC,TURBO)	96/8~97/12	10W-30	7.5W-35	10W-40 SP	4.8	5.1	TYPE1	6.0		*2	

*The volume in this list is only for reference.
 *Actual replaceable volume is about 80% of full volume.
 *2: Some vehicles are equipped with a φ80 oil filter. Please check the actual oil filter.

● HKS ENGINE OIL APPLICATION LIST

Vehicle	Model	Engine Model	Model Year	Normal Viscosity	Recommended engine oil		Required Oil Vol. (L)		Oil Filter	Required Coolant Volume (L)		Remarks
					Standard		Oil	Oil + Filter		Coolant Volume (L)	Inter Cooler Inverter(L)	
					Standard	API						
LANCER EVOLUTION	CE9A(EVOⅢ)	4G63(DOHC,TURBO)	94/9~96/8	10W-30	7.5W-35	10W-40 SP	4.8	5.1	TYPE1	6.0		
	CE9A(EVOⅡ)	4G63(DOHC,TURBO)	94/1~94/9	10W-30	7.5W-35	10W-40 SP	4.8	5.1	TYPE1	6.0		
	CD9A(EVOⅠ)	4G63(DOHC,TURBO)	91/10~94/1	10W-30	7.5W-35	10W-40 SP	4.8	5.1	TYPE1	6.0		
LANCER EVOLUTION WAGON	CT9W(GT-A,AT)	4G63(DOHC,TURBO)	05/9~07/9	10W-30	7.5W-35	10W-40 SP	4.5	4.8	TYPE1	6.0		
	CT9W(GT,MT)	4G63(DOHC,MIVEC,TURBO)	05/9~07/9	10W-30	7.5W-35	10W-40 SP	4.5	4.8	TYPE1	6.0		
LANCER CARGO	CVY12	HR15DE	08/12~	0W-20	0W-25	0W-20 SP	2.8	3.0	TYPE1	6.7		
	CS2V	4G15	05/1~07/6	5W-20	0W-25	5W-30 SP	3.0	3.3	TYPE1	6.0		
	CVZNY12	HR16DE	08/12~	5W-30	7.5W-35	5W-30 SP	2.8	3.0	TYPE1	6.7		
	CVJY12	MR18DE	08/12~13/5	0W-20	0W-25	0W-20 SP	4.4	4.6	TYPE1	6.8		
SUBARU												
BRZ	ZC6	FA20	12/03~	0W-20	0W-25	0W-20 SP	5.2	5.4	TYPE1	7.2 MT 7.5 AT		
WRX	VAB	EJ20(TURBO)	14/8~	5W-30	7.5W-35	5W-30 SP	4.0	4.3	TYPE1	7.9		
	VAG	FA20(TURBO)	14/8~	5W-30	7.5W-35	5W-30 SP	4.9	5.1	TYPE1	8.2		
XV	GT3	FB16A	17/5~	0W-20	0W-25	0W-20 SP	4.2	4.4	TYPE1	7.8		
	GT7	FB20C	17/5~	0W-20	0W-25	0W-20 SP	4.2	4.4	TYPE1	7.8		
	GP7	FB20A	12/10~17/1	0W-20	0W-25	0W-20 SP	4.6	4.8	TYPE1	8.0		
XV HYBRID	GTE	FB20W+MA1 (HYBRID)	18/10~	0W-20	0W-25	0W-20 SP	4.0	4.2	TYPE1	7.8		
	GPE	FB20+MA1 (HYBRID)	13/6~17/01	0W-20	0W-25	0W-20 SP	4.6	4.8	TYPE1	8.2		
IMPREZA	GH2.GH3	EL15(DOHC)	07/6~11/10	0W-20	0W-25	0W-20 SP	4.0	4.2	TYPE1	7.5-7.6		
	GDC.GDD	EL15(DOHC)	06/6~07/6	0W-20	0W-25	0W-20 SP	4.0	4.2	TYPE1	7.3		
	GD2.GD3	EJ15	05/6~07/6	0W-20	0W-25	0W-20 SP	4.0	4.2	TYPE1	7.3-7.4		
	GD2.GD3	EJ15	00/8~05/6	5W-30	7.5W-35	5W-30 SP	4.0	4.2	TYPE1	7.3-7.4		
	GVB	EJ20(AVCS,TURBO)	10/7~14/7	5W-30	7.5W-35	5W-30 SP	4.0	4.3	TYPE1	7.9		
	GH6	EJ20	08/10~11/10	0W-20	0W-25	0W-20 SP	4.0	4.2	TYPE1	6.9		
	GRB	EJ20(AVCS,TURBO)	07/6~14/7	5W-30	7.5W-35	5W-30 SP	4.0	4.3	TYPE1	7.9		
	GH7	EJ20	07/6~11/10	0W-20	0W-25	0W-20 SP	4.0	4.2	TYPE1	6.9		
	GH8	EJ20(AVCS,TURBO)	07/6~11/10	5W-30	7.5W-35	5W-30 SP	4.0	4.2	TYPE1	7.6-7.7		
	GDA	EJ20(TURBO)	00/8~07/6	5W-30	7.5W-35	5W-30 SP	4.0	4.2	TYPE1	7.6-7.7		
	GDB	EJ20(AVCS,TURBO)	00/10~07/9	5W-30	7.5W-35	5W-30 SP	4.0	4.3	TYPE1	7.7		
	GVF	EJ25(TURBO)	10/7~14/7	5W-30	7.5W-35	5W-30 SP	4.0	4.3	TYPE1	7.6		
IMPREZA G4	GRF	EJ25(TURBO)	09/2~14/7	5W-30	7.5W-35	5W-30 SP	4.0	4.3	TYPE1	7.6		
	GK2.GK3	FB16A	16/10~	0W-20	0W-25	0W-20 SP	4.2	4.4	TYPE1	7.8		
	GJ2.GJ3	FB16	11/11~16/9	0W-20	0W-25	0W-20 SP	4.8	5.0	TYPE1	8.1		
	GK6.GK7	FB20C	16/10~	0W-20	0W-25	0W-20 SP	4.2	4.4	TYPE1	7.8		
IMPREZA ANESIS	GJ6.GJ7	FB20A	11/11~16/9	0W-20	0W-25	0W-20 SP	4.8	5.0	TYPE1	8.2		
	GE2.GE3	EL15(DOHC)	08/10~11/10	0W-20	0W-25	0W-20 SP	4.0	4.2	TYPE1	7.5-7.6		
IMPREZA SPORT	GE6.GE7	EJ20(SOHC)	08/10~11/10	0W-20	0W-25	0W-20 SP	4.0	4.2	TYPE1	6.9		
	GT2.GT3	FB16A	16/10~	0W-20	0W-25	0W-20 SP	4.2	4.4	TYPE1	7.8		
	GP2.GP3	FB16	11/11~16/9	0W-20	0W-25	0W-20 SP	4.6	4.8	TYPE1	8.1		
	GT6.GT7	FB20C	16/10~	0W-20	0W-25	0W-20 SP	4.2	4.4	TYPE1	7.8		
IMPREZA SPORT HV	GP6.GP7	FB20A	11/11~16/9	0W-20	0W-25	0W-20 SP	4.6	4.8	TYPE1	8.2		
IMPREZA WAGON	GPE	FB20+MA1 (HYBRID)	15/7~	0W-20	0W-25	0W-20 SP	4.6	4.8	TYPE1	8.2		
	GDD.GGC.GGD	EL15(DOHC)	06/6~07/6	0W-20	0W-25	0W-20 SP	4.0	4.2	TYPE1	7.3		
	GG2.GG3	EJ15	00/8~07/6	0W-20	0W-25	0W-20 SP	4.0	4.2	TYPE1	7.3-7.4		
	GGB	EJ20(AVCS,TURBO)	00/10~07/9	5W-30	7.5W-35	5W-30 SP	4.0	4.3	TYPE1	7.7		
EXIGA	GGA	EJ20(TURBO)	00/8~07/6	5W-30	7.5W-35	5W-30 SP	4.0	4.3	TYPE1	7.6-7.7		
	YA4.YA5	EJ20(DOHC)	08/6~13/7	0W-20	0W-25	0W-20 SP	4.0	4.2	TYPE1	6.8		
	YA5	EJ20(DOHC,TURBO)	08/6~15/3	5W-30	7.5W-35	5W-30 SP	4.0	4.2	TYPE1	8.1		
	YAM	FB25A	12/7~15/3	0W-20	0W-25	0W-20 SP	4.6	4.8	TYPE1	7.6		
EXIGA CROSSOVER7	YA9	EJ25(DOHC)	09/9~12/6	5W-30	7.5W-35	5W-30 SP	4.0	4.2	TYPE1	6.5		
SAMBAR	YAM	FB25A	15/4~	0W-20	0W-25	0W-20 SP	4.6	4.8	TYPE1	7.6		
	S321B.S331B	KF-VE	12/4~	5W-30	7.5W-35	5W-30 SP	3.2	3.4	TYPE6	5.3-5.7 MT 5.2-5.6 AT		
		KF-DET (DOHC,TURBO)	12/4~	5W-30	7.5W-35	5W-30 SP	3.2	3.4	TYPE6	5.5-5.9 MT 5.4-5.8 AT		
	S201J.S211J.S201H.S211H	KF-VE	12/4~14/8	5W-30	7.5W-35	5W-30 SP	3.2	3.4	TYPE6	3.8		
	TV1.TV2	EN07	99/2~12/3	5W-30	7.5W-35	5W-30 SP	2.4	2.6	TYPE1	5.0-6.0		
		EN07 (SUPERCHARGER)	99/2~12/3	5W-30	7.5W-35	5W-30 SP	2.5	2.7	TYPE1	6.0		

*The volume in this list is only for reference.
*Actual replaceable volume is about 80% of full volume.

LEXUS

TOYOTA

NISSAN

HONDA

MAZDA

SUBARU

MAZDA

SUZUKI

DAIHATSU

● HKS ENGINE OIL APPLICATION LIST

Vehicle	Model	Engine Model	Model Year	Normal Viscosity	Recommended engine oil		Required Oil Vol. (L)		Oil Filter	Required Coolant Volume (L)		Remarks
					Standard		Oil	Oil + Filter		Coolant Volume (L)	Inter Cooler Inverter(L)	
					Standard	API						
CHIFFON	LA650F.LA660F	KF-VE	19/7~	0W-16	0W-25	0W-20 SP	3.1	3.3	TYPE6	3.4		
	LA650F.LA660F	KF-VET (TURBO)	19/7~	0W-20	0W-25	0W-20 SP	3.1	3.3	TYPE6	3.4		
	LA600F.LA610F	KF-VE	16/11~	0W-20	0W-25	0W-20 SP	2.7	2.9	TYPE6	3.5		
	LA600F.LA610F	KF-VET (TURBO)	16/11~	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE6	3.5		
JUSTY	M900F.M910F	1KR-FE	16/11~	0W-20	0W-25	0W-20 SP	2.9	3.1	—	4.4		
	M900F	1KR-VET	16/11~	0W-20	0W-25	0W-20 SP	2.9	3.1	—	5.0		
STELLA	LA150F.LA160F	KF-VE	14/12~	0W-20	0W-25	0W-20 SP	2.7	2.9	TYPE6	3.4		
	LA150F.LA160F	KF-VET (DOHC,TURBO)	14/12~	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE6	3.5		
	LA100F.LA110F	KF-VE	11/5~14/11	0W-20	0W-25	0W-20 SP	2.7	2.9	TYPE6	2.8		
	LA100F.LA110F	KF-DET (DOHC,TURBO)	11/5~14/11	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE6	2.9		
	RN1.RN2	EN07	06/6~	0W-20	0W-25	0W-20 SP	2.4	2.6	TYPE1	3.8		
	RN1.RN2	EN07 (SUPERCHARGER)	06/6~	0W-20	0W-25	0W-20 SP	2.4	2.6	TYPE1	3.7		
DIAS WAGON	S321N.S331N	KF-DET (DOHC,TURBO)	09/9~	5W-30	7.5W-35	5W-30 SP	3.0	3.2	TYPE6	5.8		
FORESTER	SK5	CB18E (TURBO)	20/10~	0W-16	0W-25	0W-20 SP	4.0	4.2	TYPE1	9.1		
	SKE	FB20W (HYBRID)	18/9~	0W-20	0W-25	0W-20 SP	4.0	4.2	TYPE1	8.0		
	SJG	FA20 (TURBO)	12/11~18/6	5W-30	7.5W-35	5W-30 SP	4.9	5.1	TYPE1	8.2		
	SJ5	FB20A	12/11~18/6	0W-20	0W-25	0W-20 SP	4.6	4.8	TYPE1	7.8 MT 8.1 CVT		
	SHJ	FB20A	10/10~12/10	0W-20	0W-25	0W-20 SP	5.0	5.2	TYPE1	7.3-7.4		
	SH5	EJ20 (DOHC,TURBO)	07/12~12/10	5W-30	7.5W-35	5W-30 SP	4.0	4.2	TYPE1	7.5-7.6		
	SH5	EJ20 (DOHC)	07/12~12/10	0W-20	0W-25	0W-20 SP	4.0	4.2	TYPE1	6.8-6.9		
	SG5	EJ20 (DOHC,TURBO)	02/2~07/12	5W-30	7.5W-35	5W-30 SP	4.0	4.3	TYPE1	7.3-7.4		
	SG5	EJ20	02/2~07/12	5W-30	7.5W-35	5W-30 SP	4.0	4.2	TYPE1	6.5-6.6		
	SK9	FB25C	18/7~20/9	0W-20	0W-25	0W-20 SP	4.0	4.2	TYPE1	8.5		
	SH9	EJ25 (DOHC,TURBO)	10/10~12/10	5W-30	7.5W-35	5W-30 SP	4.0	4.2	TYPE1	7.3		
	SG9	EJ25 (DOHC,TURBO)	04/2~07/12	5W-30	7.5W-35	5W-30 SP	4.0	4.3	TYPE1	7.4		
PLEO	L275F.L285F	KF-VE	10/4~	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE6	3.0-3.1		
	RA1.RA2	EN07 (MILDCHARGER)	99/6~03/11	5W-30	7.5W-35	5W-30 SP	2.4	2.6	TYPE1	3.1		
	RA1.RA2	EN07 (DOHC,SUPERCHARGER)	98/10~03/11	5W-30	7.5W-35	5W-30 SP	2.4	2.6	TYPE1	3.1		
	RA1.RA2	EN07 (SUPERCHARGER)	98/10~03/11	5W-30	7.5W-35	5W-30 SP	2.4	2.6	TYPE1	3.1		
	RV1.RV2	EN07	98/10~	5W-30	7.5W-35	5W-30 SP	2.4	2.6	TYPE1	3.1		
PLEO NESTA	RA1.RA2	EN07 (SUPERCHARGER)	99/6~03/11	5W-30	7.5W-35	5W-30 SP	2.4	2.6	TYPE1	3.1		
	RA1.RA2	EN07 (MILDCHARGER)	99/6~03/11	5W-30	7.5W-35	5W-30 SP	2.4	2.6	TYPE1	3.1		
PLEO PLUS	LA350F.LA360F	KF-VE	17/5~	0W-20	0W-25	0W-20 SP	2.7	2.9	TYPE6	2.9		
	LA300F.LA310F	KF-VE	12/12~17/4	0W-20	0W-25	0W-20 SP	2.7	2.9	TYPE6	3.2		
LUCRA	L455F.L465F	KF-VE	10/4~	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE6	2.8		
	L455F.L465F	KF-VET (TURBO)	10/4~	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE6	3.1		
LEVORG	VM4	FB16E (TURBO)	14/6~20/10	0W-20	0W-25	0W-20 SP	4.9	5.1	TYPE1	8.8		
	VN5	CB18E (TURBO)	20/11~	0W-16	0W-25	0W-20 SP	4.0	4.2	TYPE1	9.3		
	VMG	FA20E (TURBO)	14/6~20/10	5W-30	7.5W-35	5W-30 SP	4.9	5.1	TYPE1	8.2		
LEGACY B4	BMG	FA20E	12/5~14/6	5W-30	7.5W-35	5W-30 SP	4.9	5.1	TYPE1	8.2		
	BL5	EJ20 (AVCS,TURBO)	03/5~09/5	5W-30	7.5W-35	5W-30 SP	4.0	4.3	TYPE1	7.4-7.7		
	BL5	EJ20 (DOHC)	03/5~09/5	5W-30	7.5W-35	5W-30 SP	4.0	4.2	TYPE1	6.4-6.5		
	BL5	EJ20 (SOHC)	03/5~09/5	0W-20	0W-25	0W-20 SP	4.0	4.2	TYPE1	6.4-6.5		
	BN9	FB25A	14/10~	0W-20	0W-25	0W-20 SP	4.6	4.8	TYPE1	7.7		
	BMM	FB25A	12/5~14/6	0W-20	0W-25	0W-20 SP	4.6	4.8	TYPE1	7.6		
	BM9	EJ25 (TURBO)	09/5~14/6	5W-30	7.5W-35	5W-30 SP	4.0	4.3	TYPE1	6.6-6.9		
	BM9	EJ25 (SOHC)	09/5~14/6	5W-30	7.5W-35	5W-30 SP	4.0	4.2	TYPE1	6.5		
	BL9	EJ25 (DOHC)	07/11~09/5	5W-30	7.5W-35	5W-30 SP	4.0	4.2	TYPE1	6.4		
	BLE	EZ30 (AVCS,DOHC)	03/9~09/5	5W-30	7.5W-35	5W-30 SP	5.5	5.7	TYPE1	7.2		
LEGACY OUTBACK	BS9	FB25A	14/10~	0W-20	0W-25	0W-20 SP	4.6	4.8	TYPE1	7.7		
	BRM	FB25A	12/5~14/9	0W-20	0W-25	0W-20 SP	4.6	4.8	TYPE1	7.6		
	BR9	EJ25 (SOHC)	09/5~12/4	5W-30	7.5W-35	5W-30 SP	4.0	4.2	TYPE1	6.5		
	BPH	EJ25 (TURBO)	08/5~09/4	5W-30	7.5W-35	5W-30 SP	4.0	4.2	TYPE1	7.3		
	BP9	EJ25 (SOHC)	03/10~09/5	5W-30	7.5W-35	5W-30 SP	4.0	4.2	TYPE1	6.4		
	BPE	EZ30 (AVCS,DOHC)	03/10~09/5	5W-30	7.5W-35	5W-30 SP	5.5	5.7	TYPE1	7.2		
	BRF	EZ36	09/5~14/9	5W-30	7.5W-35	5W-30 SP	5.5	5.7	TYPE1	6.6		
LEGACY TOURING WAGON	BRG	FA20E	12/5~14/6	5W-30	7.5W-35	5W-30 SP	4.9	5.1	TYPE1	8.2		
	BP5	EJ20 (AVCS,TURBO)	03/5~09/5	5W-30	7.5W-35	5W-30 SP	4.0	4.2	TYPE1	6.4-6.5		
	BP5	EJ20 (DOHC)	03/5~09/5	5W-30	7.5W-35	5W-30 SP	4.0	4.2	TYPE1	6.4-6.5		
	BP5	EJ20 (SOHC)	03/5~09/5	0W-20	0W-25	0W-20 SP	4.0	4.2	TYPE1	6.4-6.5		

*The volume in this list is only for reference.

*Actual replaceable volume is about 80% of full volume.

● HKS ENGINE OIL APPLICATION LIST

Vehicle	Model	Engine Model	Model Year	Normal Viscosity	Recommended engine oil		Required Oil Vol. (L)		Oil Filter	Required Coolant Volume (L)		Remarks
					Standard		Oil	Oil + Filter		Coolant Volume (L)	Inter Cooler Inverter (L)	
					Standard	API						
LEGACY TOURING WAGON	BRM	FB25A	12/5~14/6	0W-20	0W-25	0W-20 SP	4.6	4.8	TYPE1	7.6		
	BR9	EJ25(TURBO)	09/5~14/6	5W-30	7.5W-35	5W-30 SP	4.0	4.2	TYPE1	6.6-6.9		
	BR9	EJ25(SOHC)	09/5~14/6	5W-30	7.5W-35	5W-30 SP	4.0	4.2	TYPE1	6.5		
	BP9	EJ25(SOHC)	07/11~09/5	5W-30	7.5W-35	5W-30 SP	4.0	4.2	TYPE1	6.4		
	BPE	EZ30(AVCS,DOHC)	03/9~09/5	5W-30	7.5W-35	5W-30 SP	5.5	5.7	TYPE1	7.2		
MAZDA												
AZ OFFROAD	JM23W	K6A(DOHC)	98/10~12/3	5W-30	7.5W-35	5W-30 SP	2.8	3.0	TYPE7	4.0		
	JM23W	K6A(DOHC,TURBO)	98/10~12/3	5W-30	7.5W-35	5W-30 SP	2.8	3.0	TYPE7	3.7-4		
AZ WAGON	MJ23S	K6A(DOHC)	08/9~12/9	0W-20	0W-25	0W-20 SP	2.7	2.9	TYPE7	3.0-3.3		
	MJ23S	K6A(TURBO)	08/9~12/9	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE7	3.4		
	MJ22S	K6A(DOHC)	07/2~08/8	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE7	3.0-3.3		
	MJ22S	K6A(DOHC,TURBO)	07/2~08/8	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE7	3.5		
	MJ22S	K6A(DOHC,TURBO,DI)	07/2~08/8	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE7	3.5		
	MJ21S	K6A(DOHC)	03/9~07/2	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE7	3.0-3.3		
	MJ21S	K6A(DOHC,TURBO)	03/9~07/2	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE7	3.5		
	MJ21S	K6A(DOHC,TURBO,DI)	03/9~07/2	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE7	3.5		
CX-3	DK5FW.DK5AW	S5-DPTS,S5-DPTR	15/5~18/4	0W-20 D	5W-30 D		4.7	5.1	—	6.6-6.8	Intercooler 2.1	SKYACTIV D
	DK8FW.DK8AW	S8-DPTS,S8-DPTR	18/5~	0W-20 D	5W-30 D		4.7	5.1	—	6.6-6.7	Intercooler 2.0	SKYACTIV D
	DKEFW.DKEAW	PE-VPS(SKYACTIV) PE-VPR(SKYACTIV)	17/6~	0W-20	0W-25	0W-20 SP	4.0	4.2	TYPE1	5.9		Gasoline
CX-5	KFEP	PE-VPS(SKYACTIV)	18/2~	0W-20	0W-25	0W-20 SP	4.0	4.2	TYPE1	7.2		Gasoline
	KFEP	PE-VPS(SKYACTIV)	17/1~18/1	0W-20	0W-25	0W-20 SP	4.0	4.2	TYPE1	7.1		Gasoline
	KEEFW.KEEAW	PE-VPS(SKYACTIV)	12/2~16/12	0W-20	0W-25	0W-20 SP	4.0	4.2	TYPE1	7.2		Gasoline
	KF2P	SH-VPTS	18/2~	0W-30 D	5W-30 D		4.8	5.1	—	8.7		SKYACTIV D
	KF2P	SH-VPTS	17/1~18/1	0W-30 D	5W-30 D		4.8	5.1	—	8.9		SKYACTIV D
	KE2FW.KE2AW	SH-VPTS	12/2~16/12	0W-30 D	5W-30 D		4.8	5.1	—	9.2		SKYACTIV D
	KF5P	PY-VPTS (TURBO)	18/11~	5W-30	7.5W-35	5W-30 SP	4.6	4.8	TYPE1	8.7		SKYACTIV G TURBO
	KF5P	PY-VPS(SKYACTIV)	17/1~	0W-20	0W-25	0W-20 SP	4.3	4.5	TYPE1	7.2		Gasoline
	KE5FW.KE5AW	PY-VPS(SKYACTIV)	13/10~16/12	0W-20	0W-25	0W-20 SP	4.3	4.5	TYPE1	7.3		Gasoline
CX-7	ER3P	L3-VDT(TURBO)	06/12~11/12	5W-30	7.5W-35	5W-30 SP	5.3	5.7	—	9.0		
CX-8	KG2P	SH-VPTS	17/9~	0W-30 D	5W-30 D		4.8	5.1	—	9.8		SKYACTIV D
	KG5P	PY-VPS(SKYACTIV)	18/11~	0W-20	0W-25	0W-20 SP	4.3	4.5	TYPE1	8.4		Gasoline
	KG5P	PY-VPTS (TURBO)	18/11~	5W-30	7.5W-35	5W-30 SP	4.6	4.8	TYPE1	9.7		SKYACTIV G TURBO
CX-30	DM8P	S8-DPTS	19/09-	0W-20 D	5W-30 D		4.7	5.1	—	7.0	Intercooler 1.6	SKYACTIV-D
	DMFP	HF-VPH	20/01-	0W-20	0W-25	0W-20 SP	4.4	4.6	—	6.9 MT 7.0AT	Intercooler 1.6	
	DMEP	PE-VPS	19/09-	0W-20	0W-25	0W-20 SP	4.0	4.2	TYPE1	6.2 MT 6.4 AT		
MAZDA 2	DJLFS	P5-VPS	19/09-	0W-20	0W-25	0W-20 SP	3.9	4.2	TYPE1	4.8 MT 5.1 AT		
	DJ5FS,DJ5AS	S5-DPTS,S5-DPTR	19/09-	0W-20 D	5W-30 D		4.7	5.1	—	6.6 MT 6.8 AT	Intercooler 2.0	SKYACTIV-D
MAZDA 3	BP5P	P5-VPS	19/05-	0W-20	0W-25	0W-20 SP	3.9	4.2	TYPE1	5.6 MT 5.9 AT		
	BP8P	S8-DPTS	19/05-	0W-20 D	5W-30 D		4.7	5.1	—	7.0	Intercooler 1.6	SKYACTIV-D
	BPFP	PE-VPS	19/05-	0W-20	0W-25	0W-20 SP	4.0	4.2	TYPE1	6.4		
	BPEP	HF-VPH	19/12-	0W-20	0W-25	0W-20 SP	4.4	4.6	—	6.9 MT 7.0AT	Intercooler 1.6	SKYACTIV-X
MAZDA 6 SEDAN	GJEFP	PE-VPR	19/08-	0W-20	0W-25	0W-20 SP	4.0	4.2	TYPE1	6.8		
	GJ2FP,GJ2AP	SH-VPTR	19/08-	0W-20 D	5W-30 D		4.8	5.1	—	8.6		SKYACTIV-D
	GJ5FP	PY-VPTS (TURBO)	19/08-	5W-30	7.5W-35	5W-30 SP	4.6	4.8	TYPE1	8.6		SKYACTIV G TURBO
	GJ5FP	PY-RPR	19/08-	0W-20	0W-25	0W-20 SP	4.3	4.5	TYPE1	6.9		
MAZDA 6 WAGON	GJEFW	PE-VPR	19/08-	0W-20	0W-25	0W-20 SP	4.0	4.2	TYPE1	6.8		
	GJ2FW,GJ2AW	SH-VPTR	19/08-	0W-20 D	5W-30 D		4.8	5.1	—	8.6		SKYACTIV-D
	GJ5FW	PY-VPTS (TURBO)	19/08-	5W-30	7.5W-35	5W-30 SP	4.6	4.8	TYPE1	8.6		SKYACTIV G TURBO
	GJ5FW	PY-RPR	19/08-	0W-20	0W-25	0W-20 SP	4.3	4.5	TYPE1	6.9		
MPV	LY3P	L3-VE	06/2~	0W-20	0W-25	0W-20 SP	4.0	4.7	—	8.3-10.5		
	LY3P	L3-VDT(TURBO)	06/2~	0W-20	0W-25	0W-20 SP	5.3	5.7	—	10.7		
MX-30	DREJ3P	PE-VPH	20/10~	0W-20	0W-25	0W-20 SP	4.0	4.2	—	6.5		
RX-7	FD3S	13B-REW(TURBO)	91/12~02/8	10W-20	0W-25	10W-40 SP	3.6	3.8	TYPE1	8.8		ROTARY
	FC3S.FC3C	13B(TURBO)	88/9~91/12	10W-20	0W-25	10W-40 SP	3.6	3.8		7.3-8.7		ROTARY
	FC3S.FC3C	13B(TURBO)	85/10~88/8	10W-20	0W-25	10W-40 SP	3.6	3.8		7.3-8.7		ROTARY
RX-8	SE3P	13B-MSP(210PS)	03/4~08/3	0W-20	0W-25	0W-20 SP	3.3	3.5	TYPE1	9.8		ROTARY
	SE3P	13B-MSP(250PS)	03/4~12/6	0W-20	0W-25	0W-20 SP	4.2	4.4	TYPE1	9.8		ROTARY

*The volume in this list is only for reference.
*Actual replaceable volume is about 80% of full volume.

LEXUS

TOYOTA

NISSAN

HONDA

MAZDA

SUBARU

MAZDA

SUZUKI

DAIHATSU

● HKS ENGINE OIL APPLICATION LIST

Vehicle	Model	Engine Model	Model Year	Normal Viscosity	Recommended engine oil		Required Oil Vol. (L)		Oil Filter	Required Coolant Volume (L)		Remarks
					Standard		Oil	Oil+ Filter		Coolant Volume(L)	Inter Cooler Inverter(L)	
					Standard	API						
AXELA	BMLFP	S5-DPTS	17/9~	OW-20 D	5W-30 D		4.7	5.1	—	7.0	Intercooler 1.8	SKYACTIV D
	BM5FP.BM5AP	P5-VPS(SKYACTIV)	13/11~	OW-20	OW-25	OW-20 SP	3.9	4.2	TYPE1	5.6-5.9		
	BL5FP	ZY-VE	09/6~13/11	OW-20	OW-25	OW-20 SP	3.7	3.9	TYPE1	6.0		
	BK5P	ZY-VE	03/10~09/6	OW-20	OW-25	OW-20 SP	3.7	3.9	TYPE1	6.0		
	BYEFP	PE-VPH(SKYACTIV HYBRID)	13/11~	OW-20	OW-25	OW-20 SP	4.0	4.2	TYPE1	6.4		
	BLFFP	PE-VPS(SKYACTIV)	11/9~13/10	OW-20	OW-25	OW-20 SP	4.0	4.2	TYPE1	8.1		
	BLEFP	LF-VDS	09/6~13/10	OW-20	OW-25	OW-20 SP	3.9	4.3	—	7.5		
	BLEAP	LF-VE	09/6~13/10	OW-20	OW-25	OW-20 SP	3.9	4.3	—	7.5		
	BKEP	LF-DE,LF-VE	06/6~13/10	OW-20	OW-25	OW-20 SP	3.9	4.3	—	7.5		
	BM2FP.BM2AP	SH-VPTR	16/7~	OW-30 D	5W-30 D		4.8	5.1	—	8.7-8.9		SKYACTIV D
	BK3P	L3-VE	03/10~09/6	OW-20	OW-25	OW-20 SP	3.9	4.3	—	7.5		
AXELA SPORT	BMLFS	S5-DPTS	16/7~	OW-20 D	5W-30 D		4.7	5.1	—	7.0	Intercooler 1.8	SKYACTIV D
	BM5FS.BM5AS	P5-VPS(SKYACTIV)	13/11~	OW-20	OW-25	OW-20 SP	3.9	4.2	TYPE1	5.6-5.9		
	BL5FW	ZY-VE	09/6~13/11	OW-20	OW-25	OW-20 SP	3.7	3.9	TYPE1	6.0		
	BK5P	ZY-VE	03/10~09/6	OW-20	OW-25	OW-20 SP	3.7	3.9	TYPE1	6.0		
	BMEFS	PE-VPTR(SKYACTIV)	13/11~	OW-20	OW-25	OW-20 SP	3.9	4.2	TYPE1	6.1 MT 6.4 AT		
	BLFFW	PE-VPS(SKYACTIV)	11/9~13/11	OW-20	OW-25	OW-20 SP	4.0	4.2	TYPE1	8.1		
	BLEAW	LF-VE	09/6~13/11	OW-20	OW-25	OW-20 SP	3.9	4.3	—	7.5		
	BLEFW	LF-VDS	09/6~11/8	OW-20	OW-25	OW-20 SP	3.9	4.3	—	7.5		
	BKEP	LF-VE	06/6~09/6	OW-20	OW-25	OW-20 SP	3.9	4.3	—	7.5		
	BKEP	LF-DE	03/10~06/5	OW-20	OW-25	OW-20 SP	3.9	4.3	—	7.5		
	BM2FS	SH-VPTR	14/1~	OW-30 D	5W-30 D		4.8	5.1	—	8.7-8.9		SKYACTIV D
	BK3P	L3-VE	06/6~09/6	OW-20	OW-25	OW-20 SP	3.9	4.3	—	7.5		
	BK3P	L3-VE	03/10~06/5	OW-20	OW-25	OW-20 SP	3.9	4.3	—	7.5		
ATENZA	GJEFP	PE-VPTR(SKYACTIV)	12/11~	OW-20	OW-25	OW-20 SP	4.0	4.2	TYPE1	6.7-6.8		
	GHEFP	LF-VD	10/1~12/11	OW-20	OW-25	OW-20 SP	3.9	4.3	—	7.5		
	GHEFP	LF-VE	08/1~10/1	OW-20	OW-25	OW-20 SP	3.9	4.3	—	7.5		
	GGEP	LF-VE	05/6~07/12	OW-20	OW-25	OW-20 SP	3.9	4.3	—	7.5		
	GGEP	LF-DE	02/5~05/6	OW-20	OW-25	OW-20 SP	3.9	4.3	—	7.5		
	GJ2FP.GJ2AP	SH-VPTR	18/5~	OW-30 D	5W-30 D		4.8	5.1	—	8.6		SKYACTIV D
	GJ2FP.GJ2AP	SH-VPTR	12/11~18/4	OW-30 D	5W-30 D		4.8	5.1	—	8.8-9.1		SKYACTIV D
	GG3P	L3-VE	05/6~07/12	OW-20	OW-25	OW-20 SP	4.0	4.4	—	7.5		
	GG3P	L3-VE	02/5~05/6	OW-20	OW-25	OW-20 SP	4.0	4.4	—	7.5		
	GJ5FP	PY-RPR(SKYACTIV)	18/5~	OW-20	OW-25	OW-20 SP	4.3	4.5	TYPE1	6.9		
	GJ5FP	PY-VPTR(SKYACTIV)	12/11~18/4	OW-20	OW-25	OW-20 SP	4.3	4.5	TYPE1	6.9		
	GH5FP.GH5AP	L5-VE	08/1~12/11	OW-20	OW-25	OW-20 SP	4.6	5.0	—	7.5		
	ATENZA SPORT	GHEFS	LF-VE	08/1~10/1	OW-20	OW-25	OW-20 SP	3.9	4.3	—	7.5	
GGES		LF-VE	05/6~07/12	OW-20	OW-25	OW-20 SP	3.9	4.3	—	7.5		
GGES		LF-DE	02/5~05/6	OW-20	OW-25	OW-20 SP	3.9	4.3	—	7.5		
GG3S		L3-VE	05/6~07/12	OW-20	OW-25	OW-20 SP	4.0	4.4	—	7.5		
GG3S		L3-VE	02/5~05/6	OW-20	OW-25	OW-20 SP	4.0	4.4	—	7.5		
GH5FS.GH5AS		L5-VE	08/1~12/11	OW-20	OW-25	OW-20 SP	4.6	5.0	—	7.5		
ATENZA WAGON	GJEFW	PE-VPTR(SKYACTIV)	12/11~	OW-20	OW-25	OW-20 SP	4.0	4.2	TYPE1	6.7-6.8		
	GHEFW	LF-VD	10/1~12/11	OW-20	OW-25	OW-20 SP	3.9	4.3	—	7.5		
	GHEFW	LF-VE	08/1~10/1	OW-20	OW-25	OW-20 SP	3.9	4.3	—	7.5		
	GIEW	LF-VE	05/6~07/12	OW-20	OW-25	OW-20 SP	3.9	4.3	—	7.5		
	GIEW	LF-DE	02/5~05/6	OW-20	OW-25	OW-20 SP	3.9	4.3	—	7.5		
	GJ2FW.GJ2AW	SH-VPTR	12/11~	OW-30 D	5W-30 D		4.8	5.1	—	8.8-9.1		SKYACTIV D
	GJ2FW.GJ2AW	SH-VPTR	12/11~	OW-30 D	5W-30 D		4.8	5.1	—	8.6		SKYACTIV D
	GY3W	L3-VE	05/6~07/12	OW-20	OW-25	OW-20 SP	4.0	4.4	—	7.5		
	GY3W	L3-VE	02/5~05/6	OW-20	OW-25	OW-20 SP	4.0	4.4	—	7.5		
	GJ5FW	PY-RPR(SKYACTIV)	18/5~	OW-20	OW-25	OW-20 SP	4.3	4.5	TYPE1	6.9		
	GJ5FW	PY-VPTR(SKYACTIV)	12/11~18/4	OW-20	OW-25	OW-20 SP	4.3	4.5	TYPE1	6.9		
	GH5FW.GH5AW	L5-VE	08/1~12/11	OW-20	OW-25	OW-20 SP	4.6	5.0	—	7.5		
	CAROL	HB36S	R06A	15/1~	OW-20	OW-25	OW-20 SP	2.4	2.6	TYPE5	3.0-3.2	
HB35S		R06A	12/11~14/11	OW-20	OW-25	OW-20 SP	2.6	2.8	TYPE7	3.0-3.3		
HB25S		K6A(DOHC)	09/12~14/11	OW-20	OW-25	OW-20 SP	2.7	2.9	TYPE7	3.0-3.3		
HB24S		K6A(DOHC)	04/9~09/11	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE7	3.0-3.3		
SCRUM	DG17V.DG17W	R06A(TURBO)	15/2~	5W-30	7.5W-35	5W-30 SP	2.7	2.8	TYPE5	5.4		
	DG17V	R06A(NA)	15/2~	OW-20	OW-25	OW-20 SP	2.7	2.8	TYPE5	5.0-5.5		

*The volume in this list is only for reference.

*Actual replaceable volume is about 80% of full volume.

● HKS ENGINE OIL APPLICATION LIST

Vehicle	Model	Engine Model	Model Year	Normal Viscosity	Recommended engine oil		Required Oil Vol. (L)		Oil Filter	Required Coolant Volume (L)		Remarks
					Standard		Oil	Oil + Filter		Coolant Volume (L)	Inter Cooler Inverter (L)	
					Standard	API						
SCRUM	DG64V.DG64W	K6A(DOHC,TURBO)	10/5~15/1	5W-30	7.5W-35	5W-30 SP	2.8	3.0	TYPE7	6.0-6.2		
	DG64V	K6A(DOHC)	10/5~15/1	0W-20	0W-25	0W-20 SP	2.8	3.0	TYPE7	5.2-5.9 MT 5.1-5.8 AT		
	DG64V	K6A(DOHC)	05/9~10/4	5W-30	7.5W-35	5W-30 SP	2.8	3.0	TYPE7	5.2-5.9 MT 5.1-5.8 AT		
	DG64W	K6A(DOHC,TURBO)	05/9~10/4	5W-30	7.5W-35	5W-30 SP	2.8	3.0	TYPE7	6.0-6.2		
	DG64W	K6A(DOHC)	05/9~10/4	5W-30	7.5W-35	5W-30 SP	2.8	3.0	TYPE7	5.2-5.9 MT 5.1-5.8 AT		
	DG62V.DG62W	K6A(DOHC,TURBO)	01/9~05/8	10W-30	7.5W-35	10W-40 SP	2.8	3.0	TYPE7	2.6-2.8		
	DG62V.DG62W	K6A(DOHC)	01/9~05/8	5W-30	7.5W-35	5W-30 SP	2.8	3.0	TYPE7	2.6-2.8		
SCRUM TRUCK	DG16T	R06A(NA)	13/9~	5W-30	7.5W-35	5W-30 SP	2.8	3.0	TYPE7	3.6-3.9		
	DG62T	K6A(DOHC)	01/9~13/8	5W-30	7.5W-35	5W-30 SP	2.8	3.0	TYPE7	2.6-2.8		
SPIANO	HF21S	K6A(DOHC,TURBO)	02/10~	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE7	3.2-3.5		
	HF21S	K6A(DOHC)	02/1~	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE7	3.3		
DEMIO	DJ3FS.DJ3AS	P3-VPS(SKYACTIV)	14/9~	0W-20	0W-25	0W-20 SP	3.5	3.8	TYPE1	5.0-5.2		
	DEJFS	P3-VPS(SKYACTIV)	12/5~14/8	0W-20	0W-25	0W-20 SP	3.5	3.8	TYPE1	6.1		
	DE3FS.DE3AS	ZJ-VE	07/7~14/8	0W-20	0W-25	0W-20 SP	3.7	3.9	TYPE1	4.8-5.5		
	DY3W	ZJ-VE	02/8~07/7	0W-20	0W-25	0W-20 SP	3.7	3.9	TYPE1	4.7		
	DJLFS	P5-VPS	15/10~	0W-20	0W-25	0W-20 SP	3.9	4.2	TYPE1	5.0		
	DJ5FS.DJ5AS	S5-DPTS,S5-DPTR	14/10~	0W-30 D	5W-30 D		4.8	5.1	—	6.6-6.8	Intercooler 2.0	SKYACTIV D
	DE5FS	ZY-VE	07/7~14/8	0W-20	0W-25	0W-20 SP	3.7	3.9	TYPE1	5.1-5.4		
	DY5W	ZY-VE	02/8~07/7	0W-20	0W-25	0W-20 SP	3.7	3.9	TYPE1	4.7		
BIANTE	CCEFW	PE-VPS(SKYACTIV)	13/5~	0W-20	0W-25	0W-20 SP	4.0	4.2	TYPE1	8.0-8.9		
	CCEFW	LF-VDS	09/6~13/4	0W-20	0W-25	0W-20 SP	3.9	4.3	—	7.5 No Rear Heater 8.3 With Rear Heater		
	CCEFW.CCEAW	LF-VD	08/7~	0W-20	0W-25	0W-20 SP	3.9	4.3	—	7.5 No Rear Heater 8.3 With Rear Heater		
	CC3FW	L3-VE	08/7~13/4	0W-20	0W-25	0W-20 SP	3.9	4.3	—	7.7 No Rear Heater 8.4 With Rear Heater		
FAMILIA VAN	NCP160M.NCP165M	1NZ-FE	18/6~	0W-20	0W-25	0W-20 SP	3.4	3.7	TYPE7	5.0		
FLAIR	MJ95S	R06D(NA,HYBRID)	20/2~	0W-16	0W-25	0W-20 SP	2.2	2.4	TYPE5	3.1		
	MJ55S	R06A(NA,HYBRID)	17/3~20/1	0W-16	0W-25	0W-20 SP	2.4	2.6	TYPE5	3.1		
	MJ44S	R06A(NA)	15/8~17/1	0W-20	0W-25	0W-20 SP	2.6	2.8	TYPE5	2.9-3.2		
	MJ44S	R06A(TURBO)	15/8~17/1	5W-30	7.5W-35	5W-30 SP	2.6	2.8	TYPE5	3.4		
	MJ44S	R06A(NA)	14/8~15/7	0W-20	0W-25	0W-20 SP	2.6	2.8	TYPE7	2.9-3.2		
	MJ34S	R06A(TURBO)	12/10~	5W-30	7.5W-35	5W-30 SP	2.6	2.8	TYPE7	3.4		
	MJ34S	R06A(NA)	12/10~	0W-20	0W-25	0W-20 SP	2.6	2.8	TYPE7	2.9-3.2		
FLAIR CROSSOVER	MS52S	R06A(TURBO)	20/2~	5W-30	7.5W-35	5W-30 SP	2.4	2.6	TYPE5	3.1		
	MS92S	R06D(NA,HYBRID)	20/2~	0W-20	0W-25	0W-20 SP	2.2	2.4	TYPE5	3.1		
	MS41S	R06A(TURBO)	15/12~19/12	5W-30	7.5W-35	5W-30 SP	2.6	2.8	TYPE7	3.4		
	MS41S	R06A(NA)	15/5~19/12	0W-20	0W-25	0W-20 SP	2.6	2.8	TYPE7	3.2		
	MS31S	R06A(TURBO)	14/1~19/12	5W-30	7.5W-35	5W-30 SP	2.6	2.8	TYPE7	3.4		
	MS31S	R06A(NA)	14/1~15/4	0W-20	0W-25	0W-20 SP	2.6	2.8	TYPE7	3.1		
FLAIR WAGON	MM53S	R06A(TURBO,HYBRID)	18/2~	5W-30	7.5W-35	5W-30 SP	2.4	2.6		3.1		
	MM53S	R06A(NA,HYBRID)	18/2~	0W-16	0W-25	0W-20 SP	2.4	2.6		3.3		
	MM42S	R06A(TURBO)	15/8~18/1	5W-30	7.5W-35	5W-30 SP	2.6	2.8	TYPE5	3.0-3.2		
	MM42S	R06A(NA)	15/5~18/1	0W-20	0W-25	0W-20 SP	2.6	2.8	TYPE5	3.0-3.2		
	MM32S	R06A(TURBO)	13/4~15/5	5W-30	7.5W-35	5W-30 SP	2.6	2.8	TYPE7	3.0-3.2		
	MM32S	R06A(NA)	13/4~18/1	0W-20	0W-25	0W-20 SP	2.6	2.8	TYPE7	3.0-3.2		
	MM21S	K6A(TURBO)	12/6~13/3	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE7	3.4		
	MM21S	K6A(DOHC)	12/6~13/3	0W-20	0W-25	0W-20 SP	2.7	2.9	TYPE7	3.2		
PREMACY	CP8W	FP-DE(DOHC)	99/3~05/1	0W-20	0W-25	0W-20 SP	3.3	3.5	—	7.5		
	CWFFW	PE-VPS(SKYACTIV)	13/1~18/3	0W-20	0W-25	0W-20 SP	4.0	4.2	TYPE1	6.6		
	CWEFW	LF-VDS	10/7~12/12	0W-20	0W-25	0W-20 SP	3.9	4.3	—	6.0		
	CWEFW	LF-VD	10/7~18/3	0W-20	0W-25	0W-20 SP	3.9	4.3	—	6.0		
	CWEAW	LF-VE	10/7~18/3	0W-20	0W-25	0W-20 SP	3.9	4.3	—	6.0		
	CREW	LF-VD(DISI)	07/1~10/6	0W-20	0W-25	0W-20 SP	3.9	4.3	—	7.5		
	CREW	LF-DE	05/2~10/6	0W-20	0W-25	0W-20 SP	3.9	4.3	—	7.5		
	CPEW	FS-ZE(DOHC)	02/11~05/1	0W-20	0W-25	0W-20 SP	3.3	3.5	—	7.5		
	CPEW	FS-DE(DOHC)	01/7~02/11	0W-20	0W-25	0W-20 SP	3.3	3.5	—	7.5		
	CR3W	L3-VE	05/2~10/6	0W-20	0W-25	0W-20 SP	3.9	4.3	—	7.5		
VERISA	DC5W.DC5R	ZY-VE	04/6~06/8	0W-20	0W-25	0W-20 SP	3.7	3.9	TYPE1	5.0-5.5		
BONGO TRUCK	SLP2T,SLP2L	L8	16/2~	0W-20	0W-25	0W-20 SP	4.0	4.5	—	7.4 MT 7.8 AT		
BONGO VAN	SLP2V,SLP2M	L8	16/2~	0W-20	0W-25	0W-20 SP	4.0	4.5	—	7.4 MT 7.8 AT		
MAZDASPEED AXELA	BL3FW	L3-VDT(TURBO)	09/6~13/11	0W-20	0W-25	0W-20 SP	5.3	5.7	—	7.5		
	BK3P	L3-VDT(TURBO)	06/6~09/6	0W-20	0W-25	0W-20 SP	5.3	5.7	—	7.5		

*The volume in this list is only for reference.
*Actual replaceable volume is about 80% of full volume.

LEXUS

TOYOTA

NISSAN

HONDA

MAZDA

SUZUKI

DAIHATSU

● HKS ENGINE OIL APPLICATION LIST

Vehicle	Model	Engine Model	Model Year	Normal Viscosity	Recommended engine oil		Required Oil Vol. (L)		Oil Filter	Required Coolant Volume (L)		Remarks
					Standard	API	Oil	Oil + Filter		Coolant Volume(L)	Inter Cooler Inverter(L)	
MAZDASPEED ATENZA	GG3P	L3-VDT(TURBO)	05/6~07/12	0W-20	0W-25	0W-20 SP	5.3	5.7	—	8.0		
LAPUTA	HP22S	K6A(DOHC,TURBO)	01/4~05/12	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE7	2.9-3.0 MT 3.2-3.3 AT		
	HP12S	F6A(TURBO)	01/4~05/12	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE7	3.2-3.4 MT 3.5-3.7 AT		
	HP22S	K6A(DOHC,VVT)	01/4~05/12	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE7	3.1-3.2 MT 3.4-3.5 AT		
ROADSTER	ND5RC	P5-VP(SKYACTIV)	15/5~	5W-30	7.5W-35	5W-30 SP	4.1	4.3	TYPE1	5.6-5.8 6.2 NR-A		
	ND5RC	P5-VPR(SKYACTIV)	15/5~	5W-30	7.5W-35	5W-30 SP	4.1	4.3	TYPE1	5.6-5.8 6.2 NR-A		
	NB6C	B6-ZE(DOHC)	98/1~05/7	10W-30	7.5W-35	10W-40 SP	3.2	3.4	TYPE1	6.0		
	NA6CE	B6-ZE(DOHC)	91/9~98/1	10W-30	7.5W-35	10W-40 SP	3.2	3.4	TYPE1	6.0		
	NA6CE	B6(DOHC)	89/9~91/8	10W-30	7.5W-35	10W-40 SP	3.2	3.4	TYPE1	6.0		
	NB8C	BP-ZE(DOHC)	98/1~05/7	10W-30	7.5W-35	10W-40 SP	3.6	3.8	TYPE1	6.0		
	NA8C	BP-ZE(DOHC)	95/8~98/1	10W-30	7.5W-35	10W-40 SP	3.6	3.8	TYPE1	10.0		
	NA8C	BP-ZE(DOHC)	93/9~95/7	10W-30	7.5W-35	10W-40 SP	3.6	3.8	TYPE1	6.0		
	NCEC	LF-VE	05/8~15/5	0W-20	0W-25	0W-20 SP	3.9	4.3	—	7.5		
	NCEC	LF-VE	05/8~15/5	0W-20	0W-25	0W-20 SP	4.1	4.5	—	7.0-7.7		Vehicle No.200520~
ROADSTER RF	NDERC	PE-VPR	16/12~	0W-20	0W-25	0W-20 SP	4.1	4.3	TYPE1	6.0-6.2		
SUZUKI												
Kei (SPORTS,WORKS)	HN22S	K6A(DOHC,TURBO)	01/4~09/10	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE7	3.1-3.2 MT 3.4-3.5 AT		
	HN22S	K6A(DOHC,VVT)	01/4~09/10	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE7	2.9-3.0 MT 3.2-3.3 AT		
	HN21S	K6A(DOHC,TURBO)	99/5~01/3	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE7	3.1-3.2 MT 3.4-3.5 AT		
	HN21S	K6A(DOHC,TURBO)	98/10~99/5	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE7	3.1-3.2 MT 3.4-3.5 AT		
	HN21S	K6A(DOHC)	98/10~01/3	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE7	2.9-3.0 MT 3.2-3.3 AT		
MR WAGON	MF33S	R06A(TURBO)	11/1~	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE7	3.4		
	MF33S	R06A(NA)	11/1~	0W-20	0W-25	0W-20 SP	2.7	2.9	TYPE7	3.2-3.3		
	MF22S	K6A(DOHC,VVT)	08/10~10/12	0W-20	0W-25	0W-20 SP	2.7	2.9	TYPE7	3.3		
	MF22S	K6A(DOHC,TURBO)	06/1~10/12	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE7	3.5		
	MF22S	K6A(DOHC,VVT)	06/1~08/10	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE7	3.3		
	MF21S	K6A(DOHC,VVT)	02/4~05/12	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE7	3.3		
	MF21S	K6A(DOHC,TURBO)	01/12~05/12	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE7	3.5		
	MF21S	K6A(DOHC,VVT)	01/12~02/4	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE7	3.3		
SX4	YA11S.YB11S	M15A(DOHC)	06/7~	0W-20	0W-25	0W-20 SP	3.7	3.9	TYPE6	7.5		
	YA41S.YB41S	J20A	06/7~09/4	5W-30	7.5W-35	5W-30 SP	4.3	4.5	TYPE6	6.3		
SX4 S-CROSS	YA22S.YB22S	M16A(DOHC,VVT)	15/2~	0W-20	0W-25	0W-20 SP	4.1	4.3	TYPE6	6.1		
ALTO	HA36S	R06A(TURBO)	15/3~	5W-30	7.5W-35	5W-30 SP	2.4	2.6	TYPE5	3.0		
	HA36S	R06A(NA)	14/12~	0W-20	0W-25	0W-20 SP	2.4	2.6	TYPE5	3.0-3.2		
	HA36V	R06A(NA)	14/12~	0W-20	0W-25	0W-20 SP	2.4	2.6	TYPE5	3.0-3.2		
	HA35S	R06A(NA)	11/2~14/12	0W-20	0W-25	0W-20 SP	2.6	2.8	TYPE7	3.0-3.2		
	HA25S	K6A(DOHC)	09/12~14/12	0W-20	0W-25	0W-20 SP	2.7	2.9	TYPE7	3.0-3.3		
	HA25V	K6A(DOHC)	09/12~14/12	0W-20	0W-25	0W-20 SP	2.7	2.9	TYPE7	3.0-3.3		
	HA24V	K6A(4VALVE·DOHC)	05/1~09/12	0W-20	0W-25	0W-20 SP	2.7	2.9	TYPE7	3.0-3.3		
	HA24S	K6A(4VALVE·DOHC)	04/9~09/12	0W-20	0W-25	0W-20 SP	2.7	2.9	TYPE7	3.0-3.3		
ALTO LAPIN	HE21S	K6A(4バルブ·DOHC·TURBO)	02/10~08/11	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE7	3.2-3.5		
	HE21S	K6A(4VALVE·DOHC)	02/1~08/11	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE7	3.3		
IGNIS	FF21S	K12C	16/1~	0W-16	0W-25	0W-20 SP	3.1	3.3	TYPE5	4.2		
ESCUDO	YE41S	K14C(TURBO)	17/7~	5W-30	7.5W-35	5W-30 SP	3.1	3.3	TYPE7	5.7		
	TA74W	M16A(DOHC,VVT)	06/6~08/5	5W-30	7.5W-35	5W-30 SP	4.0	4.2	TYPE6	7.0		
	TD54W	J20A(DOHC)	06/6~08/5	5W-30	7.5W-35	5W-30 SP	4.5	4.7	TYPE6	7.2-7.3		
	TD54W	J20A(DOHC)	05/5~06/6	5W-30	7.5W-35	5W-30 SP	5.0	5.2	TYPE6	7.2-7.3		
	TL52W	J20A(DOHC)	00/4~05/4	10W-30	7.5W-35	10W-40 SP	5.0	5.2	TYPE6	6.5		
	TDA4W	J24B	08/6~	0W-20	0W-25	0W-20 SP	4.6	4.8	TYPE6	7.2-7.3		
	TD94W	H27A(DOHC)	05/5~08/5	5W-30	7.5W-35	5W-30 SP	4.3	4.8	—	8.2		
	TDB4W	N32A(DOHC)	08/6~	5W-30	7.5W-35	5W-30 SP	5.5	6.0	—	8.2		
	DA17V.DA17W	R06A(TURBO)	15/2~	5W-30	7.5W-35	5W-30 SP	2.7	2.8	TYPE5	5.4-5.5		
EVERY	DA17V.DA17W	R06A(NA)	15/2~	5W-30	7.5W-35	5W-30 SP	2.7	2.8	TYPE5	5.0-5.5 MT.AGS 4.8-5.3 AT		
	DA64V.DA64W	K6A(DOHC,TURBO)	10/5~15/1	10W-30	7.5W-35	10W-40 SP	2.8	3.0	TYPE7	6.0-6.2		
	DA64V.DA64W	K6A(DOHC)	10/5~15/1	5W-30	7.5W-35	5W-30 SP	2.8	3.0	TYPE7	6.0-6.2		
	DA64V.DA64W	K6A(DOHC,TURBO)	05/8~10/4	10W-30	7.5W-35	10W-40 SP	2.8	3.0	TYPE7	6.0-6.2		

*The volume in this list is only for reference.
*Actual replaceable volume is about 80% of full volume.

● HKS ENGINE OIL APPLICATION LIST

Vehicle	Model	Engine Model	Model Year	Normal Viscosity	Recommended engine oil		Required Oil Vol. (L)		Oil Filter	Required Coolant Volume (L)		Remarks
					Standard		Oil	Oil + Filter		Coolant Volume (L)	Inter Cooler Inverter(L)	
					Standard	API						
EVERY	DA64V.DA64W	K6A(DOHC)	05/8~10/4	5W-30	7.5W-35	5W-30 SP	2.8	3.0	TYPE7	6.0-6.2		
	DA62V.DA62W	K6A(DOHC,TURBO)	01/9~05/7	10W-30	7.5W-35	10W-40 SP	2.8	3.0	TYPE7	2.6-2.8		
	DA62V.DA62W	K6A(DOHC)	01/9~05/7	5W-30	7.5W-35	5W-30 SP	2.8	3.0	TYPE7	2.6-2.8		
EVERY LANDY	DA32W	G13B	01/5~05/6	5W-30	7.5W-35	5W-30 SP	4.0	4.2	TYPE7	6.0		
AERIO	RA21S.RB21S	M15A(DOHC)	01/1~07/7	0W-20	0W-25	0W-20 SP	3.6	3.8	TYPE6	6.5		
	RC51S.RD51S	M18A(DOHC,VVT)	03/1~07/7	0W-20	0W-25	0W-20 SP	3.6	3.8	TYPE6	6.5		
CAPPUCCINO	EA21R	K6A	95/5~98/1	10W-30	7.5W-35	10W-40 SP	2.7	2.9	TYPE7	4.3		
	EA11R	F6A	91/11~95/5	10W-30	7.5W-35	10W-40 SP	2.8	3.0	TYPE7	4.0		
CARRY	DA63T.DA65T	K6A(DOHC)	01/9~13/8	5W-30	7.5W-35	5W-30 SP	2.8	3.0	TYPE7	4.0-4.1 MT 4.1-4.4 AT		
	DA16T	R06A(NA)	13/9~	5W-30	7.5W-35	5W-30 SP	2.8	3.0	TYPE7	3.6-3.9		
XBEE	MN71S	K10C(TURBO)	17/12~	5W-30	7.5W-35	5W-30 SP	2.7	2.9		4.3		
GRAND ESCUDO	TX92W	H27A(DOHC)	00/12~05/5	5W-30	7.5W-35	5W-30 SP	5.0	5.5	—	8.2		
CHEVROLET CRUZE	HR52S	M13A(DOHC)	03/11~08/6	5W-30	7.5W-35	5W-30 SP	3.6	3.8	TYPE6	4.6		
	HR82S	M15A(DOHC)	03/11~08/6	5W-30	7.5W-35	5W-30 SP	3.6	3.8	TYPE6	4.6		
JIMNY	JB64W	R06A(TURBO)	18/7~	5W-30	7.5W-35	5W-30 SP	2.6	2.8	TYPE5	4.7-4.8		
	JB23W	K6A(DOHC,TURBO)	08/6~18/6	5W-30	7.5W-35	5W-30 SP	2.8	3.0	TYPE7	3.7-4.0		
	JB23W	K6A(DOHC,TURBO)	02/1~08/5	5W-30	7.5W-35	5W-30 SP	2.8	3.0	TYPE7	3.7-4.0		
	JB23W	K6A(DOHC,TURBO)	98/10~02/1	5W-30	7.5W-35	5W-30 SP	2.8	3.0	TYPE7	3.7-4.0		
	JB23W	K6A(DOHC)	98/10~02/1	5W-30	7.5W-35	5W-30 SP	2.8	3.0	TYPE7	4.0		
JIMNY SIERRA	JB74W	K15B	18/7~	0W-16	0W-25	0W-20 SP	3.4	3.6	TYPE7	4.9-5.0		
	JB43W	M13A(DOHC)	02/1~18/6	5W-30	7.5W-35	5W-30 SP	3.8	4.0	TYPE6	5.2-5.9		
SWIFT	ZC13S	K10C(TURBO)	17/1~	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE7	4.2		
	ZC43S	K12C(HYBRID)	17/7~	0W-16	0W-25	0W-20 SP	3.1	3.3	TYPE5	4.8		
	ZC83S	K12C	17/1~	0W-16	0W-25	0W-20 SP	3.1	3.3	TYPE5	4.1-4.3		
	ZD83S	K12C	17/1~	0W-16	0W-25	0W-20 SP	3.1	3.3	TYPE5	4.1-4.3		
	ZC53S	K12C(HYBRID)	17/1~	0W-16	0W-25	0W-20 SP	3.1	3.3	TYPE5	4.1-4.3		
	ZD53S	K12C(HYBRID)	17/1~	0W-16	0W-25	0W-20 SP	3.1	3.3	TYPE5	4.1-4.3		
	ZC72S	K12B(DJE)	13/7~16/12	0W-20	0W-25	0W-20 SP	2.9	3.1	TYPE7	4.5-4.8		
	ZD72S	K12B	13/7~16/12	0W-20	0W-25	0W-20 SP	2.9	3.1	TYPE7	4.6-4.8		
	ZC72S	K12B	10/8~16/12	0W-20	0W-25	0W-20 SP	2.9	3.1	TYPE7	4.5-4.8		
	ZD72S	K12B	10/8~13/6	0W-20	0W-25	0W-20 SP	2.9	3.1	TYPE7	4.6-4.8		
	ZC71S	K12B	07/5~10/8	0W-20	0W-25	0W-20 SP	3.2	3.4	TYPE7	5.1		
	ZC11S.ZD11S	M13A(DOHC,VVT)	04/11~10/8	0W-20	0W-25	0W-20 SP	3.7	3.9	TYPE6	6.1-6.2		
	HT51S	M13A(DOHC)	00/1~04/10	5W-30	7.5W-35	5W-30 SP	3.6	3.8	TYPE6	4.6		
	ZC21S.ZD21S	M15A(DOHC,VVT)	04/11~10/8	0W-20	0W-25	0W-20 SP	3.7	3.9	TYPE6	6.1		
SWIFT SPORTS	ZC33S	K14C(TURBO)	17/9~	5W-30	7.5W-35	5W-30 SP	3.1	3.3	TYPE7	5.4-5.6		
	ZC32S	M16A(DOHC,VVT)	11/11~17/8	0W-20	0W-25	0W-20 SP	3.7	3.9	TYPE6	6.4		
	ZC31S	M16A(DOHC,VVT)	05/9~10/8	0W-20	0W-25	0W-20 SP	3.7	3.9	TYPE6	6.1-6.2		
SPLASH	XB32S	K12B	08/10~	0W-20	0W-25	0W-20 SP	2.9	3.1	TYPE7	4.5		
SPACIA	MK53S	R06A(TURBO,HYBRID)	17/12~	5W-30	7.5W-35	5W-30 SP	2.4	2.6	TYPE5	3.1		
	MK53S	R06A(NA,HYBRID)	17/12~	0W-16	0W-25	0W-20 SP	2.4	2.6	TYPE5	3.3		
	MK42S	R06A(TURBO)	15/8~17/11	5W-30	7.5W-35	5W-30 SP	2.6	2.8	TYPE5	3.0-3.2		
	MK42S	R06A(NA)	15/5~17/11	0W-20	0W-25	0W-20 SP	2.6	2.8	TYPE5	3.0-3.2		
	MK32S	R06A(TURBO)	13/3~15/4	5W-30	7.5W-35	5W-30 SP	2.6	2.8	TYPE7	3.4		
	MK32S	R06A(NA)	13/3~15/4	0W-20	0W-25	0W-20 SP	2.6	2.8	TYPE7	3.0		
CERVO	HG21S	K6A(DOHC)	06/11~09/12	0W-20	0W-25	0W-20 SP	2.7	2.9	TYPE7	3.5		
	HG21S	K6A(DOHC,TURBO)	06/11~09/12	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE7	3.3		
SOLIO	MA27S	K12C	20/11~	0W-16	0W-25	0W-20 SP	3.1	3.3		4.3		
	MA37S	K12C(HYBRID)	20/11~	0W-16	0W-25	0W-20 SP	3.1	3.3		4.3		HYBRID
	MA26S	K12C	15/8~	0W-16	0W-25	0W-20 SP	3.1	3.3	TYPE5	4.3		
	MA36S	K12C(HYBRID)	15/8~	0W-16	0W-25	0W-20 SP	3.1	3.3	TYPE5	4.4		
	MA15S	K12B	11/1~15/7	0W-20	0W-25	0W-20 SP	2.9	3.1	TYPE7	4.6		
	MA34S	M13A(DOHC,VVT)	05/8~11/1	5W-30	7.5W-35	5W-30 SP	3.6	3.8	TYPE5	4.4		
TWIN	EC22S	K6A	03/1~05/8	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE7	3.0-3.3		
HASTLER	MR52S	R06A(TURBO)	20/1~	5W-30	7.5W-35	5W-30 SP	2.4	2.6	TYPE5	3.1		
	MR92S	R06D(NA,HYBRID)	20/1~	0W-20	0W-25	0W-20 SP	2.2	2.4	TYPE5	3.1		
	MR41S	R06A(TURBO)	15/12~19/12	5W-30	7.5W-35	5W-30 SP	2.6	2.8	TYPE5	3.4		
	MR41S	R06A(NA)	15/5~19/12	0W-20	0W-25	0W-20 SP	2.6	2.8	TYPE5	3.0-3.2		
	MR31S	R06A(TURBO)	14/1~19/12	5W-30	7.5W-35	5W-30 SP	2.6	2.8	TYPE7	3.4		
	MR31S	R06A(NA)	14/1~19/12	0W-20	0W-25	0W-20 SP	2.6	2.8	TYPE7	2.9-3.0		

*The volume in this list is only for reference.
*Actual replaceable volume is about 80% of full volume.

LEXUS

TOYOTA

NISSAN

HONDA

MAZDA

SUBARU

MAZDA

SUZUKI

DAIHATSU

● HKS ENGINE OIL APPLICATION LIST

Vehicle	Model	Engine Model	Model Year	Normal Viscosity	Recommended engine oil		Required Oil Vol. (L)		Oil Filter	Required Coolant Volume (L)		Remarks
					Standard		Oil	Oil + Filter		Coolant Volume (L)	Inter Cooler Inverter(L)	
					Standard	API						
BALENO	WB42S	K10C (TURBO)	16/5~	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE7	4.5		
	WB32S	K12C	16/3~	0W-16	0W-25	0W-20 SP	3.1	3.3	TYPE5	4.4		
PALETTE	MK21S	K6A (DOHC)	09/9~13/2	0W-20	0W-25	0W-20 SP	2.7	2.9	TYPE7	3.2		
	MK21S	K6A (TURBO)	09/9~13/2	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE7	3.4		
	MK21S	K6A	08/1~09/8	0W-20	0W-25	0W-20 SP	2.7	2.9	TYPE7	3.2		
LAPIN	HE33S	R06A (NA)	15/6~	0W-20	0W-25	0W-20 SP	2.6	2.8	TYPE5	3.0-3.2		
	HE22S	K6A (4VALVE DOHC)	08/11~15/5	0W-20	0W-25	0W-20 SP	2.7	2.9	TYPE7	3.2-3.3		
	HE22S	K6A (4バルブ DOHC TURBO)	08/11~15/5	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE7	3.4		
LANDY	SC27	MR20DD	16/12~	0W-16	0W-25	0W-20 SP	3.6	3.8	TYPE1	8.3 No Rear Cooler 10.1 With Rear Cooler		
	SGC27.SGNC27	MR20DD S-HYBRID	16/12~	0W-16	0W-25	0W-20 SP	3.6	3.8	TYPE1	8.3 No Rear Cooler 10.1 With Rear Cooler		
	SHC26	MR20DD S-HYBRID	12/8~16/11	0W-20	0W-25	0W-20 SP	3.6	3.8	TYPE1	6.3 Auto Dual A/C		
	SC26.SNC26	MR20DD	10/12~16/11	0W-20	0W-25	0W-20 SP	3.6	3.8	TYPE1	6.3 Auto Dual A/C		
	SC25.SNC25	MR20DE	07/1~10/11	0W-20	0W-25	0W-20 SP	3.6	3.8	TYPE1	6.7 With Rear Cooler 8.2 With Rear A/C		
WAGON R	MH85S	R06D (NA)	20/2~	0W-16	0W-25	0W-20 SP	2.2	2.4	TYPE5	3.1		
	MH95S	R06D (NA,HYBRID)	20/2~	0W-16	0W-25	0W-20 SP	2.2	2.4	TYPE5	3.1		
	MH35S	R06A (NA)	17/2~20/1	0W-16	0W-25	0W-20 SP	2.4	2.6	TYPE5	3.1		
	MH55S	R06A (NA,HYBRID)	17/2~20/1	0W-16	0W-25	0W-20 SP	2.4	2.6	TYPE5	3.1		
	MH55S	R06A (TURBO,HYBRID)	17/2~	5W-30	7.5W-35	5W-30 SP	2.6	2.8	TYPE5	3.0		
	MH44S	R06A (TURBO)	15/8~17/1	5W-30	7.5W-35	5W-30 SP	2.6	2.8	TYPE5	3.4		
	MH44S	R06A (NA)	14/8~17/1	0W-20	0W-25	0W-20 SP	2.6	2.8	TYPE5	2.9-3.2		
	MH34S	R06A (NA)	12/9~17/1	0W-20	0W-25	0W-20 SP	2.6	2.8	TYPE5	2.9-3.2		
	MH34S	R06A (TURBO)	12/9~17/1	5W-30	7.5W-35	5W-30 SP	2.6	2.8	TYPE5	3.4		
	MH23S	K6A (DOHC)	08/9~12/9	0W-20	0W-25	0W-20 SP	2.7	2.9	TYPE7	3.0-3.3		
	MH23S	K6A (TURBO)	08/9~12/9	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE7	3.4		
	MH22S	K6A (DOHC)	07/2~08/8	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE7	3.0-3.3		
	MH22S	K6A (DOHC,TURBO)	07/2~08/8	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE7	3.5		
	MH22S	K6A (DOHC,TURBO,DI)	07/2~08/8	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE7	3.5		
	MH21S	K6A (DOHC)	03/9~07/2	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE7	3.0-3.3		
	MH21S	K6A (DOHC,TURBO)	03/9~07/2	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE7	3.5		
	MH21S	K6A (DOHC,TURBO,DI)	03/9~07/2	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE7	3.5		
WAGON R SORIO	MA64S	K10A (DOHC)	00/11~05/8	5W-30	7.5W-35	5W-30 SP	3.2	3.5	TYPE7	4.0		
	MA34S	M13A (DOHC)	00/11~05/8	5W-30	7.5W-35	5W-30 SP	3.6	3.8	TYPE6	4.6		
DAIHATSU												
YRV	M201G.M211G	K3VET (DOHC,VVT,TURBO)	00/8~05/8	5W-30	7.5W-35	5W-30 SP	3.3	3.6	TYPE6	5.2		
	M201G.M211G	K3VE (DOHC,VVT)	00/8~05/8	5W-30	7.5W-35	5W-30 SP	3.3	3.6	TYPE6	4.9-5.0		
ATRAI WAGON	S321G.S331G	KF-DET (DOHC,TURBO)	10/12~	5W-30	7.5W-35	5W-30 SP	3.2	3.4	TYPE6	5.4-5.8		
	S321G.S331G	KF-DET (DOHC,TURBO)	07/9~10/12	5W-30	7.5W-35	5W-30 SP	3.0	3.2	TYPE6	5.4-5.8		
	S320G.S330G	EF-DET (DOHC,TURBO)	05/5~07/9	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE6	6.0-6.4 MT 5.9-6.3 AT		
	S220G.S230G	EF-DET (DOHC,TURBO)	01/12~05/4	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE6	5.1-5.5 MT 5.0-5.4 AT		
	S220G.S230G	EF-VE (DOHC)	01/12~05/4	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE6	5.1-5.5 MT 4.9-5.3 AT		
ALTIS	ACV40N.AC45N	2AZ-FE	06/1~10/2	0W-20	0W-25	0W-20 SP	4.1	4.3	—	6.2		
	ACV30N.SXV35N	2AZ-FE	01/9~06/1	5W-20	0W-25	5W-30 SP	4.1	4.3	—	6.2		
	AXVH70N	A25A-FXS (HYBRID)	17/7~	0W-16	0W-25	0W-20 SP	4.2	4.5	—	6.1	PCU 1.7	HYBRID
	AVV50N	2AR-FXE	12/5~17/6	0W-20	0W-25	0W-20 SP	4.0	4.4	—	7.2	Inverter 3.2	HYBRID
WAKE	LA700S.LA710S	KF-VE	14/11~	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE6	3.5		
	LA700S.LA710S	KF-VET (TURBO)	14/11~	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE6	3.5		
ESSE	L235S.L245S	KF-VE	05/12~11/9	5W-30	7.5W-35	5W-30 SP	2.6	2.8	TYPE6	3.5		
CAST	LA250S.LA260S	KF-VE	15/9~	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE6	3.4		
	LA250S.LA260S	KF-VET (TURBO)	15/9~	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE6	3.4-3.5		
COO	M401S.M411S	K3-VE	06/5~13/1	5W-30	7.5W-35	5W-30 SP	2.8	3.1	—	4.2		
	M402S	3SZ-VE	06/5~13/1	5W-30	7.5W-35	5W-30 SP	2.8	3.1	—	4.4		
COPEN	LA400K	KF-VET (TURBO)	14/6~	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE6	3.0		
	L880K	JB-DET (TURBO)	02/6~12/9	5W-30	7.5W-35	5W-30 SP	2.5	2.7	TYPE5	3.8		
SONICA	L405S.L415S	KF-DET (DOHC,TURBO)	06/6~09/5	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE6	3.6		
TANTO	LA650S.LA660S	KF-VE	19/7~	0W-16	0W-25	0W-20 SP	3.1	3.3	TYPE6	3.4		
	LA650S.LA660S	KF-VET (TURBO)	19/7~	0W-20	0W-25	0W-20 SP	3.1	3.3	TYPE6	3.4		

*The volume in this list is only for reference.
*Actual replaceable volume is about 80% of full volume.

● HKS ENGINE OIL APPLICATION LIST

Vehicle	Model	Engine Model	Model Year	Normal Viscosity	Recommended engine oil		Required Oil Vol. (L)		Oil Filter	Required Coolant Volume (L)		Remarks
					Standard		Oil	Oil+ Filter		Coolant Volume (L)	Inter Cooler Inverter (L)	
					Standard	API						
TANTO	LA600S.LA610S	KF-VE	13/10~	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE6	3.5		
	LA600S.LA610S	KF-VET (TURBO)	13/10~	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE6	3.5		
	L375S.L385S	KF-VE	07/12~13/9	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE6	2.8-3.0		
	L375S.L385S	KF-DET (DOHC,TURBO)	07/12~13/9	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE6	2.9-3.2		
	L350S.S360S	EF-VE (DOHC)	03/11~07/12	5W-30	7.5W-35	5W-30 SP	2.1	2.3	TYPE6	3.3		
	L350S.S360S	EF-DET (DOHC-TURBO)	03/11~07/12	5W-30	7.5W-35	5W-30 SP	2.1	2.3	TYPE6	3.4		
TANTO EXE	L455S.L465S	KF-VE	09/12~	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE6	2.8		
	L455S.L465S	KF-VET (TURBO)	09/12~	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE6	3.1		
THOR	M900S.M910S	1KR-FE	16/11~	0W-20	0W-25	0W-20 SP	2.9	3.1	—	4.4		
	M900S	1KR-VET	16/11~	0W-20	0W-25	0W-20 SP	2.9	3.1	—	5.0		
HIJET/ATRAI	S500P.S510P	KF-VE	14/9~	5W-30	7.5W-35	5W-30 SP	3.2	3.4	TYPE6	3.8		
	S321V.S331V	KF-VE	07/12~	5W-30	7.5W-35	5W-30 SP	3.0	3.2	TYPE6	5.3-5.7 MT 5.2-5.6 AT		
		KF-DET (DOHC,TURBO)	07/12~	5W-30	7.5W-35	5W-30 SP	3.2	3.4	TYPE6	5.5-5.9 MT 5.4-5.8 AT		
	S201P.S211P	KF-VE	07/12~14/8	5W-30	7.5W-35	5W-30 SP	3.2	3.4	TYPE6	3.8		
	S320V.S330V.S320W.S330W	EF-SE	04/12~07/11	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE6	5.9-6.4 MT 5.8-6.2 AT		
	S320V.S330V	EF-DET (DOHC,TURBO)	04/12~07/11	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE6	6.0-6.4 MT 5.9-6.3 AT		
	S200P.S210P	EF-SE	04/12~07/11	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE6	4.8-5.0		
S200P.S210P	EF-VE (DOHC)	04/12~07/11	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE6	5.1-5.5 MT 4.9-5.3 AT			
BOON	M312S	KJ-VET	06/3~10/1	5W-30	7.5W-35	5W-30 SP	3.3	3.6	—	3.5		
	M700S.M710S	1KR-FE	16/4~	0W-20	0W-25	0W-20 SP	2.9	3.1	—	4.3		
	M600S.M610S	1KR-FE	14/4~16/3	0W-20	0W-25	0W-20 SP	2.9	3.1	—	4.0-4.3		
	M600S.M610S	1KR-FE	10/2~14/3	5W-30	7.5W-35	5W-30 SP	2.9	3.1	—	4.0-4.3		
	M300S.M310S	1KR-FE	04/6~10/1	5W-30	7.5W-35	5W-30 SP	2.9	3.1	—	3.9		
	M601S	1NR-FE	10/2~12/5	5W-30	7.5W-35	5W-30 SP	3.4	3.6	—	4.5		
	M301S	K3-VE	07/6~10/1	5W-30	7.5W-35	5W-30 SP	2.8	3.1	—	4.1		
	M301S	K3-VE	05/1~07/6	5W-30	7.5W-35	5W-30 SP	3.3	3.6	—	4.1		
BOON Luminas	M502G.M512G	3SZ-VE	08/12~12/3	5W-30	7.5W-35	5W-30 SP	2.8	3.1	—	4.5		
MAX	L952S.L962S	JB-DET (TURBO)	02/5~05/12	5W-30	7.5W-35	5W-30 SP	2.5	2.7	TYPE6	3.6		
	L950S	EF-VE (DOHC)	02/5~05/12	5W-30	7.5W-35	5W-30 SP	2.1	2.3	TYPE6	3.4-3.5		
	L950S	EF-DET (DOHC,TURBO)	02/5~05/12	5W-30	7.5W-35	5W-30 SP	2.1	2.3	TYPE6	3.4-3.5		
	L950S.L960S	EF-VE (DOHC)	01/10~02/5	5W-30	7.5W-35	5W-30 SP	2.1	2.3	TYPE6	3.4-3.5		
	L950S.L960S	EF-DET (DOHC,TURBO)	01/10~02/5	5W-30	7.5W-35	5W-30 SP	2.1	2.3	TYPE6	3.4-3.5		
MIRA	L250S.L250V.L260S.L260V	EF-VD (DOHC)	02/12~06/12	5W-30	7.5W-35	5W-30 SP	2.1	2.3	TYPE6	2.8-3.6 MT 2.8-3.5 AT 3.5 CVT		
	L250S.L250V.L260S.L260V	EF-VE (DOHC)	02/12~06/12	5W-30	7.5W-35	5W-30 SP	2.1	2.3	TYPE6	2.8-3.6 MT 2.8-3.5 AT 3.5 CVT		
	L250S.L250V.L260S.L260V	EF-SE	02/12~06/12	5W-30	7.5W-35	5W-30 SP	2.1	2.3	TYPE6	2.8-3.6 MT 2.8-3.5 AT 3.5 CVT		
MIRA/CUSTOM	L275S.L285S	KF-VE	06/12~	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE6	3.0-3.1		
	L275S.L285S	KF-DET (DOHC,TURBO)	06/12~	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE6	3.0		
MIRA AVY	L250S.L260S	EF-DET (DOHC-TURBO)	02/12~06/12	5W-30	7.5W-35	5W-30 SP	2.1	2.3	TYPE6	3.4-3.5		
	L250S.L260S	EF-VE (DOHC)	02/12~06/12	5W-30	7.5W-35	5W-30 SP	2.1	2.3	TYPE6	2.8-3.6 MT 2.8-3.5 AT 3.4 CVT		
MIRA eS	LA350S.LA360S	KF-VE	17/5~	0W-20	0W-25	0W-20 SP	2.7	2.9	TYPE6	2.9		
	LA300S.LA310S	KF-VE	11/9~17/4	0W-20	0W-25	0W-20 SP	2.7	2.9	TYPE6	3.2		
MIRA COCOA	L675S.L685S	KF-VE	09/8~	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE6	3.2		
MIRA GINO	L650S.L660S	EF-VE (DOHC)	04/11~09/4	5W-30	7.5W-35	5W-30 SP	2.1	2.3	TYPE6	3.3		
MIRA TOCOT	LA550S,LA560S	EF-VE (DOHC)	18/6~	0W-20	0W-25	0W-20 SP	2.7	2.9	TYPE6	3.2		
MOVE/CUSTOM	LA150S.LA160S	KF-VE	14/12~	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE6	3.4		
	LA150S.LA160S	KF-VET (DOHC,TURBO)	14/12~	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE6	3.5		
	LA100S.LA110S	KF-VE	10/12~14/11	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE6	2.8		
	LA100S.LA110S	KF-DET (DOHC,TURBO)	10/12~14/11	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE6	2.9		
	L175S.L185S	KF-VE	06/10~10/12	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE6	3.0-3.1		
	L175S.L185S	KF-DET (DOHC,TURBO)	06/10~10/12	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE6	3.0-3.2		
	L150S	EF-VE (DOHC)	02/10~06/9	5W-30	7.5W-35	5W-30 SP	2.1	2.3	TYPE6	3.3-3.4		
	L150S	EF-DET (DOHC-TURBO)	02/10~06/9	5W-30	7.5W-35	5W-30 SP	2.1	2.3	TYPE6	3.4-3.5		
	L152S	JB-DET (TURBO)	02/10~06/9	5W-30	7.5W-35	5W-30 SP	2.1	2.3	TYPE6	3.6		
MOVE CANBUS	LA800S.LA810S	KF-VE	16/9~	0W-20	0W-25	0W-20 SP	2.7	2.9	TYPE6	3.5		
MOVE CONTE	L575S.L585S	KF-VE	08/8~	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE6	2.8-3.3		
	L575S.L585S	KF-DET (DOHC,TURBO)	08/8~	5W-30	7.5W-35	5W-30 SP	2.7	2.9	TYPE6	2.9-3.0		
MOVE LATTE	L550S.L560S	EF-VE (DOHC)	04/8~09/12	5W-30	7.5W-35	5W-30 SP	2.1	2.3	TYPE6	3.3		
	L550S.L560S	EF-DET (DOHC-TURBO)	04/8~09/12	5W-30	7.5W-35	5W-30 SP	2.1	2.3	TYPE6	3.4		
MEBIUS	ZVW41N	2ZR-FXE (HYBRID)	13/4~	0W-20	0W-25	0W-20 SP	3.9	4.2	—	6.5-6.9	PCU 2.7	
ROCKY	A200S.A210S	1KR-VET	19/11~	0W-20	0W-25	0W-20 SP	2.9	3.1	—	4.7		

*The volume in this list is only for reference.
*Actual replaceable volume is about 80% of full volume.

LEXUS

TOYOTA

NISSAN

HONDA

MITSUBISHI

SUBARU

MAZDA

SUZUKI

DAIHATSU

LEXUS

TOYOTA

NISSAN

HONDA

MITSUBISHI

SUBARU

MAZDA

SUZUKI

DAIHATSU


www.hks-power.co.jp

Unauthorized reproduction is strictly prohibited.

⚠ [SAFETY PRECAUTIONS] Read the instruction manual prior to the installation for proper use.

●The products listed in this catalog are available for sale as of April, 2021. Contact HKS dealers for inquiries about vehicles not listed. ●All results of these graphs shown in this catalog are based on the specified conditions. ●The specifications of this product are subject to change without notice. Product image for illustration purposes only. Actual product may vary. ●HKS will not be responsible for any damage caused by incorrect installation and/or use, installation to inapplicable vehicles, or use after modification and/or dismantling of this product. For some vehicles, the vehicle modification permission may be required.

■Year conversion sheet

2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021
H.12	H.13	H.14	H.15	H.16	H.17	H.18	H.19	H.20	H.21	H.22	H.23	H.24	H.25	H.26	H.27	H.28	H.29	H.30	H.31 R.1	R.2	R.3

H = Heisei R = Reiwa