



GT TURBINE SERIES パーツリスト

本書は、GT TURBINE SERIES のパーツリスト、サポートパーツおよび
サポートパーツの締付トルクを記載しています。
取付け前に、セット内容の有無・数量を確認してください。
お読みになった後は、取扱説明書と一緒に大切に保管してください。


| | |
|-----------|---|
| 商 品 名 | 汎用タービン |
| 用 途 | 自動車専用部品 |
| コ ー ド No. | 14001-AK065 GT5565_BB T25 A/R 0.75 14001-AK068 GT4950_BB T25 A/R 0.75 14001-AK071 GT4950_BB RS T25 A/R 0.75 14001-AK072 GT6290_BB 4R T4 A/R 0.61 14001-AK073 GT6290_BB 4R T4 A/R 0.81 |
| 製品説明書品番 | E04211-K00080-00 |
| 適応タービン | 型式 : GT6290_BB, GT5565_BB, GT4950_BB |

改訂の記録

| 改訂No. | 日付 | 記載変更内容 |
|--------|------------|--------|
| 3-3.01 | 2023/09/22 | 初版 |
| | | |
| | | |


●GT6290_BB(14001-AK072,14001-AK073)

パーツリスト



③
締付けトルク N・m (kgf・m)
T=14.2~15.2(1.5~1.6)

⑤
締付けトルク N・m (kgf・m)
T=7.8~8.8(0.8~0.9)



| No. | 品名 | 数量 | 備考 |
|-----|---------------|----|------------------------------|
| ① | SUPERCORE | 1 | GT6290_BB 4R HSG |
| ② | TURBO HOUSING | 1 | A/R0.61 もしくは A/R0.81 |
| ③ | V band | 1 | 刻印: 446397-0382 ターボハウジング取付け用 |
| ④ | Gasket | 1 | ターボインレット用 |
| ⑤ | V band | 1 | 刻印: φ99.1 ターボアウトレット用 |

・オイルインレットフィッティング、オイルアウトレットパイプは付属していません。



サポートパーツリスト P2 をご参照いただき、別途ご購入ください。

・水配管用パーツは付属していません。

サポートパーツリスト P3 をご参照いただき、別途ご購入ください。

■GT6290_BB 用 サポートパーツ(別売)

(1) オイルインレットパーツ, オイルアウトレットパーツ



| コード No. | 商品名 | 備考 |
|-------------|----------------------|--|
| 14008-AK023 | Oil Inlet Parts Kit | バンジョー(φ12-AN4)、銅ワッシャ(17.4×12.2×t1.0)、銅ワッシャ(18×11×t1.0)、バンジョーボルト(7/16-24 UNS オリフィスφ1.0) |
| 14008-AK032 | 銅ワッシャ | (17.4×12.2×t1.0) 2枚、(18×11×t1.0) 2枚 |
| 14008-AK024 | Oil Outlet Parts Kit | (アウトレットパイプ外径:φ19、L=87mm)、六角穴付きボルト(M8×P1.25、L=20) 2個、ガスケット |
| 14008-AK025 | Oil Outlet Parts Kit | (アウトレットパイプ外径:φ16、L=65mm)、六角穴付きボルト(M8×P1.25、L=20) 2個、ガスケット |
| 14009-AK012 | Gasket Oil Outlet | (取付け穴ピッチ 38mm M8 対応) 2枚 |



14008-AK022, 14008-AK028



| コード No. | 商品名 | 備考 |
|-------------|-------------------|------------------------------------|
| 14008-AK022 | Flange Oil Outlet | (適応パイプ外径:φ19、材質:スチール、取付け穴ピッチ 38mm) |
| 14008-AK028 | Flange Oil Outlet | (適応パイプ外径:φ16、材質:スチール、取付け穴ピッチ 38mm) |

■GT6290_BB 用 サポートパーツ(別売)


(2) 水配管パーツ



| コード No. | 商品名 | 備考 |
|-------------|--------------------------|--|
| 14999-AK053 | GT タービン水冷配管用セット D タイプ | ニップル(M14×P1.5-φ10) 2 個、 ホースバンド 2 個、 銅ワッシャ 2 枚、ホース(φ10、L=1000) |
| 14999-AK081 | GT タービン水冷配管用セット E タイプ | バンジョー(φ14-φ8) 2 個、銅ワッシャ 4 枚、 ホースバンド 2 個、ホース(φ8、L=1000)、 バンジョーボルト(M14×P1.5) 2 個 |
| 14999-AK082 | GT タービン水冷配管用セット F タイプ | バンジョー(φ14-φ10) 2 個、銅ワッシャ 4 枚、 ホースバンド 2 個、ホース(φ10、L=1000)、 バンジョーボルト(M14×P1.5) 2 個 |


■GT6290_BB 用 サポートパーツ(別売)

(3) ターボインレットパーツ



| コード No. | 商品名 | 備考 |
|-------------|-------------------------|---|
| 1409-RA011 | TO4 用ターボフランジ G/K | |
| 1499-RA093 | フランジ タービンマニ側 | TO4、2 port |
| 14999-AK092 | Stud & Nut Set M10 L=37 | スタッドボルト(M10×P1.25, 12-8-17) 4本、 ロックナット(M10×P1.25) 4個 |

(4) ターボアウトレットパーツ



| コード No. | 商品名 | 備考 |
|-------------|---------------------|--------------------------|
| 1499-RA068 | G カップリング φ9.1 | |
| 14999-AK047 | TURBO OUTLET FLANGE | (適応パイプ外径:φ74.7、材質:SCS13) |

(5) コンプレッサーパーツ



| コード No. | 商品名 | 備考 |
|--------------|-------------------|----------------|
| 14999-AK057 | シリコンホース φ100 L=50 | コンプレッサーインレット側 |
| 90400-104100 | シリコンホース φ70 L=55 | コンプレッサーアウトレット側 |
| 1803-SA030 | シリコンホース φ70 L=70 | コンプレッサーアウトレット側 |
| 18005-AK013 | ホースバンド #64 | φ100 用 2個 |
| 18005-AK011 | ホースバンド #48 | φ70 用 2個 |

●GT5565_BB(14001-AK065)

●GT4950_BB(14001-AK068、14001-AK071)

パーツリスト




③

締付けトルク N・m (kgf・m)
T=14.2~15.2(1.5~1.6)



④



⑤



| No. | 品名 | 数量 | 備考 |
|-----|---------------|----|-----------------------------|
| ① | SUPERCORE | 1 | GT5565_BB, GT4950_BB |
| ② | TURBO HOUSING | 1 | T25 A/R0.75 |
| ③ | V band | 1 | 刻印:446397-0382 ターボハウジング取付け用 |
| ④ | Gasket | 1 | ターボインレット用 |
| ⑤ | Gasket | 1 | ターボアウトレット用 |

・オイルインレットフィッティング、オイルアウトレットパイプは付属していません。


サポートパーツリスト P6 をご参照いただき、別途ご購入ください。

・水配管用パーツは付属していません。

サポートパーツリスト P7 をご参照いただき、別途ご購入ください。

■GT5565_BB, GT4950_BB 用 サポートパーツ(別売)

(1) オイルインレットパーツ, オイルアウトレットパーツ



| コード No. | 商品名 | 備考 |
|-------------|----------------------|--|
| 14008-AK023 | Oil Inlet Parts Kit | バンジョー(φ12-AN4)、銅ワッシャ(17.4×12.2×t1.0)、銅ワッシャ(18×11×t1.0)、バンジョーボルト(7/16-24 UNS オリフィスφ1.0) |
| 14008-AK032 | 銅ワッシャ | (17.4×12.2×t1.0) 2枚、(18×11×t1.0) 2枚 |
| 14008-AK024 | Oil Outlet Parts Kit | (アウトレットパイプ外径:φ19、L=87mm)、六角穴付きボルト(M8×P1.25、L=20) 2個、ガスケット |
| 14008-AK025 | Oil Outlet Parts Kit | (アウトレットパイプ外径:φ16、L=65mm)、六角穴付きボルト(M8×P1.25、L=20) 2個、ガスケット |
| 14009-AK012 | Gasket Oil Outlet | (取付け穴ピッチ 38mm M8 対応) 2枚 |



14008-AK022、14008-AK028



| コード No. | 商品名 | 備考 |
|-------------|-------------------|------------------------------------|
| 14008-AK022 | Flange Oil Outlet | (適応パイプ外径:φ19、材質:スチール、取付け穴ピッチ 38mm) |
| 14008-AK028 | Flange Oil Outlet | (適応パイプ外径:φ16、材質:スチール、取付け穴ピッチ 38mm) |

■GT5565_BB, GT4950_BB 用 サポートパーツ(別売)


(2) 水配管パーツ



| コード No. | 商品名 | 備考 |
|-------------|--------------------------|--|
| 14999-AK053 | GT タービン水冷配管用セット D タイプ | ニップル(M14×P1.5-φ10) 2 個、 ホースバンド 2 個、 銅ワッシャ 2 枚、ホース(φ10、L=1000) |
| 14999-AK081 | GT タービン水冷配管用セット E タイプ | バンジョー(φ14-φ8) 2 個、銅ワッシャ 4 枚、 ホースバンド 2 個、ホース(φ8、L=1000)、 バンジョーボルト(M14×P1.5) 2 個 |
| 14999-AK082 | GT タービン水冷配管用セット F タイプ | バンジョー(φ14-φ10) 2 個、銅ワッシャ 4 枚、 ホースバンド 2 個、ホース(φ10、L=1000)、 バンジョーボルト(M14×P1.5) 2 個 |


■GT5565_BB, GT4950_BB 用 サポートパーツ(別売)

(3) ターボインレットパーツ



| コード No. | 商品名 | 備考 |
|-------------|------------------------|---|
| 1409-RA032 | G/K T-25 ターボフランジ | |
| 1499-RA049 | フランジ タービン インレット | T25 フランジ |
| 14999-AK093 | Stud & Nut Set M8 L=33 | スタッドボルト(M8×P1.25, 13-7-13) 4本、 ロックナット(M8×P1.25) 4個 |


(4) ターボアウトレットパーツ



| コード No. | 商品名 | 備考 |
|-------------|------------------------|---|
| 1409-RA035 | G/K フロントパイプ | GT30 (φ70) |
| 1499-RA097 | フランジ フロントパイプ | GT28・30 |
| 14999-AK094 | Stud & Nut Set M8 L=39 | スタッドボルト(M8×P1.25, 13-7-19) 4本、 ロックナット(M8×P1.25) 4個 |

■GT5565_BB 用 サポートパーツ(別売)


(5) コンプレッサーパーツ



| コード No. | 商品名 | 備考 |
|-------------|-------------------|----------------|
| 14999-AK057 | シリコンホース φ100 L=50 | コンプレッサーインレット側 |
| 14999-AK064 | シリコンホース φ50 L=70 | コンプレッサーアウトレット側 |
| 18005-AK013 | ホースバンド #64 | φ100 用 2 個 |
| 18005-AK008 | ホースバンド #36 | φ50 用 2 個 |


■GT4950_BB 用 サポートパーツ(別売)

(6) コンプレッサーパーツ(14001-AK068)



| コード No. | 商品名 | 備考 |
|-------------|------------------|----------------|
| 14999-AK056 | シリコンホース φ75 L=55 | コンプレッサーインレット側 |
| 14999-AK064 | シリコンホース φ50 L=70 | コンプレッサーアウトレット側 |
| 18005-AK012 | ホースバンド #56 | φ75 用 2 個 |
| 18005-AK008 | ホースバンド #36 | φ50 用 2 個 |

(7) コンプレッサーパーツ(14001-AK071)



| コード No. | 商品名 | 備考 |
|-------------|-------------------------|------------------|
| 14999-AK057 | シリコンホース $\phi 100$ L=50 | コンプレッサーインレット側 |
| 14999-AK064 | シリコンホース $\phi 50$ L=70 | コンプレッサーアウトレット側 |
| 18005-AK013 | ホースバンド #64 | $\phi 100$ 用、2 個 |
| 18005-AK008 | ホースバンド #36 | $\phi 50$ 用 2 個 |



株式会社 エッチ・ケー・エス
〒418-0192 静岡県富士宮市北山7181
<https://www.hks-power.co.jp/>



GT TURBINE SERIES PARTS LIST

This document describes the parts list, support parts for GT TURBINE SERIES,
and the tightening torque for the support part.

Please make sure the quantity and contents of the provided kit before installing the product.

Please store this document with the instruction manual after reading this document.


| | |
|---------------|---|
| PRODUCT NAME | UNIVERSAL TURBINE |
| PURPOSE | AUTOMOBILE PARTS |
| PART NUMBER | 14001-AK065 GT5565_BB T25 A/R 0.75 14001-AK068 GT4950_BB T25 A/R 0.75 14001-AK071 GT4950_BB RS T25 A/R 0.75 14001-AK072 GT6290_BB 4R T4 A/R 0.61 14001-AK073 GT6290_BB 4R T4 A/R 0.81 |
| MANUAL NUMBER | E04211-K00080-00 |
| TURBINE MODEL | GT6290_BB, GT5565_BB, GT4950_BB |

REVISION OF MANUAL

| Rev. Number | Date | Detail |
|-------------|---------|-------------------------|
| 3-3.01 | 2023/09 | 1 st Edition |
| | | |
| | | |

●GT6290_BB (14001-AK072,14001-AK073)

Parts list




③

Tightening torque N·m (kgf·m)
T=14.2~15.2 (1.5~1.6)



④



⑤

Tightening torque N·m (kgf·m)
T=7.8~8.8 (0.8~0.9)





| No. | Part Name | QTY | Description |
|-----|---------------|-----|------------------------------------|
| ① | SUPERCORE | 1 | GT6290_BB 4R HSG |
| ② | TURBO HOUSING | 1 | A/R0.61 or A/R0.81 |
| ③ | V band | 1 | P/N: 446397-0382 For turbo housing |
| ④ | Gasket | 1 | For turbo inlet |
| ⑤ | V band | 1 | P/N: Φ99.1 For turbo outlet |

•Oil inlet fitting, oil outlet pipe not included. Please refer to page 14 of the parts list and purchase separately.

•Water piping parts not included. Please refer to page 15 of the parts list and purchase separately.

■ Support parts for GT6290_BB (Sold separately)

(1) Oil inlet parts, Oil outlet parts



| Part Number | Part Name | Description |
|-------------|----------------------|---|
| 14008-AK023 | Oil Inlet Parts Kit | Banjo ($\phi 12$ -AN4), Copper washer (17.4x12.2xt1.0), Copper washer (18x11xt1.0), Banjo bolt (7/16-24 UNS orifice $\phi 1.0$) |
| 14008-AK032 | Copper washer | (17.4x12.2xt1.0) 2 pcs, (18x11xt1.0) 2 pcs |
| 14008-AK024 | Oil Outlet Parts Kit | (Outlet pipe outer diameter: $\phi 19$, L=87 mm), Hex socket head cap screw (M8xP1.25, L=20) 2 pcs, Gasket |
| 14008-AK025 | Oil Outlet Parts Kit | (Outlet pipe outer diameter: $\phi 16$, L=65 mm), Hex socket head cap screw (M8xP1.25, L=20) 2 pcs, Gasket |
| 14009-AK012 | Oil Outlet Gasket | 2 pcs, (Mounting hole pitch: 38 mm, Hole size:M8) |


14008-AK022, 14008-AK028



| Part Number | Part Name | Description |
|-------------|-------------------|--|
| 14008-AK022 | Oil Outlet Flange | (Compatible pipe outer diameter: $\phi 19$, Material: Steel, Mounting hole pitch: 38 mm,) |
| 14008-AK028 | Oil Outlet Flange | (Compatible pipe outer diameter: $\phi 16$, Material: Steel, Mounting hole pitch: 38 mm,) |

■ Support parts for GT6290_BB (Sold separately)


(2) Water piping parts



| Part Number | Part Name | Description |
|-------------|-----------------------|--|
| 14999-AK053 | Water Line Set type-D | Nipple (M14 × P1.5 - φ10) 2 pcs, Hose band 2 pcs, Copper washer 2 pcs, Hose (φ10, L=1000) |
| 14999-AK081 | Water Line Set type-E | Banjo (φ14 – φ8) 2 pcs, Copper washer 4 pcs, Hose band 2 pcs, Hose (φ8, L=1000), Banjo bolt (M14 × P1.5) 2 pcs |
| 14999-AK082 | Water Line Set type-F | Banjo (φ14 – φ10) 2 pcs, Copper washer 4 pcs, Hose band 2 pcs, Hose (φ10, L=1000), Banjo bolt (M14 × P1.5) 2 pcs |


■ Support parts for GT6290_BB (Sold separately)

(3) Turbo inlet parts




| Part Number | Part Name | Description |
|-------------|-------------------------|---|
| 1409-RA011 | Turbo flange gasket | For TO4 flange |
| 1499-RA093 | TURBO INLET FLANGE | TO4 flange, 2 port |
| 14999-AK092 | Stud & Nut Set M10 L=37 | Stud bolt (M10×P1.25, 12-8-17) 4 pcs Self-lock nut (M10×P1.25) 4 pcs |

(4) Turbo outlet parts



| Part Number | Part Name | Description |
|-------------|---------------------|---|
| 1499-RA068 | G coupling φ99.1 | |
| 14999-AK047 | TURBO OUTLET FLANGE | (Compatible pipe outer diameter: φ74.7, Material: SCS13) |

(5) Compressor parts



| Part Number | Part Name | Description |
|--------------|-------------------------|-----------------------|
| 14999-AK057 | Silicone hose φ100 L=50 | For compressor inlet |
| 90400-104100 | Silicone hose φ70 L=55 | For compressor outlet |
| 1803-SA030 | Silicone hose φ70 L=70 | For compressor outlet |
| 18005-AK013 | Hose band #64 | 2 pcs. For φ100 |
| 18005-AK011 | Hose band #48 | 2 pcs. For φ70 |

●GT5565_BB (14001-AK065)

●GT4950_BB (14001-AK068, 14001-AK071)

Parts list




③

Tightening torque N·m (kgf·m)
T=14.2~15.2 (1.5~1.6)



④



⑤





| No. | Part Name | QTY | Description |
|-----|---------------|-----|------------------------------------|
| ① | SUPERCORE | 1 | GT5565_BB, GT4950_BB |
| ② | TURBO HOUSING | 1 | T25 A/R0.75 |
| ③ | V band | 1 | P/N: 446397-0382 For turbo housing |
| ④ | Gasket | 1 | For turbo inlet |
| ⑤ | Gasket | 1 | For turbo outlet |

•Oil inlet fitting, oil outlet pipe not included. Please refer to page 18 of the parts list and purchase separately.

•Water piping parts not included. Please refer to page 19 of the parts list and purchase separately.

■ Support parts for GT5565_BB and GT4950_BB(Sold separately)

(1) Oil inlet parts, Oil outlet parts



| Part Number | Part Name | Description |
|-------------|----------------------|--|
| 14008-AK023 | Oil Inlet Parts Kit | Banjo (φ12-AN4), Copper washer (17.4×12.2×t1.0), Copper washer (18×11×t1.0), Banjo bolt (7/16-24 UNS orifice φ1.0) |
| 14008-AK032 | Copper washer | (17.4×12.2×t1.0) 2 pcs, (18×11×t1.0) 2 pcs |
| 14008-AK024 | Oil Outlet Parts Kit | (Outlet pipe outer diameter: φ19, L=87 mm), Hex socket head cap screw (M8×P1.25, L=20) 2 pcs, Gasket |
| 14008-AK025 | Oil Outlet Parts Kit | (Outlet pipe outer diameter: φ16, L=65 mm), Hex socket head cap screw (M8×P1.25, L=20) 2 pcs, Gasket |
| 14009-AK012 | Oil Outlet Gasket | 2 pcs, (Mounting hole pitch: 38 mm, Hole size:M8) |



14008-AK022, 14008-AK028



| Part Number | Part Name | Description |
|-------------|-------------------|---|
| 14008-AK022 | Oil Outlet Flange | (Compatible pipe outer diameter: φ19, Material: Steel, Mounting hole pitch: 38 mm) |
| 14008-AK028 | Oil Outlet Flange | (Compatible pipe outer diameter: φ16, Material: Steel, Mounting hole pitch: 38 mm) |

■ Support parts for GT5565_BB and GT4950_BB(Sold separately)


(2) Water piping parts



| Part Number | Part Name | Description |
|-------------|-----------------------|--|
| 14999-AK053 | Water Line Set type-D | Nipple (M14 × P1.5 - φ10) 2 pcs, Hose band 2 pcs, Copper washer 2 pcs, Hose (φ10, L=1000) |
| 14999-AK081 | Water Line Set type-E | Banjo (φ14 – φ8) 2 pcs, Copper washer 4 pcs, Hose band 2 pcs, Hose (φ8, L=1000), Banjo bolt (M14 × P1.5) 2 pcs |
| 14999-AK082 | Water Line Set type-F | Banjo (φ14 – φ10) 2 pcs, Copper washer 4 pcs, Hose band 2 pcs, Hose (φ10, L=1000), Banjo bolt (M14 × P1.5) 2 pcs |


■ Support parts for GT5565_BB and GT4950_BB(Sold separately)

(3) Turbo inlet parts



| Part Number | Part Name | Description |
|-------------|------------------------|---|
| 1409-RA032 | Turbo flange gasket | For T25 flange |
| 1499-RA049 | TURBO INLET FLANGE | T25 flange |
| 14999-AK093 | Stud & Nut Set M8 L=33 | Stud bolt (M8×P1.25, 13-7-13) 4 pcs Self-lock nut (M8×P1.25) 4 pcs |


(4) Turbo outlet parts



| Part Number | Part Name | Description |
|-------------|------------------------|---|
| 1409-RA035 | Front pipe gasket | For GT30 flange, (φ70) |
| 1499-RA097 | Flange front pipe | GT28·30 flange |
| 14999-AK094 | Stud & Nut Set M8 L=39 | Stud bolt (M8×P1.25, 13-7-19) 4 pcs Self-lock nut (M8×P1.25) 4 pcs |

■ Support parts for GT5565_BB (Sold separately)


(5) Compressor parts



| Part Number | Description | Remarks |
|-------------|-------------------------------|-----------------------|
| 14999-AK057 | Silicone hose ϕ 100 L=50 | For compressor inlet |
| 14999-AK064 | Silicone hose ϕ 50 L=70 | For compressor outlet |
| 18005-AK013 | Hose band #64 | 2 pcs. For ϕ 100 |
| 18005-AK008 | Hose band #36 | 2 pcs. For ϕ 50 |


■ Support parts for GT4950_BB(Sold separately)

(6) Compressor parts (14001-AK068)



| Part Number | Description | Remarks |
|-------------|------------------------------|-----------------------|
| 14999-AK056 | Silicone hose ϕ 75 L=55 | For compressor inlet |
| 14999-AK064 | Silicone hose ϕ 50 L=70 | For compressor outlet |
| 18005-AK012 | Hose band #56 | 2 pcs. For ϕ 75 |
| 18005-AK008 | Hose band #36 | 2 pcs. For ϕ 50 |

(7) Compressor parts (14001-AK071)



| Part Number | Description | Remarks |
|-------------|-------------------------------|-----------------------|
| 14999-AK057 | Silicone hose $\phi 100$ L=50 | For compressor inlet |
| 14999-AK064 | Silicone hose $\phi 50$ L=70 | For compressor outlet |
| 18005-AK013 | Hose band #64 | 2 pcs. For $\phi 100$ |
| 18005-AK008 | Hose band #36 | 2 pcs. For $\phi 50$ |



HKS Co., Ltd.

7181 Kitayama, Fujinomiya, Shizuoka 418-0192, Japan

<https://www.hks-power.co.jp/>