

Fine Tune V Belt 製品説明書

取付けは必ず専門業者に依頼してください。

本書はご使用前に必ずお読みください。本書は、お読みになった後も保管してください。

本製品は、別紙に示す車両のみ取付け可能です。

万が一お車と本製品の型式等が異なる場合には、速やかにお買い上げの販売店にご連絡ください。

商 品 名	Fine Tune V Belt
用 途	自動車専用部品
製品説明書品番	E13572-K00044-00
備 考	適合表を元に適合をご確認ください。

改訂の記録

改訂 No.	日 付	記 載 変 更 内 容
3-3.01	2010/05	初版
3-3.13	2024/01	車種適合表に 24996-AK054, 55, 56 を追加

はじめに

この度は、HKS Fine Tune V Belt をお買い上げいただき誠にありがとうございます。

取付けは必ず専門業者に依頼し、車種毎にメーカーが発行する整備解説書に記載されている内容を守り、安全に取付けた上で、使用してください。

本書は取付けを行なう前に必ず読み、よく理解したうえで作業を行なってください。

製品の特徴

- 最新の技術で車両のコンディションを守ります。（短繊維を配合したEPDMをリブゴムに採用）
- エンジンルームのドレスアップにも効果的。
（背面にブルー着色のナイロン帆布を採用。24996-AK002, AK025, AK029, AK033, AK034, AK036, AK041～AK043, AK045～AK049, AK051 は黒色）
- 一般標準品との性能比較（機種により異なります）

高温耐久性	低温耐久性	耐摩耗性	軽量化	対発音性
4 倍	10 倍	30%アップ	17%軽量	減少

本書・本製品について

- 本書は本製品を安全に取付けていただき、あなたや他の人々への危険や損害を未然に防止するために守っていただきたい注意事項を記載しています。
- お客様又は第三者が、本製品を加工及び改造して使用したり、誤使用したことにより受けた損害については、当社は一切責任を負いかねますのであらかじめご了承ください。
- 本製品はノーマル車両及びHKS製品を装着している車両への取付けを基準に製作されています。ノーマル車両及びHKS製品を装着している車両以外に取付けた場合は、本製品の機能・性能及び安全性については保証いたしかねます。
- 本製品及び、本書は、改良のため予告なく変更・改版することがあります。

取扱い上の注意

- ベルトの寿命が短くなる為、油、グリースその他薬品を付着させないでください。
- ベルトの心線が切断する恐れがあるため、急激な角度で折り曲げないでください。
- 24996-AK002 (4PK806), AK036 (3PK687), AK042 (3PK796), AK043 (3PK809), AK045 (4PK722), AK049 (4PK647) は、純正にストレッチフィットベルトが採用されている機種専用となります。尚、メーカー純正の特殊工具が必要な場合があります。ご注意ください。

取付けを行なう前に

- 本製品を取付け可能なエンジンであるか、車検証などで再度確認をしてください。
- 本製品を箱から取出し、部品の不具合や運搬上の傷等がないか点検を行なってください。

維持・管理

- 快適に運転していただくために、お車を運転する前には必ず日常点検を行なってください。
- 安全のための整備はドライバーの責任です。必ず実施してください。
- ユーザーマニュアルに記載されている事項以外は専門業者に依頼してください。

異常・故障時の対応

- 異常時の修理はお客様ご自身では絶対に対処せず、必ず専門業者に依頼してください。
- 走行中、異音・異臭・振動等の異変があった場合にはユーザーマニュアルに従って対処してください。

株式会社 エッチ・ケー・エス

〒418-0192


静岡県 富士宮市 北山 7 1 8 1

<https://www.hks-power.co.jp/>

所在地は、予告なしに変更することがありますので、予めご了承ください。

2024 年 01 月発行（禁無断複写、転載）(株)エッチ・ケー・エス

E13572-K00044-00



Fine Tune V Belt INSTALLATION MANUAL

Have a professional install this product.

Read this manual before use. Keep this manual after reading.

This product is only for the vehicle mentioned below.

If your vehicle is different from the application of this product, contact the seller immediately.

NAME OF PRODUCT	Fine Tune V Belt
USAGE	AUTOMOBILE PART
MANUAL NUMBER	E13572-K00044-00
REMARKS	Please Check compatibility with the attached application chart.

REVISION OF MANUAL

Rev. No.	Date	Details
3-3.01	2010/05	1st Edition
3-3.13	2024/01	24996-AK054,55 and 56 was added. The application chart has revised.

Introduction

Thank you for purchasing the HKS Fine Tune V Belt. Installation must be done by a professional installer.

After installation, follow the instructions in this manual. Please read this manual before installation.

Features of the product

- Protects the vehicle using the latest technology.
(The EPDM that is used for the rib rubbers is combined with short fibers.)
- The belt helps dress up the engine bay.
(The outer surface is made of a blue color nylon fabric. 24996-AK002,AK025,AK029,AK033,AK034,AK036, AK041~AK043 AK045~AK049,AK051 is black.)
- Performance is in comparison to a general stock belt.
(There may be differences depending on application.)

High temperature durability	Low temperature durability	Wear and abrasion resistance	Weight	Noise level
4 times greater	10 times greater	30% improvement	17% Lighter	Decreased / quieter

NOTICE

- This manual assumes that you have and know how to use the tools and equipment necessary to safely perform service operations on your vehicle.
- This manual assumes that you are familiar with typical automotive systems and basic service and repair procedures.
- Do not attempt to carry out the operations shown in this manual unless these assumptions are correct.
- Always have access to a factory repair manual.
- To avoid injury, follow the safety precautions contained in the factory repair manual.

Attention in handling

- When water and oils and fats adhere, the belt remarkably decreases of the performance.
- Do not crimp the belt as this may damage the tension member.
- 24996-AK002(4PK806),AK034(3PK687),AK042(3PK796),AK043(3PK809),AK045(4PK722),AK049(4PK647) is for engines that stock belt is stretch fit belt. The special tool provided with the OEM belt set may be required.

Before installation

- Check the vehicle registration to make sure it has the engine that this product was designed for.
- Unpack and check the product contents to make sure no damage occurred during shipping.
- Make sure all required replacement parts and tools are available.
- Clean and blow air on the top surface of the cylinder head, bolt holes, head gasket and the product before installation.

Maintenance

- Make sure to properly maintain the operation of the vehicle.
- Maintenance is the responsibility of the driver/owner.
- If work needs to be performed outside the scope of this manual, consult a professional.

Trouble shooting

- If the vehicle gets damaged, have the repairs performed by a professional.
- If you experience any abnormal noises, scents, or vibrations from the vehicle while driving, reference the factory service manual.

HKS Co., Ltd.

7181 Kitayama, Fujinomiya,
Shizuoka 418-0192, JAPAN
<https://www.hks-power.co.jp/en/>

Published in January , 2024 by HKS Co., Ltd.
(Unauthorized reproduction is strictly prohibited.)

E13572-K00044-00

FINE TUNE V BELT APPLICATION CHART

CODE NO.	ENGINE	VEHICLE	MODEL	MODEL YEAR	BELT SIZE	LOCATION OF USE	PART NO. (GENUINE)
24996-AK001	SR20DE(T)	SILVIA	S14,S15	93/10~02/08	3PK875	P/S	AY14N-30875
24996-AK002 (BLACK) ※1	EJ207	IMPREZA	GRB	07/03~	4PK806	A/C	11718AA082 11718AA80 11718AA81 <SET>
	EJ257	IMPREZA	GRF	08/07~			
	EJ255	LEGACY TOURING WAGON	BR9	09/02~			
	EJ255	LEGACY B4	BM9	09/02~			
24996-AK003	EJ20(X,Y)	LEGACY TOURING WAGON, B4	TA-BP5,BL5	03/05~06/04	4PK845	A/C	809214550 809214470
	EJ20(X,Y)		CBA-BP5,BL5	06/05~09/04			
24996-AK004	RB26DETT	SKYLINE GT-R	BCNR33,BNR34	95/01~02/08	4PK875	FAN	AY140-40875
24996-AK005	SR20DE(T)	SILVIA/180SX	S14,S15	93/10~02/08	4PK880	A/C	AY140-40880
	SR20DE(T)		(R)PS13	91/01~98/12		P/S	
	SR20DE(T)		(R)PS13	91/01~98/12		A/C	
	RB26DETT	SKYLINE GT-R	BNR32	89/08~94/11		FAN	
24996-AK006	EJ20G	IMPREZA	GC8	92/10~94/08	4PK885	A/C	73013AA001 73013AA000
	EJ20(H,R)	LEGACY TOURING WAGON, B4	BG5,BD5	93/10~98/11			
	EJ25D		BG9,BD9	93/10~98/11			
	206,208		GF-BH5,BE5	98/06~03/04			
	EJ254		BH9,BE9	98/06~00/03			
	S07A	S660	DBA-JW5	2015/4~		A/C	19320-5Z1-004
24996-AK007	EJ20(G,K)	IMPREZA	GC8	94/09~98/08	4PK895	A/C	73323AC011 73323AC010 73323AC000
	EJ207			98/09~00/01			
	EJ207	IMPREZA	GDB	00/02~07/04			
24996-AK008	RB26DETT	SKYLINE GT-R	BCNR33,BNR34	95/01~02/08	4PK910	A/C	AY140-4091M AY140-40910
24996-AK009	RB26DETT	SKYLINE GT-R	BNR32	89/08~94/11	4PK925	A/C	AY140-40925
24996-AK010	RB26DETT	SKYLINE GT-R	BNR32	89/08~94/11	4PK950	P/S	AY140-40950
24996-AK011	RB26DETT	SKYLINE GT-R	BCNR33	95/01~99/01	4PK970	P/S	AY140-40969
	RB26DETT	SKYLINE GT-R	BNR34	99/01~02/08			
24996-AK012	EJ20(X,Y)	LEGACY TOURING WAGON, B4	TA-BP5,BL5	04/03~06/04	5PK875 (BOLT SET)	P/S	809218420 809218400 809218340
	EJ20(X,Y)		CBA-BP5,BL5	06/05~09/04			
	EJ257	IMPREZA	GRF	08/07~			
	EJ20(G,K)	IMPREZA	GC8	92/10~98/08			809218250 809218170 809218140
	EJ207			98/09~00/01			
	EJ207	IMPREZA	GDB	00/02~02/10			
	EJ20(H,R)	LEGACY TOURING WAGON, B4	BG5,BD5	93/10~98/11			
24996-AK013	EJ25D	LEGACY TOURING WAGON, B4	BG9,BD9	93/10~98/11			
	EJ207	IMPREZA	GDB	02/9-07/04	5PK885 (BOLT SET)	P/S	809218430 809218380 809218310 809218300
	EJ207	IMPREZA	GRB	07/03~			
	206,208	LEGACY TOURING WAGON, B4	GF-BH5,BE5	01/10~03/04			
	EJ20(X,Y)	LEGACY TOURING WAGON, B4	TA-BP5,BL5	03/05~04/04			
	206,208	LEGACY TOURING WAGON, B4	GF-BH5,BE5	98/06~01/09			809218240 809218200 809218280
	EJ254		BH9,BE9	98/06~00/03			
24996-AK014	SR20DE(T)	SILVIA/180SX	S14,S15	93/10~02/08	5PK935	FAN	AY140-50935
	SR20DE(T)		(R)PS13	91/01~98/12			
24996-AK015	13BREW	RX-7	FD3S	91/10~02/08	5PK1350	FAN	N3A1-15-908
24996-AK016	13BREW	RX-7	FD3S	91/10~02/08	6PK1045	P/S	N3A1-18-381
24996-AK017	VQ35DE	HKS S/C	Z33,CPV35	HKS CODE NO 12001- AN003~007	6PK1700	S/C	-
24996-AK018	4G63	LANCER EVO5/6 RS/GSR	CP9A	98/01~01/01	6PK1780	FAN	MD360214 WITH A/C

FINE TUNE V BELT APPLICATION CHART

CODE NO.	ENGINE	VEHICLE	MODEL	MODEL YEAR	BELT SIZE	LOCATION OF USE	PART NO. (GENUINE)
24996-AK019	4G63	LANCER EVO7 GTA	CT9A	01/02~03/01	6PK1790	FAN	MD377352 WITH A/C
	4G63	LANCER EVO7 GSR	CT9A	01/02~03/01			
	4G63	LANCER EVO8 /8MR GSR	CT9A	03/02~05/02			MN158794 WITH A/C
	4G63	LANCER EVO9 GT/RS	CT9A	05/03~07/04			
	4G63	LANCER EVO9 GSR	CT9A	05/03~07/04			
24996-AK020	2JZ-G(T)E	ARISTO	JZS160,161	97/08~04/06	6PK1930	FAN	99366-D1930 99366-02412
24996-AK021	2JZ-GE	ARISTO	JZS147	91/10~97/08	6PK1940	FAN	90916-02310 90916-A2007
	2JZ-G(T)E	SUPRA	JZA80	93/05~02/08			
	1JZ-GTE, 2JZ-GE	SOARA	JZZ3#	91/05~00/12			
	1JZ-G(T)E, 2JZ-GE	MARK II・CHASER・ CRESTA	JZX10#	96/09~00/10			
	1JZ-G(T)E	MARK II・VEROSSA	JZX11#	00/10~07/06			
24996-AK022	2JZ-GTE	ARISTO	JZS147	91/10~97/08	6PK1955	FAN	90916-02305 90916-02306
	1JZ-GTE	SUPRA	JZA70	90/08~93/05			
	1JZ-GE	MARK II	JZX8#	90/08~93/02			
	1JZ-GE	CHASER・CRESTA	JZX8#	90/08~92/10			
	1JZ-GE, 2JZ-GE	MARK II・CHASER・ CRESTA	JZX9#	92/10~96/09			
24996-AK023	VQ35DE	HKS S/C	Z33,CPV35	HKS CODE NO 12001- AN003~007	7PK1060	S/C	-
24996-AK024	LEA-MF6	CR-Z	DAA-ZF1	10/02~	4PK1160	FAN	19230-RBJ-003
	LDA-MF6	INSIGHT	DAA-ZE2	09/02~			
	RB26DETT	HKS DAMPER PULLEY KIT	B(C)NR 3#	89/08~02/08		P/S	-
24996-AK025 (BLACK)	LEA-MF6	HKS S/C	DAA-ZF1	HKS CODE NO 12001- AH001.004.007	4PK1240	S/C	-
24996-AK030	FA20	86	DBA-ZN6	2012/03~	6PK2075	FAN	SU003-02202
		BRZ	DBA-ZC6	2012/03~			809221180
24996-AK031	VR38DETT	R35 GT-R	R35	2007/11~	7PK2109	FAN	AY14N-72109
24996-AK033 (BLACK)	F20C,F22C	HKS S/C	AP1,AP2	HKS CODE NO 12001- AH005.006	6PK1319	S/C	-
24996-AK035	FB16	LEVORG	DBA-VM4	2014/6~	6PK1905	FAN	809221200 (6PK1910)
	FA20		DBA-VMG	2014/6~			
24996-AK036 (BLACK) ※1	KF	COPEN	DBA-LA400K	2014/6~	3PK687	A/C	90048-31089
24996-AK037	KF	COPEN	DBA-LA400K	2014/6~	4PK745	FAN	90048-31086
24996-AK040	S07A	S660	DBA-JW5	2015/4~	4PK701	ACG	31110-R9G-004
24996-AK041 (BLACK)	P5-VP	ROADSTER	ND5RC	2015/4~	6PK952	A/C&ACG	P301-15-909C
	PE-VPR	ROADSTER RF	NDERC	2016/12~			
	-	MX-5 Miata		2015~			
24996-AK042 (BLACK) ※2	P5-VP	ROADSTER	ND5RC	2015/4~	3PK796	FAN	PY01-15-908
24996-AK043 (BLACK) ※2	PE-VPR	ROADSTER RF	NDERC	2016/12~	3PK809	FAN	PEES-15-908
	-	MX-5 Miata		2015~			
24996-AK044	K14C	SWIFT SPORT	CBA-ZC33S	2017/9~	5PK969	ACG	17521-53R00
24996-AK045 (BLACK) ※1	K14C	SWIFT SPORT	CBA-ZC33S	2017/9~	4PK722	A/C	95141-52R10
24996-AK046 (BLACK)	K20C	CIVIC TYPE-R	DBA-FK8	2017/9~	6PK1710	A/C	31110-RPY-G02
24996-AK047 (BLACK)	L15C	CIVIC HATCHBACK	DBA-FK7	2017/9~	7PK1710	A/C	31110-59B-014

FINE TUNE V BELT APPLICATION CHART

CODE NO.	ENGINE	VEHICLE	MODEL	MODEL YEAR	BELT SIZE	LOCATION OF USE	PART NO. (GENUINE)
24996-AK048 (BLACK)	R06A	JIMNY	3BA-JB64W	2018/7～	6PK1070	ACG	17521-77R00
24996-AK049 (BLACK) ※1	R06A	JIMNY	3BA-JB64W	2018/7～	4PK647	A/C	95141-77R00
24996-AK051 (BLACK)	B48/B58	GR SUPRA	3BA-DB82/22/42	2019/5～	6PK1149	FAN	90118-WA391
24996-AK052	G16E-GTS	GR YARIS	4BA-GXPA16	2020/9～	6PK1148	FAN	90916-02769 WITH A/C
24996-AK053	FA24	BRZ	3BA-ZD8	2021/09～	6PK2037	FAN	23780AA240
		GR 86	3BA-ZN8	2021/10～			SU003-09607
24996-AK054 (BLACK)	312A3	ABARTH595 COMPETIZIONE	ABA-31214T	2017/02～	5PK1170	FAN	55219226
24996-AK055 (BLACK)	VR30DDTT	NISSAN FAIRLADY Z	3BA-RZ34 5BA-RZ34	2022/04～	6PK1948	FAN	AY141-61948
24996-AK056	G16E-GTS	GR COROLLA	4BA-GZEA14H	2022/12～	6PK1171	FAN	90916-02770
		GR YARIS RC A/C LESS	4BA-GXPA16	2020/08～			

※1 専用の特殊工具が必要です。
This belt requires a special tool.

※2 特殊工具は不要です。
Special tools are not necessary for this belt.

●24996-AK012(5PK875) & 24996-AK013(5PK885)



上：純正ボルト

The upper side: Genuine bolt

下：キット付属ボルト

The lower side: Kit bolt

* 純正

Genuine



* 交換後

After replacement





株式会社 エッチ・ケー・エス
〒418-0192 静岡県富士宮市北山7181
<https://www.hks-power.co.jp>